

Slim outside Multi benefits inside

**MultiSlim, eco-friendly compact
and robust oven.**

The perfect fit for any business



You talk...

I'm looking for an oven to **fit the limited space** I have available but that won't compromise on performance.

Space is at a premium.
I need to make my business as profitable as possible and deliver great quality food to my customers.

I'm struggling to find a **solidly-built compact** oven that will help my business grow.



...we listen

Offering less water waste, exceptional efficiency and multifunction performance, MultiSlim is the new **eco-friendly, robust, compact oven** you can rely on.



Green savings

15% less water*
Save on water bills



Cook in less space

Just 0.42 m²



Long-lasting

72 Kg. Robust build
for heavy duty use



*versus standard injection oven.
Maximum moisture level hourly consumption

Take your business to the max with MultiSlim

Want to cut your water bills by **15%** and guarantee cooking performance?
The all new MultiSlim **compact oven** from Electrolux Professional is best in class for solidity and profitability when space is an issue



Green



**Less water* waste.
Savings and respect for nature**

Using up to **15% less water** than standard injection ovens, MultiSlim is better for the environment and **saves on your utility bills**

*versus standard injection oven.
Maximum moisture level hourly consumption



Compact

just
0.42 m²

Short on space?

Space-saving dimensions, just 0.42 m², make MultiSlim **ideal for small kitchen**

**The perfect fit.
Even if you move**

Right or left door-opening.
And if your kitchen layout changes, simply replace the door on site with one that opens the other way





Solid

Built to last

Long term, heavy duty use is what MultiSlim is designed for, built using **high quality materials**

weight
72 Kg



Easy

Maximum simplicity

Perfect cooking guaranteed service after service. **Extra simple interface** lets you create, save and program up to 99 of your favorite recipes

Minimize maintenance

Maximize your time by letting MultiSlim do the cleaning. **Automatic Cleaning System** with 3 different programs, self-dispensed detergent and auto-switch off. So you can get on with other tasks



Fast access

Minimize downtime and simplify inspection with **easy front panel access** to all electrics and components. Less than 5 minutes to open the panel and inspect

Easy to install, anywhere

One oven, **3 different voltages** make MultiSlim perfect for any kitchen.

Plug-in anywhere anywhere.

- 400 V/3 N/50-60 Hz
- 230 V/3 /50-60 Hz
- 230 V/1 N/50-60 Hz



77 cm

52 cm




FAN 3 MANUAL



Your menu at your fingertips

Guaranteed results service after service. The simple to use MultiSlim programmable interface lets you create, **save and load up to 99 of your favorite recipes**



Program your meal from 1 to 14:

- | | | | | | |
|---|--|---|----|--|---------------------------------|
| 1 | | On/Off | 10 | | Program selection (99 programs) |
| 2 | | Cooking phase confirmation | 11 | | Back key / Auto clean set up |
| 3 | | ECO-Delta cooking | 12 | | Start/Stop |
| 4 | | Temperature setting | 13 | | Halogen light on/off |
| 5 | | Cooking with probe | 14 | | Exhaust valve control |
| 6 | | Time setting | | | |
| 7 | | Fan speed setting | | | |
| 8 | | Cooking chamber humidity setting | | | |
| 9 | | Cooking phase selection (9 phases each program) | | | |





Restaurant

Short on space and need to cut your running costs without compromising on performance? Multifunctional, compact MultiSlim is your new best friend

Comforting, classic Crème Brûlée



82 °C humidity level 10



30 minutes


2

Suggested trayloads

30

Cocotte - 80 g/each

No need to plastic wrap your trays. High steam saturation keeps your brûlées perfectly creamy with just the right amount of wobble



922017
Pair grids or frying basket
GN 1/1

Simply great gratin



190 °C humidity level 1



25 minutes

2

Suggested trayloads

36

Portions - 150 g/each

Add some steam when you grate. A little bit of steam creates a tasty, golden gratin



925002
Non-stick U-pan h. 60 mm
GN 1/1

Perfectly steamed potatoes



100 °C humidity level 10



45 minutes

3

Suggested trayloads - 3 Kg/each

90

Portions - 9 Kg total

Steam your potatoes to perfection then simply season and serve or bake for a crispy skin



922239
Pair of frying baskets
GN 1/1



Bar, Bistro, Coffee shop

Rush hour orders flooding in? Stay ahead of the game with multifunction MultiSlim

Crusty, freshly baked bread



190 °C convection



15 minutes

3

Suggested trayloads

12

Baguettes

The easy way to bake bread in just 15 minutes



925007
Non-stick baguette tray
GN 1/1

Crispy, fried breaded fillets



210 °C convection



6 minutes

2

Suggested trayloads

12

Pieces - 140 g/each

Tasty, low fat, high quantity frying is simple with our specially designed trays



925000
Non-stick U-pan h. 20 mm
GN 1/1

Fast, even grilling



260 °C convection



5 minutes


3

Suggested trayloads

24

Pieces - 100 g/each

Speed up cooking times and reduce smoke and odors with oven grilling. Evenly grill vegetables in just 12 minutes at 270°C convection



925004
Non-stick grill
GN 1/1

Accessories

Installation solution bases



Open base

Pre-mounted for easy oven installation

PNC	922369
WxDxH	470x620x800 mm



Tray support

Mount on open base to provide additional storage


PNC	922370
Grid nr	6
WxDxH	735x128x65 mm



Stacking kit

Ideal for saving kitchen space. The kit can be mounted on site.

PNC	922371
WxDxH	780x600x215 mm



Base support for stacked compact oven

Pre-arranged for an easy installation of the ovens

PNC	922368
WxDxH	470x620x320 mm



Kit front air filter

Makes daily maintenance easy

PNC	922379
WxDxH	400x350x350 mm



Hand shower

Pre-mounted for easy installation

PNC	922372
WxDxH	220x220x220 mm

Food probe



Core probe

Monitor core temperature. One-sensor probe. Essential for ECO-Delta and probe-guided cooking cycles

PNC	922373
WxDxH	250x40x40 mm

GastroNorm trays



Pair of grids

Ideal:
 - for roasting large items
 - as support for non-standard containers and plates for regeneration


PNC	922017 (pair)
Material	AISI 304



Chicken grids

Ensure chickens roast evenly, browning skin and keeping meat juicy

PNC	922086 (single)	922266 (single)
Chicken per grid	4 (0.7-2 Kg size)	8 (0.7-2 Kg size)
Material	AISI 304	



Pair of frying baskets

Ideal for air frying frozen pre-fried finger food (French fries, chicken nuggets, crab sticks...)

PNC	922239 (pair)
Material	AISI 304




Non-stick U-pan with coating

Ideal for:
 - reducing cooking time up to 10% and energy consumption up to 8% (no surface preheating is required; differently from fry tops, the pan can come directly from the refrigerator)
 - reducing food weight loss by 2-4% in comparison with traditional methods, enabling juicier products
 - improving operations (eliminates smoke, heat, necessity to grease pans and turn food)

Use plastic utensils to extend life of special surface coating.

Avoid cleaning with granule-type dishwashers


Size	GN 1/1
20 mm PNC	925000 (single)
40 mm PNC	925001 (single)
60 mm PNC	925002 (single)
Material	aluminum alloy with non-stick coating
Size	GN 1/2
20 mm PNC	925009 (single)
40 mm PNC	925010 (single)
60 mm PNC	925011 (single)
Material	aluminum alloy with non-stick coating



Non-stick frying griddle with coating

Ideal for:
 - various cooking needs (double-faced pan features ribbed side for grilling and marking, flat side for baking and toasting)
 - improving operations (no pre-heating needed, eliminates smoke and heat exhaustion, aluminum enhances the heat exchange for faster and more even cooking)

PNC	925003
Material	aluminum alloy with non-stick coating



Non-stick grill with coating

Ideal for:
 - marking steaks
 - improving operations (no pre-heating needed)

PNC	925004
Material	aluminum alloy with non-stick coating



Non-stick egg fryer with coating

Ideal for:

- automatic egg cooking process; may be used for pancakes, hamburgers, omelette, quiches and other round food
- improving operations (no pre-heating needed, aluminum enhances the heat exchange for faster and more even cooking)

PNC	925005
Material	aluminum alloy with non-stick coating



Non-stick flat baking tray with coating

2 edges

PNC	925006
Material	aluminum alloy with non-stick coating



Non-stick baguette tray with coating

Ideal for:

- baking baguettes (enables fitting 4 pieces, 290 g each)
- improving operations (perforated aluminum enhances the heat exchange for faster and more even cooking)

PNC	925007
Material	perforated aluminum, silicon coating

Detergent



Extra Strong Detergent for Ovens C20

Ergonomic, easy-to-handle and store pack contains 2x5l jugs.

Scan the QR code to download the Safety Data Sheet

PNC	0S2282
-----	--------

Water treatment



Water filter with cartridge and flow meter

PNC	920002
Oven size	6 GN 1/1
Filter capacity	4675 Lt
WxDxH	149x149x553 mm



Automatic water softener

PNC	921305
Electrical connection	220/230V 1N 50/60 Hz
Power	0,04 kW
WxDxH	250x480x540 mm



Essentia Teamed to serve you. Anytime, anywhere

Your satisfaction is our satisfaction. Anything you need is always available thanks to an extensive Customer Care global network with over **2,200 Authorized Electrolux Professional Service Partners** in more than **149 countries**. **10,000 professional technicians** and over **170,000 managed spare parts**

Keep your equipment performing

Ensure consistent performance and efficiency from your equipment by using our comprehensive range of **accessories, consumables and original spare parts**.
The perfect combination for your business

Service agreements, peace of mind

Electrolux Professional appliances are built to last. When it comes to making our Customer's life easier we support you with **solutions that ensure the equipment remains as efficient and profitable as the day it was installed**.
Undertaking correct maintenance in accordance with Electrolux Professional Manuals and recommendations is essential to avoid unexpected issues. Electrolux

Professional Customer Care offer a number of **tailor made services packages**.

For more information contact your preferred **Electrolux Professional Authorized Service Partner**



Find out more
on our website

MultiSlim compact oven	260635	260638	260655	260658
Right hinged door			•	•
Left hinged door	•	•		
External dimensions (wxdxh)	520x803x770 mm			
Internal dimensions (wxdxh)	380x540x370 mm			
GN trays capacity	GN 1/1			
Humidity control	11 settings			
Electric power	6.9 kW			
Electrical connection	400 V/3 N/50-60 Hz 230 V/3 /50-60 Hz 230 V/1 N/50-60 Hz			
Weight	72 Kg			
Water supply	3/4"			
Water drain	40 mm			
Water supply pressure	1.5 - 4.5 bar			
Cleaning system		•		•



Ask info and find an Electrolux Professional Partner at www.electroluxprofessional.com



Excellence is central to everything we do.
By anticipating our customers' needs, we strive for
Excellence with our people, innovations, solutions and services.
To be the OnE making our customers' work-life easier,
more profitable – and truly sustainable every day.

Follow us on



www.electroluxprofessional.com

Excellence with the environment in mind

- ▶ All our factories are ISO 14001-certified
- ▶ All our solutions are designed for low consumption of water, energy, detergents and harmful emissions
- ▶ In recent years over 70% of our product features have been updated with the environmental needs of our customers in mind
- ▶ Our technology is RoHS and REACH compliant and over 95% recyclable
- ▶ Our products are 100% quality tested by experts

