

### DURABILITY, ROBUSTNESS AND TROUBLE-FREE OPERATION

It goes without saying that customers expect trouble free operation regardless of whether the machines are installed in the best maintained installations or the toughest 24h open selfservice laundry.

That's the reason why Wascomat machines are built to last 30,000 cycles. With 70 years of experience we have knowledge and skills to produce high quality machines in highly technological factories.

Not only, we have also developed intelligent software which increases the performance and extends the machine's lifetime. Wascomat machines are Built to Last!



# BUILT TO LAST SINCE 1955



# HIGH PERFORMANCE LINE

Wascomat laundry equipment is designed for **reliability**, **low water** and **energy consumption**, **long lifetime** and **low running costs**.

Wascomat high performance washers and dryers are the right solutions for in-house laundry operations from hotel and hospital laundry to nursing homes, long-term care facilities, salon laundry, veterinarians, restaurants, schools, prisons, firehouses, and all other business facilities that need commercial laundry equipment as well as any Laundrette business.

Wascomat washers are designed to lower water and energy consumption, and provide trouble-free operation in demanding laundry environments, year after year.

Wascomat dryers are precisionengineered for **efficiency**, **ease of use**, and **superior drying results**. They also feature the optimal combination of gas consumption and airflow to provide the fastest drying and lowest energy use.







# WASHERS

6 KG > 120 KG

## INTELLIGENT CONTROL

- > Flexible and customisable
- > Up to 35 preset programs and 15 programmable
- > Large, clear display in 18 languages with Real-time clock
- Create new programs in your PC with the Laundry Program Manager, then transfer them to machines via USB port
- > 5 liquid detergent signals
- > Process monitoring via a central Information System

## PERFECTION THROUGHOUT

An insight into the origins of washing. Whatever your needs, Wascomat presents a wide range of products offering the perfect solution for you. The range consists of 3 main categories: H (high spin), S (super spin), and N (normal spin).



# ROBUST CONSTRUCTION FOR EXTENDED LIFETIME



Soft or solid mounted for different needs.



Stainless front panel for protection against rust and corrosion.




# BEST-IN-CLASS DEWATERING FOR LOWER OPERATIONAL COSTS




Best-in-class drum perforation ensures removal of all dirt particles for maximum laundry care



Keeping the right time at a high spin extraction (G-force 450) for maximum de-watering, thus saving time and energy



Drain valve positioned and connected directly on the outer drum, no "dead" space for water, less water to heat, less detergent required



The machine weighs the linen and adjusts the amount of water and energy according to the load. This leads to considerable savings in case the machine is not fully loaded.

(Available on general programs)

## $\bigcirc \bigcirc$

# EASY TO USE THANKS TO THE INTELLIGENT CONTROL



Intelligent control to manage and monitor the washing cycles, easy and intuitive



USB connection on the front for easy access and faster service



Optimal ergonomic door opening and handle with door lock mechanism



Manual and automatic dosing for connection to any detergent system



Flexible Control Easy to read graphic display on larger models

### WASHERS

Choose the solution that suits you best

### H HIGH SPIN













	H <b>7</b> -55	H7-75	H <b>7</b> -105	H7-130	H7-180	H <b>7</b> -240
Drum volume (l)	55	75	105	130	180	240
Dry weight capacity (kg)	6	8	11	14	20	27
G-factor	530	400	400	400	400	400
Width (mm)	595	720	830	910	970	1020
Depth (mm)	681	721	757	821	947	990
Height (mm)	832	1132	1212	1340	1426	1462
Electric / Steam / Non-heated	<b>√</b> / <b>×</b> / <b>√</b>	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>	<b>V</b> / <b>V</b> / <b>V</b>
Control system	Δ	Δ	Δ	Δ	Δ	Δ
Optional base	0	0	0	0	0	0
Optional: water hoses or steam hoses	<b>×</b> /o	0	0	0	0	0











	H7-300	H <b>7</b> -400	H <b>7</b> -600	H7-850	H <b>7</b> -1100
Drum volume (l)	300	400	600	850	1100
Dry weight capacity (kg)	33	45	65	90	120
G-factor	450	350	350	350	300
Width (mm)	1020	1325	1390	1640	1640
Depth (mm)	1134	1450	1585	1635	1850
Height (mm)	1462	1975	1975	2190	2190
Electric / Steam / Non-heated	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>	×/ <b>√</b> / <b>√</b>	×/ <b>√</b> / <b>√</b>
Control system	Δ	<)(>	<)(>	<)(>	<)(>
Optional base	0	×	×	×	×
Optional: water hoses or steam hoses	0	0	0	0	0

ullet standard ullet optional ullet available ullet not available ullet flexible control ullet intelligent control

### N NORMAL SPIN











	N7-75	N7-85	N7-105	N7-130	N7-180
Drum volume (l)	75	85	105	130	180
Dry weight capacity (kg)	8	9	11	14	20
G-factor	130	130	130	130	130
Width (mm)	660	720	720	720	750
Depth (mm)	681	720	697	787	915
Height (mm)	1131	1135	1217	1216	1345
Electric / Steam / Non-heated	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>
Control system	Δ	Δ	Δ	Δ	Δ
Optional base	0	0	0	0	0
Optional: water hoses or steam hoses	0	0	0	0	0





	N7-250	N7-330
Drum volume (l)	250	330
Dry weight capacity (kg)	25	35
G-factor	130	130
Width (mm)	830	910
Depth (mm)	1030	1115
Height (mm)	1430	1465
Electric / Steam / Non-heated	<b>V/V/V</b>	<b>V/V/V</b>
Control system	Δ	Δ
Optional base	0	0
Optional: water hoses or steam hoses	0	0



### **SOFT MOUNT**

MACHINES
Freestanding installation

#### **SOLID MOUNT** MACHINES

Need to be fixed to the floor

#### H HIGH SPIN

G-factor from 300 to 450 (depending on model)

N NORMAL SPIN G-factor 130

### WASHERS

Choose the solution that suits you best

### S SUPER SPIN











	S7-75	S <b>7</b> -85	S <b>7-</b> 105	S <b>7-13</b> 0	S <b>7-1</b> 80
Drum volume (l)	75	85	105	130	180
Dry weight capacity (kg)	8	9	11	14	20
G-factor	200	200	200	200	200
Width (mm)	660	660	720	720	750
Depth (mm)	680	725	700	790	915
Height (mm)	1135	1135	1220	1220	1345
Electric / Steam / Non-heated	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>
Control system	Δ	Δ	Δ	Δ	Δ
Optional base	0	0	0	0	0
Optional: water hoses or steam hoses	0	0	0	0	0





	S7-250	S7-330
Drum volume (l)	250	330
Dry weight capacity (kg)	28	35
G-factor	200	200
Width (mm)	830	910
Depth (mm)	1030	1115
Height (mm)	1430	1465
Electric / Steam / Non-heated	<b>V</b> / <b>V</b> / <b>V</b>	<b>V/V/V</b>
Control system	Δ	Δ
Optional base	0	0
Optional: water hoses or steam hoses	0	0

ullet standard ullet optional ullet available ullet not available ullet flexible control ullet intelligent control



# DRYERS

7 KG > 67 KG

## INTELLIGENT CONTROL

- > Flexible and customisable
- > Up to 55 preset program and 15 programmable
- Large, clear display in up to 18 languages with Realtime clock
- Machines can be connected to a network to monitor all operating costs and program & consumption data

## QUALITY IN EVERY DETAIL

Wascomat tumble dryers are designed for quick and simple installation. Only one external connection for electricity, gas and exhaust is required.





### **HEAVY-DUTY CONSTRUCTION**



Galvanized panels\* to protect against rust and corrosion

\* stainless steel as optional

Extremely powerful fans for a more flexible installation



Support rollers for increased drum stability and noise reduction




Double-sealed SKF bearings and belt drive with sturdy suspension for a longer lifetime even in difficult installations



Robust door switch and door gasket for an impeccable seal



### HIGH PRODUCTIVITY WITH BEST EVAPORATION



King size lifter and reversing drum for optimal drying results



Optional residual moisture control sensors continuously measure and stop drying at a desired moisture level



Optimized drum speed for better results, shorter drying cycle and energy saving



Smart coin shop drying set up for a higher energy saving, no risk of over-drying, shrinking or damaging garments



### EASY TO OPERATE



Intelligent control to manage and monitor the washing cycles easiliy and intuitively

USB connection on the front for easy access and faster service



on se an of

Easy cleaning of the large, durable and ergonomic lint filter minimizes maintenance

Optional exhaust on top for better serviceability and optimization of space



Optimal and ergonomic large door opening for easy loading and unloading



### DRYFRS

Choose the solution that suits you best

### **TUMBLE DRYERS**











	D7-135	D7-190	D7-255	D7-290	D7-300S
Drum volume (l)	135	190	255	290	2 x 300
Max dry weight capacity (kg)	7.5	10.6	14.2	16.1	2 x 16.7
Width (mm)	600	721	790	713	790
Depth (mm)	845	778	965	1210	1115
Height (mm)	1050	1114	1770	1688	1940
Electric/Gas/Steam	<b>✓/</b> ✓/×	√/×/×	<b>V/V/V</b>	<b>V/V/</b>	<b>√</b> / <b>√</b> /X
Energy kWh / l water evaporated* (Electric/Gas/Steam)	1.01/ 1.20/ X	0.92/ <mark>X</mark> /X	1.00/1.13/1.17	0.96/1.06/1.37	0.96/1.03/ <b>X</b>
Intelligent Control	•	•	•	•	•
Residual Moisture Control	0	0	0	0	0
Reversing Drum Action	•	•	•	•	•













	D7-360	D7-425S	D7-550	D7-675	D7-900	D7-1200
Drum volume (l)	360	2 x 423	550	675	900	1200
Max dry weight capacity (kg)	20	2 x 23.5	30.5	37.5	50	66.7
Width (mm)	790	868	961	961	1290	1290
Depth (mm)	1200	1325	1365	1560	1295	1485
Height (mm)	1770	2086	1869	1857	2465	2465
Electric/Gas/Steam	<b>V/V/V</b>	×/√/×	<b>V/V/</b>	<b>V/V/V</b>	<b>V/V/V</b>	<b>V/V/V</b>
Energy kWh / l water evaporated* (Electric/Gas/Steam)	1.00/1.13/1.17	×/1.06/×	0.98/1.06/1.22	0.98/1.07/1.26	1.2 / 1.16 / 1.91	1.17**/1.23/1.64
Intelligent Control	•	•	•	•	•	•
Residual Moisture Control	0	0	0	0	0	0
Reversing Drum Action	•	•	•	•	•	•

<sup>●</sup> standard ○ optional ✓ available × not available

 $<sup>^{\</sup>ast}$  At rated capacity 100% cotton load at 50% initial moisture dried to 0%

<sup>\*\*</sup> Test load 48 kg



## OPTIMAL WASHER & DRYER SETS

Equipment Combinations Tailored to Your Daily Needs

### ON PREMISE LAUNDRIES



\*Based on 8 cycles per day

### **SELF-SERVICE LAUNDRIES**





**Washers** S7-75 **2x** S7-130 **1x** 

Dryers
D7-300S 2x



up to 30 sqm\*





**Washers**S7-75 **4x**S7-130 **3x**H7-180 **1x** 

Dryers
D7-300S 3x
D7-550 1x



up to 60 sqm\*

LARGE self-service laundry



**Washers** H7-75 **9x** H7-180 **2x** H7-240 **1x**  **Dryers**D7-300S **6x**D7-425S **1x**D7-550 **1x** 



100 sqm\*

<sup>\* + 1</sup> m space needed behind each machine for servicing

## CUSTOMER CARE & ACCESSORIES

Choose the solution that suits you best

### **BEFORE AND AFTER** SALES, TRUST AN EXPERT

Listening and collaboration: these are two key words for us. Our engineers collaborate with our customers and technicians to define exactly what the features will be of an ever more reliable and easy-to-use product.

### **OUR COLLABORATORS ARE CONSULTANTS** FIRST AND FOREMOST

Our consultants can recommend the best machine, with the most services and which best adjusts to the client's work project specifications. Our after-sales service has an extensive presence and is fast and efficient.

### **OUR COURSES HELP** YOU DISCOVER THE FULL POTENTIAL OF OUR MACHINES

Our courses are conducted by professionals for professionals for two reasons: to provide operators with updates on laundry process techniques and more detailed information on our machines so they can produce more and consume less.



# YOUR DAILY WORK

Refer to Product Data Sheets for the complete list of accessories



Open base



Closed base



Water hoses Steam hoses



Our laundry equipment is built to last 30,000 cycles and we keep our promise.

Years of experience have provided us with knowledge and skills to produce high quality machines including riveted machine frames.

Not only, we have also developed intelligent software which increases the washing&drying performance and extends the machine's lifetime.

www.wascomat.com

