
Installation manual Washer-extractors

WB6-20 — WB6-27 — WB6-35 ETL







Original instructions

Contents

1	Safety precautions	5
	1.1 Symbols	
	1.2 Personal protection equipment	
	1.3 Preliminary instructions	
2	Environmental information	
3	Note about the A.C. power	
4	Data plate explanation	
5	Locking and tagging procedure	
6	Handling	
	6.1 Lifting with a fork-lift truck	
-	6.2 Lifting with handlings straps	
7	Packing-Weight	
	 7.1 Packing 7.2 Weight 	
8	Technical characteristics	
0	8.1 Technical data	
	8.2 Connections	
	8.3 Dimensions — WB6–20 – WB6–27 – WB6–35	.24
9	Sound levels	
10) Working place lighting	.26
11	Supplies	.26
12	Parrier partition	.27
13	Mechanical installation	.28
	13.1 Unpacking	
	13.2 Installation	
	13.3 Installing the shock absorber runners	
	13.4 Instructions for securing the machine on the ground	.29
14	Remove of the transport locks fitted	
	14.1 Remove of transport locks of casing :14.2 Remove of transport locks fitted :	.30
15	Waters connections	
	Drain connection	
10	16.1 Drain connection beside the machine (optional extras)	
	16.2 Drain connection at the back of the machine	
	16.3 Drain connection at the left of the machine	
	16.4 Drain connection at the right of the machine	
	' Electricity power supply	
18	Liquid detergents connection	.41
	18.1 Connection scheme of liquid detergents	
	18.2 Electrical liquid detergents' connection	
	Steam connection	
	Indirect steam heating	
	Compressed air connection	
	? Air vent connection	
	Feeder cable sections	
	Function checks	
	o Conversion of measurement units	
26	Disposal information	
	26.1 Disposal of appliance at end of life	
	26.2 Disposal of packing	.55

The manufacturer reserves the right to make changes to design and component specifications.

1 Safety precautions

This machine should be installed in conformance to the health and safety regulations, and only used in a sufficiently aerated area.

Check the instructions before installing or using the machine.

Before any use, it is compulsory to read the instruction handbook.

Users must have learnt how the machine operates.

This device must not be installed in places accessible to the public.

The machine is only intended for water-wash use.

Do not allow minors to use the machine.

Do not hose down the machine with water.

Only use detergent intended for water-wash of textiles Never use dry cleaning agents. The machine's door lock must under no circumstances be bypassed.

Servicing shall be carried out only by authorized personnel.

If the machine develops a fault, this must be reported to the person in charge as soon as possible. This is important both for your safety and that of others.

This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety and understand the hazards involved. Do not modify this appliance.

Only authorized spare parts shall be used.

It is forbidden to wash textiles soaked with solvents.

In order to prevent damage to the electronics (and other parts) that may occur as the result of condensation, the machine should be placed in room temperature for 24 hours before being used for the first time.

In case of a gas heated machine, do not assemble the machine on premises containing a dry cleaning machines or other similar machines.

Make sure note to over load the machine.

Please wash only items offering appropriate distribution inside the drum. Do not wash items such as mattresses or shoes. Call our technical departments before washing nonstandard items. Noncompliance with these instructions may void the manufacturer's guarantee in case of abuse of the washer-extractor.



IMPORTANT



Never try to open the outer drum door before the complete stop of the cage.



CAUTION



Disconnect all the sources of energy before any intervention on the machine.

Â

The machines comply with the European Directive EMC (Electromagnetic Compatibility). They have been tested in laboratory and approved as such. It is so prohibited to add wires or nonshielded electric cables in the cabinets except for option and executed by qualified technician, strands or cables' troughs.

Considering that the volume of the outer drum is superior to 150 litres, the standard kept for the electric part is the IN 60204.

Ŕ

ΎΙ

Never use the main switch as an emergency stop. Use it only when the machine does not work in progress. Instead of that, use the emergency stop buttons in both sides of the machine.

CAUTION

The machine can work without the protective casing when the electric supply is not cut off.

Interlock the main isolating switch with a padlock.

Close the steam or gas inlet valves.



CAUTION

With AIDO(Automatic Inner Door Opening) option, Take care of the disc of the opening system on your side. Risk of cutting with the edge of the disc!!

Take care also of the locking system on your side; risk of cutting with the edge of the plate!!



CAUTION

When you put your hands into the drum, take care of the edge of the outer drum doors on yours sides. Risk of cutting with the edge of the metal plate!!



CAUTION

In case of barrier washing machine (two outer doors), make sure to have more pressure in the clean linen area (unloading side) than in the dirty linen area (loading side) to be sure to not suck bacteria from the dirty side to the clean side.



IMPORTANT

Ensure that the machine is not loaded beyond its nominal capacity (see "Specific load" in the instruction booklet's technical characteristics).

An excessive load has consequences for the lifetime of the machine's organs, as follows:

- Rapid destruction of the suspension elements (springs, shock absorbers);
- Excessive fatigue of motorization elements (engine, belt);
- Rapid reduction of lifetime of drum bearings (rolling bearings);
- Opening and destruction of drum doors and tank doors during oil dehydration. This is particularly important for your safety and that of others.

The consequence is an immediate cancellation of the warranty.



THINK OF THE ENVIRONMENT!



The use and handling of chemical products such as detergent, chlorine, acids, descaling agents, etc may create hazards for health and environment ; the following precautions should be taken:

- Do not breathe the dusts or steam;
- Avoid contact with skin or eyes (may cause burns);
- In case of important spillage, wear a protecting mask, gloves, and eye protectors;
 Handle with care;
- Handle with care;
- Consult the use and first aid advice on the packing;
- Do not dispose pure products in the environment.

1.1 Symbols

	Caution.
Â	Caution, presence of dangerous current.
	Caution, hot surface.
	Read the instructions before using the machine.
	Warning, do not operate with casing removed.

1.2 Personal protection equipment

Given below is a summary table of the Personal Protection Equipment (PPE) to be used during the various phases of the machine's service life.

Phase	Protection garments	Safety footwear	Gloves	Glasses	Ear protectors	Mask	Safety helmet
				00	\bigcirc		\bigcirc
Transport		х	0				
Handling		х	0				
Unpacking		х	0				
Installation		х	0				
Normal use	X	х	X	x			
Adjustments	0	х					
Routine cleaning	0	x	x	0			
Extraordinary cleaning	0	x	x	0			
Maintenance	0	х	0				
Dismantling	0	х	0				
Scrapping	0	x	0				

Legend : **X** : PPE required ; **O** : PPE available or to be used if necessary.


Normal use : Safety footwear must be defined for a use on a wet floor. And use glasses and gloves to manipulate chemical products.

1.3 Preliminary instructions

WARNING



Risk of jamming when opening the lower door for unloading




WARNING

Risk of jamming with trolley and lower door when opening (if trolley height = 850mm)

WARNING



Risk of the upper door being raised quickly on loading



Â

WARNING


After the installation, Send back the commissionning form ,signed document, to Electrolux to validate the warrantly of the product.

2 Environmental information

Concerned by providing the end user with useful and necessary environmental information, we wish to precise:

- Data about energetic consumptions, wastes (atmospheric and liquid) and sound level are indicated in the paragraph «Technical characteristics».
- Foreseeing its recycling, this machine is fully dismantable.
- This machine is free from any asbestos.
- In conformity with French regulations.
- In the other countries, we recommend that you comply with the legislation in force in the country where the machine is installed.
- In France, all owners of packing waste producing a weekly volume below 1100 litres can forward these to the local
 collection and treatment department. If exceeding this volume, the owners of packing waste will ensure their valuation by reuse, recycling or, any other action aiming at producing reusable materials or energy... or provide them
 contractually to a certified intermediate authorised to transport, trade or broke waste.
 Therefore, this forbid:
- land filling raw waste;
- open air burning or incineration without energy collection.
- Packaging of our machines are according with the french legislation related to environment requirements.

For additional information, do not hesitate to consult with our environmental department.



Scrapping of machine

When the machine is no longer to be used, it must be submitted to a recycling facility for destruction. The majority of the components in the machine can be reused, but it also contains other materials that must be taken care of in the correct way.

Therefore, never mix the machine or its parts with domestic waste as this may lead to health hazards or damage to the environment.

3 Note about the A.C. power

According to the EN 60204-1:1997 standard, the machine is provided for A.C. supplies corresponding to the extracted characteristics below :

4.3.2 A.C. supplies

Voltage:

Steady state voltage: from 0.9 to 1.1 of nominal voltage.

Frequency:

from 0.99 to 1.01 of nominal frequency continuously.

from 0.98 to 1.02 short time.

Harmonics:

Harmonic distortion not to exceed 10 % of the total r.m.s. voltage between live conductors for the sum of the second through to the fifth harmonic. An additional 2 % of the total r.m.s. voltage between live conductors for the sum of the sixth through to the 30th harmonic is permissible.

Voltage unbalance:

Neither the voltage of the negative sequence component nor the voltage of the zero sequence component in three-phase supplies shall exceed 2 % of the positive sequence component.

Voltage interruption:

Supply interrupted or at zero voltage for not more than 3 ms at any random time in the supply cycle. There shall be more than 1 second between successive interruptions.

Voltage dips:

Voltage dips shall not exceed 20 % of the peak voltage of the supply for more than one cycle. There shall be more than 1 second between successive dips.

4 Data plate explanation

In this chapter, you will find the explanation of the different data input on the data plate of your product.

- Commercial name : Usual name of your product (i.e. WB6-20).
- Type : Type of your product (you have the same on the Declaration of Conformity CE if delivered with CE certification).
- Model : Model of your product (can be different of commercial name) (i.e WSBA6180H17 for commercial name WB6–20).
- Serial Number : serial number of your product which indicate the week of the production of your product (the first 4 digit indicate the year and the week of production)
 and the plant where it has been produced (finish by 17)
- Product N°: Product number of your product.
- Date : The date of the end of manufacture of your product
- Capacity : for washer product, the maximum loaded weight of linen for your product (in kg)(i..e. 20 kg for WB6-20)
- Some technical data depending of the heating of your product : see list below :
- Some technical data depending of the voltage ordered. the voltage looks like that 380–415V 3 50–60Hz under this, you find the protection request for your product (i.e 16 A)
- Different logos are available on your data plate . They represent the different certification obtained for your product CE, EAC ETL intertek for USA and Canada countries
- QR code : when you scan it, you will be able to obtain the full documentation for your product (Complete installation and user manuals)
- Standardized protection index of your product : IP24D

Electrical heating :

- P.Max : maximum power installed of your product
- Power of the motorization in kW and its isolation class (F).
- Heating power in W.



Gas heating :

Left side

- P.Max : maximum power installed of your product
- Power of the motorization in kW and its isolation class (F).
- Heating power in W.
- Gas approval number depending on your machine except ETL product (begin by1312/......)

Right side

- Qn (Hi) : heating power of your product
- Installed gas type , its pressure, its injector diameter and its consumption .
- 3 Other gas type compatible with their pressure, their injectors diameter

Commercial name : IC64819	
Type : IC648 Model : IC64819	0
Serial N° : 0472005017 Product N° : 9882030011 Capacity : - kg P.Max : 1000 W 0.37 kW Isol.Class. : F 39 W 380-415 V 3 50 Hz 16 A For safety reasons use only original spare parts.	Qn(Hi) 39 kW Natural Gas, G20 20 mBar, Ø 3.3 mm. Mn/Vn 4.13 m3/h Type FR.II2Esi3* LPG, G30 30 mbar Ø 1.85 mm. LPG, G31 37 mbar Ø 1.85 mm. Natural Gas, G25 25 mbar Ø 3.3 mm.
ERECE 1312/1312AS2174	IP24D Date : 16/11/2020 Made in France by Electrolux Laundry Systems France 10430 Rosières-près-Troyes - FRANCE 32101642E

Steam heating :

Left side

- P.Max : maximum power installed of your product
- Power of the motorization in kW and its isolation class (F) .
- Heating power in W.

Right side


• P.Maxi. (kPa) maximum pressure

For additional information, do not hesitate to consult with our quality department.



5 Locking and tagging procedure

A red insert at the beginning of this instruction handbook schematically shows the locking and tagging procedure described below. If you wish, you can detach this insert and display it close to the machine to remind maintenance personnel of the safety instructions.



6 Handling




Important




It is obligatory that all these operations are undertaken by handling specialists.


Before any handling, check that the four transport locks fitted are still in place and well-tightened. To do so, remove the front and rear casings and check presence of four locks (B).



6.1 Lifting with a fork-lift truck




This can be carried out from the front or back, at the centre of the machine.



6.2 Lifting with handlings straps

Lifting in that case can only be done with handling straps (minimum capacity 1000 daN / 2200 lb) which bear weight of the machine.

Remove the top cover and pass the straps in the lifting holes.





Caution




In order to avoid any bending of casings, you should never climb and stand on top of the machine.



7 Packing-Weight

7.1 Packing

Packing dimensions in mm/in	Size A	Size B	Size C
Washer extractor type WB6–20 single door	1065/41.92	1390/54.72	1830/72.04
Washer extractor type WB6–20	1065/41.92	1390/54.72	1830/72.04
Washer extractor type WB6–27 single door	1220/48.03	1390/54.72	1830/72.04
Washer extractor type WB6–27	1220/48.03	1390/54.72	1830/72.04
Washer extractor type WB6–35 single door	1440/56.69	1390/54.72	1830/72.04
Washer extractor type WB6–35	1440/56.69	1390/54.72	1830/72.04



7.2 Weight

Weight in kg/lb (machine + crate)*	
Washer extractor type WB6–20 single door	675/1488
Washer extractor type WB6–20	700/1543
Washer extractor type WB6–27 single door	715/1576
Washer extractor type WB6–27	740/1631
Washer extractor type WB6–35 single door	775/1708
Washer extractor type WB6–35	800/1764

* Precise weight depends on accessories fitted.

8 Technical characteristics

8.1 Technical data

	Units	WB6-20	WB6–27	WB6–35	
Drum diameter	mm	770	770	770	
Drum length	mm	474	585	805	
Drum volume	litre	189	250	350	
Opening inner drum doors (LxH)	mm	350x400	450x400	600x400	
Opening outer drum door (LxH)	mm	365x587	468x587	658x587	
G-factor, max.		350	350	350	
Specific load	kg	20	27	35	
Floor area	m²	1.12	1.29	1.56	
Max. unbalance	kg	2.5	3.6	4.8	
Net weight	kg	670*	710*	770*	
Weight loaded (high level)	daN	796	885	1015	
Water volume, washing (low level)	I	54	75	105	
Water volume, washing (high level)	I	108	150	210	
Heat loss		3 %	of installed heating p	ower	

* Precise weight depends on accessories fitted.

8.2 Connections

Water	Units	WB6–20	WB6–27	WB6-35
Water valves connection	mm-BSP	DN20-3/4"	DN20-3/4"	DN20-3/4"
Capacity at 250 kPa	l/min	70	70	70
Functioning limits for water valve	kPa	50–300	50–300	50–300
Water consumption for a wash program ¹	I	213	308	426
Drain	Units	WB6–20	WB6-27	WB6–35
Drain connection, outer ⌀	mm	75	75	75
Double drain connection (option) outer ∅	mm	75	75	75
Maximum drain flow rate	l/min	240	240	240
Waste water collector	DN-mm	150	150	150
Air vent	Units	WB6–20	WB6–27	WB6–35
Air vent connection, outer ø	mm	60	60	60
Liquid detergents	Units	WB6–20	WB6–27	WB6–35
Liquid detergents connection, outer ø	mm	25	25	25
Steam	Units	WB6–20	WB6–27	WB6–35
Steam inlet, standard	mm-BSP	DN20-3/4"	DN20–3/4"	DN20–3/4"
Steam inlet, low pressure	mm-BSP	DN25–1″	DN25–1″	DN25–1″
Standard steam pressure	kPa	300–600	300–600	300–600
Low pressure	kPa	50	50	50

1. ISO 93 98-4 standard type B.

Installation manual

Functioning limits for steam valve (not for low pressure)	kPa	100–600	100–600	100–600		
Steam instantaneous flow rate at 600 kPa	kg/h	72	72	72		
Steam consumption for a normal cycle ¹	kg at 600 kPa	8	11	14		
Steam consumption for a normal cycle ¹	kg at 50 kPa	10.8	14.4	19.2		
Thermic fluid or indirect steam	Units	WB6–20	WB6–27	WB6–35		
Thermic fluid inlet or indirect steam heating	mm-BSP	DN15–1/2"	DN15–1/2"	DN15–1/2"		
Thermic fluid return or indirect steam heating	mm-BSP	DN15–1/2"	DN15–1/2"	DN15–1/2"		
Maximum supply pressure	kPa	600	600	600		
Installed calorific power	kcal	34400	34400	34400		
Average calorific consumption	kcal/h	10500	11500	12500		
Inner volume thermic fluid	I	1.8	2.29	2.65		
Electricity	Units	WB6–20	WB6–27	WB6–35		
Supply voltage	V	380/415	380/415	380/415		
Frequency	Hz	50/60	50/60	50/60		
Electric cable (section)	mm²	See cl	napter "Feeder cable s	eder cable section"		
Rated electric power, electric heating	kW	15	19.5	28.8		
Rated electric power, steam heating	kW	6	6.2	6.4		

Installation manual


Heating	Units	WB6–20	WB6–27	WB6–35	
Installed heating power, electric heating	kW	13.5	18	27	
Electric consumption for a standardized cycle, electric heating	kWh	11.3	12.7	18.6	
Electric consumption for a standardized cycle, steam heating or thermic fluid	kWh	0.4	0.45	0.5	
Floor load	Units	WB6–20	WB6–27	WB6–35	
Frequency of the dynamic force	Hz	15.2	15.2	15.2	
Max transmitted floor load	daN	820	878	1012	
Max pressure transmitted to floor	kPa	8.82	7.98	7.55	


8.3 Dimensions --- WB6-20 -- WB6-27 -- WB6-35

WB6-	VB6–20																						
Α	в	С	D	Е	F	G	Н	Ι	J	к	L	М	N	0	Ρ	Q	R	s	т	U	v	w	х
915	1040	1620	830	125	90	1435	275	375	475	210	150	80	780	360	170	75	880	410	270	1440	60	475	175°
WB6-																							

Α	в	С	D	Е	F	G	Н	Ι	L	κ	L	М	N	0	Ρ	Q	R	s	т	U	۷	W	х
1050	1040	1620	830	125	90	1435	275	375	475	210	150	80	780	440	170	75	880	410	270	1440	60	575	175°


WB6-	WB6-35																						
Α	в	С	D	ш	F	G	Н	Ι	J	к	L	М	N	0	Ρ	Q	R	s	т	U	v	W	x
1270	1040	1620	830	125	90	1435	275	375	475	210	150	80	780	550	170	75	880	410	270	1440	60	730	175°







Front view

1	Control panel	10	Double drain connection (option)
2	Loading door		Air vent connection
3	3 Unloading door		Electrical connection
4	Detergent container	13	Main switch
5	Cold hard water inlet	14	Electric cable
6	Hot water inlet	15	Liquid detergents inlet
7	Cold soft water inlet (option)	16	Rubber plate
8	Steam connection	17	Waste water collector
9	Drain connection	Y	Option AIDO = 170 mm on left view







Drain connection

9 Sound levels

The sound power level of the machine is determined by using ISO 3747:2012.

According to test code IEC 60704–2–4 the sound power level at extraction and during washing are according to the table:

Wash	dB(A)	67
Extraction	dB(A)	82

10 Working place lighting

The lighting should be designed so as to avoid eye strain for the operator ; it should be uniform without any glare, and should be sufficient to detect any hazards.


The average lighting value on the working place recommended by the clothing industry for inspecting linen is **500 lux**. Whenever possible, the working place should be illuminated by daylight.

11 Supplies

After opening casing and remove this handbook and the tool to open manually outer door (see **next chapter**), you can take the box placed inside of the inner drum.

- 1. Accessories delivered with each machine
 - 1 instruction handbook + converter handbook
 - 3 keys for casings
 - 1 opening inner drum lever
 - 2 or 3 stainless steel flexible pipes 3/4" + 2 or 3 fibre seals
 - 2 or 3 waters filters 3/4"
 - 2 or 3 male nipples 3/4"
 - 1 connection bellow
 Ø 60 + 1 collar
 - 1 hose Ø 75 mm + 1 collar for drain
 - 1 connection nozzle
 - 4 fixing dowels
 - 4 bolsters (see explanation for the setting)
- 2. Accessories delivered with each steam heating machine
 - 1 steam electrovalve
 - 1 steam flexible
 - 1 steam filter
 - 1 pipe union
- 3. Accessories delivered with each gas heating machine
 - 4 meters blue flexible pipes
 - 2 pipes ø 125 mm (5"), length 500 mm (20") to be connect at the chimney
 - 1 T-square pipe ∞ 125 mm (5") and an anti-bursting chimney regulator to be connected over the gas exchanger
 - 1 draught accelerator to extract the exhaust of burn gas, to be connected at the chimney (in 3 parts)
 - 4 collars ø 40-60
- 4. Accessories delivered with each barrier washers
 - 1 rubber seal + aluminium extruded sections
 - 4 flange safety locks (machines with weighing equipment)

12 Barrier partition




Leave at least 1 m (40") (according to the recommendation in standard EN 60204) between the machine, a wall or any other machine at the sides.

1	Aluminium extruded section
---	----------------------------

- 2 Rubber seal
- 3 Barrier partition

mm/in	А	В	С	D
WB6-20	915/36.02	1620/63.78	*	30/1.18
WB6–27	1050/41.34	1620/63.78	*	30/1.18
WB6-35	1270/67.72	1620/63.78	*	30/1.18

* Minimum 70 mm (2.76"),, maximum 100 mm (4"),.



- The barrier partition (3) shall be built after the installation of the machine.
- Mount the rubber seal (2) in the aluminium extruded section (1).
- Fasten the aluminium extruded section (1) with screws in the barrier partition (3).

If machines are to be installed in an existing wall thicker than 100 mm (4"), we recommend you order our special aseptic frame kit.

13 Mechanical installation

Depending on its destination, the washer extractor is delivered bare or may be placed on a transport pallet and/or packed with plastic film.

In some cases, it may be delivered in a crate, or in maritime packing (wood box).

13.1 Unpacking

Take off the plastic film or remove the machine from his transport pallet. Please refer to the handling chapter in this instruction handbook for a description of handling operations.





Check that no damage has been caused during transport.

13.2 Installation

The installation must be done by competent technicians in accordance with local codes and regulations. When there are not local codes and regulations, the installation must be comply with European standards applicable.


The machine must be installed on a perfectly even surface, strong and horizontal, capable resisting to the efforts shown in the technical characteristics.

Adjustment of the machine by addition of level plate should be avoided.

Control the horizontal level using a water level placed on the machine's sole.

Place the washer extractor so that it is easy for the user and the service technician to do their work.

Leave at least 1 m (40") (according to the recommendation in standard EN 60204) between the machine, a wall or any other machine at the sides.



13.3 Installing the shock absorber runners

Preparation of the ground and the machine.

- Carefully degrease the ground and the machine's base plates.
- Positioning the shock absorber runners.
- Place each shock absorber runner (P) at its respective location (see diagram) raising each of the machine's support points in series and taking care to let the runner inside of the base plates.

Commissioning the machine

 Time: before commissioning the machine, each support point must be embedded by being crushed in by the runner's upper layer and the lower layer must have been pushed into the porosity in the ground. The crushing time is 2 hours at an ambient temperature of 18 °C.



Warning

Electrical safety device.

As rubber is a very good electric insulating material, the earthing of the machine is compulsory.

Moving machines sealed with the shock absorber runners

· Moving machines sealed with the shock absorber runners

13.4 Instructions for securing the machine on the ground




Caution

Only for machines without weighing equipment.

Place the machine on a perfectly even surface and horizontal. Control this using a water level (see drawing). Each point must be level.

	А	В	С	
WB6-20	568 mm	600 mm	826 mm	
WB6–27	723 mm	600 mm	939 mm	
WB6–35	944 mm	600 mm	1118 mm	
WB6–20 single door	568 mm	600 mm	826 mm	
WB6–27 single door	723 mm	600 mm	939 mm	
WB6–35 single door	944 mm	600 mm	1118 mm	



Mark out the drill holes for the securing dowels and drill them so as to insert the 4 dowels, they will secure the machine to the floor.

Put the machine in position and secure it with the dowels without tighten.

Bolsters: P

Water level: N


Fixing dowels: F



Caution

Only for machines with weighing equipment.

Place the machine on a perfectly even surface and horizontal. Control this using a water level (see drawing). Each point must be level.



Weighing equipment: P Water level: N Fixing dowels: F Flange safety locks: B

Mark the place of the drilling hole for the fixing dowels (F) and drill the holes for fixing of flanges (holes 0 12 mm (1/ 2"), depth 80 mm (3")). Put the dowels in the flanges, position the flanges and screw.

14 Remove of the transport locks fitted

When your machine is placed at its right place, before anything, you have to remove all the transport locks as described below :


14.1 Remove of transport locks of casing :

Remove the front and rear casings fixed with red transport fixations. Keep the transport locks fitted with their screws and bolts to be able to assemble them again in case you would need to lift the machine.

14.2 Remove of transport locks fitted :



To do so, remove the front and rear casings, then the fixing screws of the transportation bridles (B). Keep the transport locks fitted with their screws and bolts to be able to assemble them again in case you would need to lift the machine.



Never handling the machine without the transportation bridles.

15Waters connections

Washer extractors are assembled in standard execution with two waters inlet.

One hot water and one hard water. On option, a third water inlet (soft) is possible.

The supply pipes to the machine should be fitted with manual shut-off valves to facilitate installation and service. Fit filters to the manual shut-off valves with Teflon. Refer to local utilities regulations when fitting nonreturn valves. A screen at the entrance to the machine filter should be necessarily mounted, it must have a mesh size of 0.3 mm Any malfunction of water solenoid or water pneumatic valves due to a absence or a poor maintenance of the filters will not be taken under warranty.


The following values apply to water pressure:

Water supply pressure, 50 kPa (7.25 psi) mini.

Water supply pressure, 300 kPa (43.5 psi) maxi.

The hoses should be flushed through before being connected to the machine. The hereunder example sketch shows the connection of the machine to the different inlets.

- A Hard water inlet DN 20 (¾" BSP)
- B Hot water inlet DN 20 (¾" BSP)
- C Cold soft water inlet (option) DN 20 (¾" BSP)
- D Manual stop valve DN 20 (¾" BSP) (provided by customer)
- E Water filter (provided)
- F Male nipple DN 20 (¾" BSP) (provided)
- G Flexible pipe DN 20 (¾" BSP) (provided)



16Drain connection

The machine's exhaust sleeve outside diameter is of 75 mm (3"). It is located underneath the machine.

The waste water collector diameter 150 mm (6") (manufactured by customer) should have a 3 cm/m (3 %) slope and resist to a temperature of 90 $^{\circ}$ C (194 $^{\circ}$ F). It should be connected to the waste water general network in accordance with local codes and regulations.


Adapt and connect the machine's exhaust sleeve to the waste waters' collector (rubber bend and connection nozzle are supplied in the machine with collars).

Drawing of drain connection to waste waters' collector

- 1. Connect the hose (B) to the connect nozzle (C).
- 2. Seal and fix the nozzle (C) using 2 screws.
- 3. Them connect the hose (B) to the drain's evacuation sleeve (A).

A Drain's evacuation sleeve

- B Connection hose
- **C** Connection nozzle
- D Waste water collector



16.1 Drain connection beside the machine (optional extras)

It is possible to connect the simple drain or the double drains on the right side or left side of the washer extractor. It is also possible for no-barrier washer to connect the drain to the rear of the machine. The references of the existing connection kits are available below.

	Left drain co	onnection kit	Right drain c	connection kit	Back drain connection kit		
	Simple drain	Double drain	Simple drain	Double drain	Simple drain	Double drain	
WB6–20 single door	55015682	55015684	55015682	55015684	55014557	55014558	
WB6–27 single door	55015682	55015684	55015682	55015684	55014557	55014558	
WB6–35 single door	55015683	55015685	55015683	55015685	55014557	55014558	
WB6–20	55015682	55015684	55015682	55015684	—	—	
WB6–27	55015682	55015684	55015682	55015684	—	_	
WB6-35	55015683	55015685	55015683	55015685	—	—	




Important



Depending on the capacity of your machine, you may have to cut the hose delivered with the kit.


16.2 Drain connection at the back of the machine No-Barrier washer only




Remove the casings from the washer for easy access to the drain valve.

Adapt and connect the various hoses and their collars to the washer as show in the drawing above.

Replace the casings after taking care to remove the pre-cut of the rear casing to allow the pass of the rubber hose.




16.3 Drain connection at the left of the machine All washers




Remove the casings from the washer for easy access to the drain valve.

Adapt and connect the various hoses and their collars to the washer as show in the drawing above.

Replace the casings after taking care to remove the pre-cut of the left casing to allow the pass of the rubber hose.




16.4 Drain connection at the right of the machine All washers




Remove the casings from the washer for easy access to the drain valve.

Adapt and connect the various hoses and their collars to the washer as show in the drawing above.

Replace the casings after taking care to remove the pre-cut of the right casing to allow the pass of the rubber hose.



17 Electricity power supply






Caution



The electrical installation of the machine must be undertaken by qualified personnel.

Caution

Ensure that the electrical voltage is correct and that the power of your supply is sufficient, before connecting the machine.




Note!

The use of power electronics (converter or filter for example) may lead to unexpected release of breakers with 30 mA differential current device.


Therefore a Type B residual differential protection system with reinforced immunity of 300 mA in accordance with standard NFC 15100 must be used for our washing machines.

To avoid these untimely activations, you ought to use differential protecting systems with residual current only, having a high level of reinforced immunity as regards leakage transient current.

Pass the power supply cable of the machine through the stuffing box on the top of the machine.



For each machine, install a fixed multipolar circuit breaker (or fuses protector) in the laundry main cabinet.




Connect the power supply cable on the machine main switch. Connect the 3 phases on the main switch (see marks L1, L2, L3) and connect the earth wire on the earth terminal (PE) of this main switch. (see chapter "Function checks").



Caution

In case of a machine with integrated weighing, you must use a flexible power supply cable to connect the machine.



′!`

Installation manual

Machine type	Heating	Supply Voltage	Rated Power	Rated Intensity	Connection cable section	Protection
	Electric	208–240 V 3+E ~ 60 Hz	13.5 kW	32.6 A	4 x AWG 8	3 x 40 A
WB6–20	Steam	208–240 V 3+E ~ 60 Hz	6 kW	16.65 A	4 x AWG 12	3 x 20 A
	Electric	208–240 V 3+E ~ 60 Hz	17.6 kW	42.3 A	4 x AWG 7	3 x 50 A
WB6–27	Steam	208–240 V 3+E ~ 60 Hz	6.2 kW	17.2 A	4 x AWG 10	3 x 20 A
W/D0_05	Electric	208–240 V 3+E ~ 60 Hz	25.6 kW	61.6 A	4 x AWG 6	3 x 80 A
WB6–35	Steam	208–240 V 3+E ~ 60 Hz	6.4 kW	17.8 A	4 x AWG 10	3 x 20 A

Machine type	Heating	Supply Voltage	Rated Power	Rated Intensity	Connection cable section	Protection
	Electric	480 V 3+E ~ 60 Hz	15 kW	18.1 A	4 x AWG 11	3 x 25 A
WB6–20	Steam	480 V 3+E ~ 60 Hz	6 kW	7.3 A	4 x AWG 14	3 x 10 A
WB6–27	Electric	480 V 3+E ~ 60 Hz	19.5 kW	23.5 A	4 x AWG 10	3 x 32 A
	Steam	480 V 3+E ~ 60 Hz	6.2 kW	7.5 A	4 x AWG 14	3 x 10 A
	Electric	480 V 3+E ~ 60 Hz	28.8 kW	34.6 A	4 x AWG 8	3 x 40 A
WB6–35	Steam	480 V 3+E ~ 60 Hz	6.4 kW	7.7 A	4 x AWG 14	3 x 10 A

18 Liquid detergents connection

Caution

Liquid detergents are particularly aggressive.

We advise you to use only products with pH lower than 9 in order to avoid the machine's rubbers from being attacked.

Dilute imperatively all of your detergents before letting them flow into the machine.

\triangle

ADVISE IF USING LIQUID DETERGENTS

After use, there is always chemical remaining in the liquid detergents' dosing pipes.

When the machine is not running, this detergent may slowly drip and so, quickly corrode the parts in contact with. In order to avoid (ex. corrosion of the drum or by bleach), we advise you to forecast a device to drain every night the distribution pipes of the liquid detergents.

$\underline{\land}$


Caution

The running of detergents must be independent from the running of the machine. The control information of detergents must imperatively be relayed. It is imperative to use armoured wires for every connection in the electrical box.

18.1 Connection scheme of liquid detergents

We advise you to use one of the two systems shown hereby to connect your liquid detergents. Single inlet dose controller with a compulsory rinsing device.

1	Retention tank	7	3 way valve
2	Pump	8	Scoops + Rinsing
3	Liquid detergents	9	Water
4	Water	10	Washer extractor
5	Soap box rinsing electrovalve	11	Toward retention tank
6	Dose controller	12	Retention tank









Multi-inlet dose controller with a compulsory rinsing device.

1	Retention tank	7	3 way valve
2	Pump	8	Scoops + Rinsing
3	Liquid detergents	9	Water
4	Water	10	Washer extractor
5	Soap box rinsing electrovalve	11	Toward retention tank
6	Dose controller	12	Retention tank




18.2 Electrical liquid detergents' connection



Electrical installation must be carried out by an authorized personnel.

The A8 output relay card allows to connect from 1 to 16 electrovalves of liquid detergents. The card is situated in the electric box.



Carry the connection cables by the partition crossing and the cable through of the machine.

To connect the wires on the J802 terminal block, introduce a screwdriver in the upper aperture to open the cable clamp.

7



Caution

Be careful, even machine power off, you can still have power on this board coming from detergent supplier. Secure it also before intervention..

Connection on the A8 output relay card

С	Common of signals	
1	Signal 1	
2	Signal 2	
3	Signal 3	
4	Signal 4	
5	Signal 5	
6	Signal 6	
7	Signal 7	
8	Signal 8	
9	Signal 9	
10	Signal 10	
11	Signal 11	
12	Signal 12	
13	Signal 13	C 1 2 3 4 5 6 7 8 910111213141516
14	Signal 14 (controlled by water level)	
15	Signal 15 (controlled by water level)	
16	Signal 16 (reserved)	

Supply voltage : 250 V~ maximum Maximum intensity : 6 A.

′!`

19 Steam connection

For transport reasons, the steam electrovalve is dismantled and placed in the cardboard box supplies.

The inlet pipe to the machine has to be fit with a manual stopping valve to ease installation and maintenance. Hereunder values apply to the steam pressure:


Recommended pressure: 300 at 600 kPa (3 at 6 kg/cm²) (43.5 at 87 psi) Limiting of values:

- mini. 100 kPa (1 kg/cm²) (14.5 psi)
- maxi. 600 kPa (6 kg/cm²) (87psi)

Connection size: DN 20 (¾" BSP).

Assemble the set (U.P.M.V.G.F.Y) between the machine and steam piping.

- S Steam inlet
- Y Manual stop wheel valve DN 20 (¾" BSP) (provided by customer)
- F Steam filter DN 20 (¾" BSP) (provided)
- G Nipple DN 20 (¾" BSP) (provided by customer)
- V Steam electrovalve DN 20 (¾" BSP) (provided)
- P Steam special flexible pipe DN 20 (¾" BSP)(provided)
- M Insulating (provided)
- U Pipe union DN 20 (¾" BSP) (provided)



Steam connection low pressure



Caution




For this heating, you need air compressed connection to pilot the steam valve.

Hereunder values apply to the steam pressure: Recommended pressure: 50 kPa (0.1 kg/cm²) (8 psi) Connection size: DN 25 (1" BSP male).

Connect the steam installation on the top of the machine (see example sketch).

- A Washer-extractor
- S Steam inlet
- Y Manual stop wheel valve DN 25 (1" BSP) (provided by customer)
- P Steam filter DN 25 (1" BSP) (provided)
- F Steam special flexible pipe DN 25 (1" BSP) (provided) length : 70 cm
- U Pipe union DN 25 male/female (1" BSP) (provided)



20 Indirect steam heating

Steam and condensate connections

Steam connection

The customer must install a line purge, a manually closing valve with handwheel lockable in off position (do not use a 1/4 turn valve) and a filter on the supply side of the washer-extractor.

Hereunder values apply to the steam pressure.

Recommended pressure: 300 at 600 kPa (3 at 6 kg/cm²) (43.5 at 87 psi)

Limiting of values:

- mini. 100 kPa (1 kg/cm²) (14.5 psi)
- maxi. 600 kPa (6 kg/cm²) (87 psi)

Connection size : DN 15 (1/2" BSP).


Condensate connection

The customer must install a steam trap with float closed with an incondensables drainage device, a by-pass, a nonreturn valve and a manual closing valve lockable in off position (do not use a 1/4 turn valve).


Connection size: DN 15 (1/2" BSP).

Connect the steam installation on the top of the machine (see example sketch).

- Α Washer-extractor в Line trap (provided by customer) С Return of condensates Manual stop wheel valve (provided by customer) D Steam filter (provided by customer) F F Steam trap (provided) Non-return valve (provided by customer) н Μ Pressure gauge (provided by customer) Ν Thermal insulation for the pipework (provided by customer) Steam electrovalve (provided) Ρ
- S Safety valve (provided by customer)
- V Steam inlet




21 Compressed air connection




The manual stopping valve lockable in closed position (provided by customer) should be installed on the machine's compressed air supply.

The supply pipe should accept a pressure of at least 1 Mpa (10 bar). Connection diameter : rapid action hose coupling DN 6 for hose \emptyset 6/8 mm.

Advised pressure	550-700 kPa (5.5-7 bar)
Minimum pressure	550 kPa (5.5 bar)
Maximum pressure	700 kPa (7 bar)
Consumption	10 l/h






Barrier washer

22 Air vent connection

The air vent of the outer drum opens on the top of the machine. Connect the connection bellow 0 60 to this opening. Connect the air vent, to the outside of the laundry in accordance with the legislation.

The air vent should resist to 100 °C (212 °F) temperature and allow the condenses to return to the machine.



23 Feeder cable sections

The feeder cable sections mentioned in our literature are given only as a guide.

To obtain a value perfectly suited to your own application and which takes account of the different correction factors in respect of your plant, refer to the tables below.

Table 1 (in accordance with EN Standard 60204-1)

Values given for:

- Cable with copper conductors
- Cable with PVC insulation (for other insulants see Table 3)
- Ambient temperature 40°C max. (for others see Table 2)
- Three-phase cable under load without including starting currents
- BT / C/ E cable layout.

Maximum Admissible Current

Cable section	Seated in Cable Duct or Cable trough	Wall fixing	Cable tray
	B2	BC	E
3 x 1.5 mm²	12.2 A	15.2 A	16.1 A
3 x 2.5 mm²	16.5 A	21 A	22 A
3 x 4mm²	23 A	28 A	30 A
3 x 6 mm²	29 A	36 A	37 A
3 x 10 mm²	40 A	50 A	52 A
3 x 16 mm²	53 A	66 A	70 A
3 x 25 mm²	67 A	84 A	88 A
3 x 35 mm²	83 A	104 A	114
3 x 50 mm²	-	123 A	123 A
3 x 70 mm²	-	155 A	155 A

Table 2 (correction factors for different ambient temperatures)

Ambient temperature	Correction factor
30 °C	1.15
35 °C	1.08
40 °C	1.00
45 °C	0.91
50 °C	0.82
55 °C	0.71
60 °C	0.58

Table 3 (correction factors for different cable insulating materials)

Insulating material	Max. Working tempera- ture range	Correction factor
PVC	70°C (158 °F)	1.00
Natural or Synthetic Rubber	760°C (140 °F	0.92
Silicone Rubber	120°C (248 °F)	1.60

Table 4 (B2, C and correction factors for cable grouping)

	B2	E	Е
Number of cables	Seated in Cable Duct	Wall fixing or Cable trough	Cable tray
1	1.00	1.00	1.00
2	0.80	0.85	0.87
4	0.65	0.75	0.78
6	0.57	0.72	0.75
9	0.50	0.70	0.73

The total current included for using Table 1 should be the maximum rated current for the machine divided by the product of the different correction factors. Other correction factors may also be applied ; consult the cable manufacturers.

Calculation : Example

- The machine has a rated current of 60 A.
- The ambient temperature is 45 °C ; Table 2 gives a correction factor of 0.91.
- Rubber cable insulant : Table 3 gives a correction factor of 0.92.
- The cable is fixed directly to the wall (Column C), with 2 cables side by side. Table 4 gives a correction factor of 0.85.

	60 A	
Total current :		= 84 A
	0.91 x 0.92 x 0.85	

Taking Column C in Table 1 (wall fixing), we obtain a minimum cable section of : 3 x 25 mm².

24 Function checks



Caution

Before putting the machine into service, carry out the working tests. The operating inspection must be done by an approved technician.



Warning




Before any rotation of the drum, be sure that you have taken off the supplies into the drum. see chapter" **Outer doors manual opening**".

Manual operation


The procedure for operating the various machine functions manually is described in the chapter "Machine operation" under the heading "Manual operation".

- Switch on the machine's main switch and check the voltage on the three phases (3 x 400 volts).
- Check the direction of rotation of the inner drum during spinning. The inner drum should rotate as shown by the arrow on the drawing below. Check this point especially if you have changed the machine's motor or frequency converter.





· Check the direction of rotation of the circulating pump and of the draught accelerator gas heating.



- · Check that the inner drum is empty.
- Open the manual valves controlling the water and steam supplies (for steam heating machines).
- Operate the machine manually to fill with cold water, then hot water. Check that these water supplies are connected as they should be.
- Start the machine on wash action, and check that the motor is revolving alternately in the both ways, as normal for wash action.
- Start heating by programming a final temperature. Check that the steam valve opens or the heating element relay reacts, as appropriate.
- · Check that the detergents container is working as they should.
- Check the water and steam connections and the drain valve for signs of any leakages.
- Empty the water from the machine and open its door.

Automatic operation

- Check that the external switch or switches are switched on and that the manual valves for water and steam (if the machine has steam heating) are open.
- Run one of the machine's built-in (standard) with heating.
- Check that the program proceeds normally, and the water filling, detergent filling, heating and motor action are all working in accordance with the program display on the display screen.

Final checking

If all function checks have been satisfactory, reassemble all protection casings.

25 Conversion of measurement units

This following is a list of correspondences of the main frequency used units, to avoid the need to use measurement unit conversion table.

bar	1 bar = 100 000 Pa 1 bar = 1.019 7 kg/cm² 1 bar = 750.06 mm Hg 1 bar = 10 197 mm H2O 1 bar = 14.504 psi	British thermal unit	1 Btu = 1 055.06 J 1 Btu = 0.2521 kcal
calorie	1 cal = 4.185 5 J 1 cal = 10–6 th 1 kcal = 3.967 Btu 1 cal/h = 0.001 163 W 1 kcal/h = 1.163 W	Continental horse power	1 ch = 0.735 5 kW 1 ch = 0.987 0 HP
cubic foot	1 cu ft = 28 316 8 dm³ 1 cu ft = 1 728 cu in	cubic inch	1 cu in = 16.387 1 dm³
foot	1 ft = 304.8 mm 1 ft = 12 in	gallon (U.K.)	1 gal = 4.545 96 dm³ or l 1 gal = 277.41 cu in
gallon (U.S.A.)	1 gal = 3.785 33 dm³ or l 1 gal = 231 cu in	horse power	1 HP = 0.745 7 kW 1 HP = 1.013 9 ch
inch	1 in = 25.4 mm	joule	1 J = 0.000 277 8 Wh 1 J = 0.238 92 cal
kilogramme	1 kg = 2.205 62 lb	kg/cm²	1 kg/cm² = 98 066.5 Pa 1 kg/cm² = 0.980 665 bar 1 kg/cm² = 10 000 mm H2O 1 kg/cm² = 735.557 6 mm Hg
pound	1 lb = 453.592 37 g	meter	1 m = 1.093 61 yd 1 m = 3.280 83 ft 1 m = 39.37 in
cubic meter	1 m ³ = 1 000 dm ³ 1 m ³ = 35.214 7 cu ft 1 dm ³ = 61.024 cu in 1 dm ³ = 0.035 3 cu ft	pascal	1 Pa = 1 N/m ² 1 Pa = 0.007 500 6 mm Hg 1 Pa = 0.101 97 mm H2O 1 Pa = 0.010 197 g/cm ² 1 Pa = 0.000 145 psi 1 MPa = 10 bar
psi	1 psi = 0.068947 6 bar	thermie	1 th = 1 000 kcal 1 th = 10+6 cal 1 th = 4.185 5 x 10+6 J 1 th = 1.162 6 kWh 1 th = 3 967 Btu
watt	1 W = 1 J/s 1 W = 0.860 11 kcal/h	watt-hour	1 Wh = 3 600 J 1 kWh = 860 kcal
yard	1 yd = 0.914 4 m 1 yd = 3 ft 1 yd = 36 in	temperature degrees	0 °K =273.16 °C 0 °C = 273.16 °K t °C = 5/9 (t °F-32) t °F = 1.8 t °C + 32

26 Disposal information

26.1 Disposal of appliance at end of life

Before disposing of the machine, make sure to carefully check its physical condition, and in particular any parts of the structure that can give or break during scrapping.

The machine's parts must be disposed of in a differentiated way, according to their different characteristics (e.g. metals, oils, greases, plastic, rubber, etc.).

Different regulations are in force in the various countries, therefore comply with the provisions of the laws and competent bodies in the country where scrapping takes place.

In general, the appliance must be taken to a specialised collection/scrapping centre.

Dismantle the appliance, grouping the components according to their chemical characteristics, remembering that the compressor contains lubricant oil and refrigerant fluid which can be recycled, and that the refrigerator and heat pump components are special waste assimilable with urban waste.



The symbol on the product indicates that this product should not be treated as domestic waste, but must be correctly disposed of in order to prevent any negative consequences for the environment and human health. For further information on the recycling of this product, contact the local dealer or agent, the Customer Care service or the local body responsible for waste disposal.

Note!

When scrapping the machine, any marking, this manual and other documents concerning the appliance must be destroyed.

26.2 Disposal of packing

The packing must be disposed of in compliance with the current regulations in the country where the appliance is used. All the packing materials are environmentally friendly.

They can be safely kept, recycled or burned in an appropriate waste incineration plant. Recyclable plastic parts are marked as following examples.

PE	Polyethylene: Outer wrapping Instructions bag
PP	Polypropylene: • Straps
PS	Polystyrene foam: Corner protectors



Electrolux Professional AB 341 80 Ljungby, Sweden www.electroluxprofessional.com