

Detergent storage

DS6-3P, DS6-6P, DS6-3, DS6-Base



Features and benefits

Ergonomics

- Double doors and wide opening angles for easy access
- Automatic lighting, a long magnetic LED strip can be placed in any position in the storage
- A shelf is placed in an ergonomic height of the storage for working convenience
- Three 20 liters detergent canisters stand side by side, easy to lift out with one hand

Easy installation

- Rear plates where dosing pumps hang on are hooked on a rack system for easy installation
- Rear plates have pre-punched holes based on our current dosing pumps for easy pump installation
- Spill stray has a modular design with several separate parts for being easy to take out and clean
- Four feet can be adjusted from inside
- Eight large holes placed on sides for managing multiple dosing pump hoses

Safe and tidy

- Dosing pumps, detergent canisters and other relevant items can all be stored in one storage with lockable doors
- Two anchoring holes on the back to secure the storage from tipping
- A spill tray is placed in the bottom of the storage for accidental spills and hygiene
- Two rear plates are included in the storage where multiple dosing pumps can be hung

Model	PNC	Description
DS6-3P	988913101	Detergent storage where 3 units of 20 liters detergent canisters can be stored on the bottom and multiple Dosing pumps can be hung on the rear plates
DS6-6P	988913102	Detergent storage where 6 units of 20 liters detergent canisters can be stored on the bottom and multiple Dosing pumps can be hung on the rear plates
DS6-3	988913103	Detergent storage where 3 units of 20 liters detergent canisters can be stored on the bottom, without rack system and rear plates for hanging dosing pumps
DS6-Base	988913104	A spill tray standing directly on the floor on which maximum 6 units of 20 liters detergent canisters can be placed side by side in two rows

Technical data	DS6-3P	DS6-6P	DS6-3	DS6-Base
Dimensions in mm (W x D x H)	800 x 400 x 1925	800 x 650 x 1925	800 x 400 x 1200	800 x 650 x 70
Weight in kg (net weight)	65	81	44	24
Door opening angle	110°	110°	110°	N/A
Electric connection for lighting	220-240 V, 50/60 Hz, 40W	220-240 V, 50/60 Hz, 40W	N/A	N/A

PNCs for accessories

Accessory	Model	PNC	Description
Document holder	DS6-ACCDOC	988913105	Holds relevant documents, can be placed inside of the doors
Absorption kit	DS6-ACCABS	988913106	Includes 10 absorption cloths, 1 absorption lens, 1 pair of gloves, 1 garbage bag
Master key	DS6-ACCKEY	988913107	One key to open a few storages
Rear plate	DS6-ACCPLT	988800246	A rear plate where dosing pumps can be hung




Three 20 liters detergent canisters and Dosave stored in DS6-3P (988913101).




Five 20 liters detergent canisters and Jetsave stored in DS6-6P (988913102).
Images for illustration purpose only.

DS6-3P



DS6-6P



DS6-3

