

Washer extractor

The Compact Power

WP7-8

The Compact Power - Generation 7000

The New Generation 7000 delivers Ultimate Performance with space saving footprint. Designed for longest Lifetime with outstanding 40 000 cycles!

- A sustainable and long term investment

Your Savings Start in the Washer and you will benefit from lowest life cycle costs where it matters most: Water, Energy and detergents.

The New and Unique touch display UniVibe offers the best user experience. The Compact Power has endless possibilities for a wide range of applications, including

- Facility management and Cleaning
- Multi-housing and Shared laundries
- Care homes, Institutions and Municipality facilities
- Schools and Daycare centres
- Hotels and Restaurants
- Marine environments



Longest life time: 40 000 cycles.

Durability is the new profit: the only investment that wins your trust cycle by cycle.



Saving the Planet: Sustainable at every laundry step, reducing water consumption year by year.



Lowest Residual Moisture: 40% Saving time and energy in the dryer.



A strong heritage and decades of consolidated Research and development deliver long-lasting quality and proven reliability.



Monitor and control all the operations behind your laundry room, quantifying savings and productivity. Anytime. Anywhere.



Fully personalized 4.3" touch panel: UniVibe gives the operator an easy and smooth experience and you will have all the possibilities to adapt for your business requirements.

Main specifications		WP7-8
Rated capacity	kg/lb	8 / 18
Drum, volume	litre	75
Drum, diameter	ø mm	480
Languages active from the start		25
Extraction	rpm	1495
G-factor		600
Standard heating alternatives	electricity, kW	4.6

Consumption data "ECO 60" ¹		Full load, 8 kg	Half load, 4 kg
Total time	min	51	60
Water consumption (cold)	litre	40	20
Energy consumption (electricity)	kWh	1.13	0.69
Residual moisture	%	40	41

1. Water temperature 15°C cold water and 65°C hot water.

Electrical connections					
Heating alternative	Main voltage	Hz	Heating power kW	Total power kW	Recommended fuse A
Electric heated	220-240V 1/1N~	50/60	4.6	5.0	10/10/20
	220-240V 3~	50/60	4.6	5.0	10/10/20
	380-415V 3N~	50/60	4.6	5.0	10/10/10
	380-415V 3~	50/60	4.6	5.0	10
Non heated	220-480V 1/1N/3/3N~	50/60	¹	1.25	10

1. Total power and recommended fuse does not depend on the heating power in those cases.

Water and steam connection ¹		
Water valves	DN	20
Water pressure	kPa	200-600
Capacity at 300 kPa	l/min	20
Drain outlet	ø mm	50/75
Draining capacity	l/min	170
Liquid detergent supplies		5

Sound levels	
Sound power/pressure level at extraction ²	dB(A) 75.9/61.5
Sound power/pressure level at wash ²	dB(A) 57/43

Heat emission	
% of installed power, max	5

Shipping data ³	
Weight	net, kg 115
Shipping volume	m ³ 0.55






Accessories ⁴	
Steel base	x
Hose kits for water or steam	x
Fluff collector	x

1. The washer extractor is equipped with a built-in type AB airgap according to EN 61770. Maximum working pressure for Australia is 800 kPa.

2. Sound power levels measured according to ISO 60704.

3. Average data. Crated weight/shipping volume depends on configuration. Please contact logistics for exact measures.

4. x = Available.



Complete Solution for Maximum Efficiency

Pair the WP7 washer with our TD7 tumble dryer series for Fastest “dry-to-dry” process. Complete your solution with Electrolux Professional Dosing Pumps and smart accessories to unlock even greater benefits: Lower operational costs, Improved ergonomics for staff

Options & kits

- Drain pump
- Detergent box in front
- Marine kit
- One Connected
- Connectable to booking-/payment system or coin meter

Accessories

- Automatic Dosing pumps
- Detergents & Detergent cabinets
- Water hoses, steam hoses
- Trolleys

Bases & Stacking kits and fluff collectors

- Fluff collector – Minimize the dirt and fluff in the drain
- Base – Ergonomic solution or alignment on top
- Stacking kit – For small spaces

