

Bases for washer extractors and tumble dryers



Features and benefits

- · A base brings the machine to a convenient working height for improved ergonomy in your laundry
- Front and side panels of the machine are better protected from wear and tear when mounted on a base
- Base IWS™ (Integrated Weighing System) for machines with Clarus Control. Load cells located in the feet weigh the contents of the drum as it being loaded. The current weight is displayed on the Clarus Control panel

NOTE! Super spin machines MUST NOT be mounted on a base!



BASE; open front & sides





Suitable for models: Material:

W555H, T5130 Stainless steel.



Suitable for models: Material:

W465H, W565H, W475H, W575H, T5190 Stainless steel.





Suitable for models:

W465H, W565H, W475H, W575H, W4105H, W5105H, W4130H, W5130H, W4180H, W5180H, W4240H, W5240H,

W4300H, W5300H IWS: W4130H-W4300H, W5130H-W5300H

Stainless steel.



BASE; closed front & sides



Material:



Suitable for models:

Base frame for stacked installation

W555H, T5130. Galvanised steel.





Suitable for models: Material:

W555H, T5130

Galvanised, grey painted steel with stainless steel front panel (9889182-43).

Special version "floating foundation" concrete filled (9889182-45).



Material:



Suitable for models:

W465H, W565H, W475H, W575H, W4105H, W5105H, W4130H, W5130H W4180H, W5180H, W4240H, W5240H,

W4300H, W5300H, T5190,

WD5130, WD5240

Material: Galvanised, grey painted steel with stainless steel front panel.



Suitable for models:

W575N*, W585N*, W5105N*, W5130N,

W5180N, W5250N

Galvanised steel / *Galvanised, grey painted Material:

steel with stainless steel front panel.



BASE; mobile

BASE; "floating foundation"







Suitable for models:

Material:

W465H, W565H, W475H, W575H,

W4105H, W5105H, T5190

Galvanised, grey painted steel with

stainless steel front panel.

Feature: The base frame has four wheels.

Makes the maintenance work easier

in narrow areas.

Suitable for models:

Material:

Feature:

W465H, W565H, W475H, W575H W4105H, W5105H, W4130H, W5130H, W4180H, W5180H, W4240H, W5240H Galvanised, grey painted steel with stainless steel front panel.

A "floating foundation" filled with concrete eliminates noise to other parts

of the building.

STACKING KIT





Suitable for models: W555H and T5130

Depth: 210 mm



					High spin washer extractors*						
Pos.	Dimensions in mm			W555H	W465H/W475H	W4105H	W4130H	W4180H	W4240H	W4300H	
	Height	Width	Depth		W565H/W575H	W5105H	W5130H	W5180H	W5240H	W5300H	
1	200	290	1	9889186-10							
1	290			9889186-11							
1	555			9889186-12							
2	240				9889185-05						
3	485						9889187-06				
3	460							9889188-06			
3	430								9889189-06	9889190-06	
3	490				9889185-06	0000101.01	9889187-09 (IWS)				
3	490					9889186-06		9889188-09 (IWS	\		
3	460							7007100-07 (1442	9889189-09 (IWS)	0000100 00/114/9	
4	100			9889182-26					3003103-03 (IM2)	3003130-03(IMS	
5	290			9889182-43							
6	190			7007102-43	9889185-11	9889186-21					
6	210				, 55, 100 11	, 55, 100 E1	9889187-11				
6	230	ne	i.e					9889188-11	9889189-51	9889190-11	
8	190	C P i	 5		9889185-13	9889186-23					
9	190	д	בע		9889185-12	9889186-22					
9	210	e E	ā ā				9889187-12				
9	230	윤	F :					9889188-12	9889189-52		
5	290	QS	ő	9889182-45							
		пе	ле		9889185-15						
		gar	Sar		N	ormal spin w	ashor ovtracto	re	•		
		₹,	جُ			•	rmal spin washer extractors				
		Width, same as the machine	Depth, same as the machine	W575N	W585N	W5105N	W5130N	W5180N	W5250N		
7	190			9889179-40	9889179-41						
7	210					9889179-42					
7	210						9889179-23				
7	230							9889179-24	9889179-25		
				Tumble	e dryers						
				T5130	T5190						
5	290			9889182-44							
2	240				9889185-05						
6	190				9889185-61						
8	190				9889185-63						
1	200			9889186-10							
1	290			9889186-11	9889185-06						
1	555			9889186-12							
3	485				9889185-06						
				Washer	& Dryer						
				WD5130	WD5240						
6	290			9889191-01							
6	300				9889192-01						
					king kit						
			1								
10				W555H 9888020-31	I & T5130						

 $^{^{\}star}$ Note that base with IWS is only available on W4130H, W5130H, W4180H, W5180H, W4240H, W5240H, W4300H, W5300H.

