ALPENINOX

400 Line 1 Door Refrigerator (0/+10) -White (R600a)

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		



729445 (A4PVFW)

1-door refrigerator 400lt, 0+10°C, prepainted white, ventilated

Short Form Specification

Item No.

Exterior in white painted steel. Interior in white High Impact Polystyrene with rounded corners and 45mm thick insulation. Right hinged full door with lock, reversible on-site. Built-in refrigeration unit; ventilated operating mode; automatic defrost and evaporation of defrost water; digital control and temperature display. For ambient temperatures up to 43°C. HCFC, CFC and HFC free insulation and R600a refrigerant gas. With 2 front feet and 2 back wheels. Supplied with n. 4 grids mm600x400, PE coated.

Main Features

- Digital control panel allowing the easy and precise setting and control of the internal temperature.
- Shelf runners are thermoformed and are incorporated in the internal structure to be easily cleanable.
- Whole interior cell with rounded corners is white thermoformed polystyrene, which is impact resistant.
- Model requires only 1 phase 230V supply and can be plugged straight into an existing power socket.
- Very quiet operation.
- No joints whatsoever to eliminate dirt traps.
- Simple refrigeration system easily accessible from the rear of the units.
- Fan assisted cooling for even temperature distribution.
- Model equipped with roll-bond plate that has a plate installed in the internal backside of the unit equipped with a special thermostat to avoid ice formation.
- Connectivity ready for real time access to connected appliances from remote and data monitoring (requires optional accessory).

Construction

- All models in range are finished in top quality materials to aid durability.
- Developed and produced in ISO 9001 and ISO 14001 certified factory.
- CFC and HCFC free (ecological refrigerant type: R600a).

Included Accessories

 2 of Pair of white grids for 400L refrigerators

PNC 880292

Optional Accessories

- Pair of white grids for 400L refrigerators
 PVC container with false bottom for
 PVC 880292 PNC 881072 PNC 881072
 - 400L

APPROVAL:



400 Line 1 Door Refrigerator (0/+10) -White (R600a)

Electric

Supply voltage:

729445 (A4PVFW) 220-240 V/1 ph/50 Hz

Electrical power max.: 0.13 kW

Defrost Power:

CE-SCHUKO Plug type:

Key Information:

Gross capacity: 400 It Net Volume: 268 It Door hinges: Right Side External dimensions, Width: 700 mm External dimensions, Depth: 633 mm 1654 mm External dimensions, Height: Number and type of doors: 1 Full Internal Dimensions, Width: 610 mm **Internal Dimensions, Depth:** 435 mm **Internal Dimensions, Height:** 1450 mm Net weight: 63 kg Shipping volume: $0.95 \ m^{3}$ Height adjustment: 0/0 mm

Number and type of grids

4 - 600x400 (included):

Refrigeration Data

Control type: Digital

Compressor power:

Refrigeration power at

-12 °C evaporation temperature: Min/Max internal humidity: 70%/84% Operating temperature min.: 0°C Operating temperature max.: 10 °C Ventilated Operating mode:

Sustainability

Current consumption: 1.1 Amps

Energy Class (EU Reg.

C 2015/1094):

Yearly and daily energy

consumption (EU Reg.

2015/1094): 473kWh/year - 1kWh/24h

Climate class (EU Reg.

Normal duty (cl.4) 2015/1094):

Energy Efficiency Index-EEI (EU Reg. 2015/1094): 45.05 Refrigerant type: R600a **GWP Index:** 253 W Refrigeration power: Refrigerant weight: 100 g

Energy consumption (min, default): 0 - 0 kW/h













400 Line 1 Door Refrigerator (0/+10) -White (R600a)

EU energy labelling from 1st July 2016

The European energy labelling scheme for professional refrigerators and freezers is based on requirements setting Minimum Energy Performance standards for commercial refrigeration cabinets sold within the EU. These requirements are designed to drive energy efficiency and environmentally friendly approach for professionals. The European energy labelling scheme will apply to all manufacturers and importers who sell and market products within the EU and it is mandatory across Europe. Important: all products which consume energy above the minimum level will not be able to be sold within the EU from 1 July 2016.

SI 2020 No. 1528.

Important: all products which consume energy above the minimum level will not be able to be sold within the EU from 1 July 2016.













