

## Ice Flaker 90kg/24h Ice Flaker with 20kg bin - Water-cooled

ITEM # \_\_\_\_\_

MODEL # \_\_\_\_\_

NAME # \_\_\_\_\_

SIS # \_\_\_\_\_

AIA # \_\_\_\_\_



730534 (FGS90W)

Ice flaker, granular, 90kg/24h, self-contained, 20kg ice collection bin included, water-cooled (R452a)

### Short Form Specification

Item No. \_\_\_\_\_

AISI 304 stainless steel exterior. Food grade ABS interior. Stainless steel spray arms removable without the use of tools. Fully automatic in operation. Efficient water cooling system. Suitable for gravity drain only. Flexible water supply and drain hoses. A spray system produces solid, crystal clear ice granular flakes.

Rated output is at an ambient air temperature of 21°C and water supply temperature of 15°C.

Self-contained storage bin capacity: 20 Kg.

### Main Features


- Compliant to CE requirements for safety.
- Fully automatic in operation.
- Suitable for gravity drain only (no pumps needed).
- Rated output is at an ambient air temperature of 21°C and water supply temperature of 15°C.
- Bin integrated as standard.
- The ice-making method (crushing system) guarantees compact, hygienically pure crushed ice that is resistant to melting.

### Construction


- Plug as standard (schuko type).
- AISI 304 stainless steel exterior.
- Stainless steel spray arms removable without the use of tools.
- Adjustable feet 110-150 mm.
- Environmentally friendly: R452a as refrigerant gas.

APPROVAL: \_\_\_\_\_

**Front**




**Side**



- CWI1** = Cold Water inlet 1 (cleaning)
- D** = Drain
- EI** = Electrical inlet (power)

**Top**



### Electric

Supply voltage:  
730534 (FGS90W) 220-240 V/1N ph/50 Hz  
Electrical power max.: 0.55 kW

### Capacity:

Bin capacity: 20 kg

### Key Information:

External dimensions, Width: 500 mm  
External dimensions, Height: 690 mm  
External dimensions, Depth: 660 mm  
Net weight: 59 kg  
Noise level: 54,3 dBA  
Output: 90 kg/day

### Refrigeration Data

Refrigerant type: R452A