# MP LED, 18 LITRES, GAS R452A



## Ref: 562943 (MPLED)

High Productivity Slush Machine MP Led 230/50 - R452

### **General Features**

 $\label{eq:model} MP\,LED\ is\ a\ professional\ slush\ machine\ with\ n.\ 1x8-litres\ cylinder\ and\ n.\ 1x10-litres\ upper\ tank,\ equipped\ with\ easy\ mechanical\ control.$ 

Every detail has been studied to create a unique equipment for high productivity utilizing a big freezing cylinder where the product is always ready and an upper tank where the liquid is stored ready to be frozen.

The look of this equipment is modern and eye-catchy, thanks to the RGB LED lights, managable by a remote control, that illuminates the environment.

The equipment can dispense slushies, milkshakes and frozen margaritas, daquiris and other frozen cocktails, smoothies, frozen cappuccinos or latte's, granitas, frozen fruit juices and frozen lemonades.

MP-LED is an ideal slush machine for bars, amusement parks, fast food chains, kiosks, restaurants, water parks and much more.

# MP LED, 18 LITRES, GAS R452A

### **Specifications**

- Mix low indicator light enables users to refill product before it empties.
- Eye catching back-lit sign draws customers attention.
- Big cylinder and high cooling capacity allow to dispense a large number of cups consequently.
- The exclusive polychromatic LED lighting system gives MP a highly attractive appeal. CHAR(13) CHAR(10)Colors, intensity and light output can be set using the supplied remote control.
- The equipment can dispense: granitas, slushies, milkshakes and cold drinks and frozen cocktails.

### Construction

- Electromechanical control.
- Heavy duty components ensure machine longevity.
- Reliable consistency control dispensers perfect product under all operating conditions.
- Gravity feeding system.

## Sustainability

• Energy efficiency and low consumption.



www.crathco.drink-systems.com infocrathco@electroluxprofessional.com

# MP LED, 18 LITRES, GAS R452A

#### Electric

Supply voltage:
Electrical power max.:
Current consumption:
Plug type:

220-240 V / 1 ph / 50 Hz 1.02 kW 4.9 Amps CE-SCHUKO

#### **Key Information:**

Number of bowls:	1
Bowl's capacity:	18 lt
Control board:	Mechanical
Dimensions, Width:	357 mm
Dimensions, Depth:	706 mm
Dimensions, Height:	786 mm
Net weight:	76 kg

#### **Refrigeration Data**

Refrigerant gas:

R452A



## Certifications

2025.04.11



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



www.crathco.drink-systems.com infocrathco@electroluxprofessional.com