

# GH2 WITH BACKLIT FRONTAL PANEL



GH2NEW

**Ref: 562949**  
**(GH2NEW)**

Hot beverage dispenser, 2 flavours

## General Features

Compact, light-weight and designed for dispensing hot drinks, GH2 is the hot beverage dispenser, perfect for all types of water-soluble preparations: tea, infusions, herbal teas, chocolate, barley, ginseng and much more.

GH2 dispenses up to 2 flavours and with 2 options: small or large cup.

Design and functionality are the key features in this equipment.

**DESIGN:** The backlit front panel increases the appeal of the machine, and can be customized with graphics (subject to negotiation).

The light effect draws attention and amplifies the visibility of the equipment, maximizing impulse purchases.

**FUNCTIONALITY:** GH2 is user-friendly, thanks to the fully removable powder containers and the new sliding door for filling the water tank.

The GH2 has an internal anti-scale filter, which has an expected life of 900 litres; and has an internal device that sucks any steam to preserve the quality of the soluble products.

A warning system signals the user when the water in the tank reaches the minimum level and a refill is needed.

The system warns when it is necessary to clean the dispensers, through a simple button, to ensure the perfect delivery every time.

CRATHCO

# GH2 WITH BACKLIT FRONTAL PANEL

## Specifications

- Hot beverage dispenser for powder based drinks.
- Front panel LED backlighting.
- Completely removable powder containers.
- Sliding panel for easy filling of the water tank.
- Mechanical and programmable control board.
- Multilanguage menu.
- Backlit frontal panel increases the appeal of the machine and impulse purchases.
- It dispenses up to 2 flavours and with 2 options: small or large cup.
- It is possible to graphically customize the equipment (subject to negotiation)
- Multi-language menu
- On demand it is possible to activate a chip card system for consumption monitoring.
- The equipment display advises: low water level; flavour being delivered; cleaning required; heating stage; expired credit, if the machine is equipped with the chip card system; filter replacement required
- User-friendly

## Construction

- An internal device extracts any steam present, to ensure the quality of the soluble products.
- Handy sliding door for filling the water tank.
- Internal anti-scale filter

# GH2 WITH BACKLIT FRONTAL PANEL

## Electric

Supply voltage:	220-240 V / 1 ph / 50 Hz
Electrical power max.:	1.25 kW
Current consumption:	6.4 Amps
Plug type:	CE-SCHUKO

## Key Information:


Dimensions, Width:	212 mm
Dimensions, Depth:	450 mm
Dimensions, Height:	495 mm
Net weight:	15 kg
Flavors:	2
Water tank capacity:	2.4 lt
Powder container capacity:	0.5 kg
Front backlit panel:	Installed

## Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.05.15



**CRATHCO**

www.crathco.drink-systems.com  
infocrathco@electroluxprofessional.com