

Bubbler Classic 4x9 lt, plastic, R134a



**Ref: CCCRKD
(CCCRKD)**

Cold beverages dispenser, Classic Bubbler 4x9 liters bowls, with plastic panels

General Features

MINI Q is a cold drink dispenser, compact size, with 4x9 litres capacity tanks.

The machine cools and dispenses ready-made drinks to be poured inside the bowl such as fresh juices, teas, cocktails, water etc..

The unique evaporator and the high efficiency pump cool faster and more efficiently for a quick start-up. The superior engineering ensures a perfect temperature from the first to the last drop of dispensed product.

Two-piece stainless steel dripless pouring valves are easy to use and clean. Suitable for cups up to 20 cm height.

Drinks stirring by a magnetic submerged impeller. Agitators are provided with each unit, including the accessory for the spectacular fountain effect.

Side panels are in plastic.

OPTIONALS AVAILABLE:

- VALVE CAP: Improves sealing of valve when using pulpy product
- LOW FOAM IMPELLER: ideal for iced teas and milk based drinks to minimize foaming"

Bubbler Classic 4x9 lt, plastic, R134a

Specifications

- Appealing cold drink dispenser equipped with 2 bowls, 9 litres each
- Appealing cold drink dispenser equipped with 4 bowls, 9 litres each

Construction

- Pre-mix dispenser with stainless steel base and clear plastic bowls
- The unique evaporator and the high efficiency pump cool faster and more efficiently for a quick start-up
- Two-piece stainless steel dripless pouring valves are easy to use and clean
- Magnetic submerged impeller

Bubbler Classic 4x9 lt, plastic, R134a

Electric

| | |
|------------------------|---------------------------|
| Supply voltage: | 220-240 V / 1N ph / 50 Hz |
| Electrical power max.: | 0.69 kW |
| Current consumption: | 3 Amps |
| Plug type: | |

Key Information:

| | |
|---------------------|------------|
| Number of bowls: | 4 |
| Bowl's capacity: | 9 lt |
| Control board: | Mechanical |
| Dimensions, Width: | 510 mm |
| Dimensions, Depth: | 410 mm |
| Dimensions, Height: | 690 mm |
| Net weight: | 38.26 kg |

Refrigeration Data

| | |
|------------------|-------|
| Refrigerant gas: | R134a |
|------------------|-------|

Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.06.30

CRATHCO

www.crathco.drink-systems.com
infocrathco@electroluxprofessional.com