## SR-25-16, CLASSIC PRO, 2 x 4.75 GALLON (18L), R290, GREY



### RefCC003J (SR2516290G)

Bubbler Beverage Dispenser STD CRATHCO CLASSIC PRO, 2, 4.75 gallon (18L), R290, SR-25-16, Grey

#### **General Features**

CLASSIC PRO BUBBLER SR-25-16 is a cold drink premix dispenser, compact size, with 2x4.75 gallon (18 L) capacity tank. The machine cools and dispenses ready-made drinks such as fresh juices, teas, cold brew coffee, cocktails, flavored water etc. The unique evaporator and the high efficiency system cool faster and more efficiently for a quick start-up. The superior engineering ensures a perfect temperature from the first to the last drop of dispensed product.

Two-piece dripless pouring valves are easy to use and clean.

Suitable for cups up to 9 inch height (22,9 cm).

New easy-off release bowl system, that makes dismantling easier and reduces cleaning time.

Drinks mix with a magnetic submerged impeller.

Agitators are provided with each unit.

Panels are in stainless steel.

#### **OPTIONALS AVAILABLE:**

- VALVE CAP: improves sealing of valve when using pulpy product
- FOUNTAIN SPRAY KIT: ideal to create a spectacular effect
- EXCLUSIVE AUTOFILL LID: retrofittable postmix Autofill Lid System increases consistency and exclude SR2522290NEMA manual filling operations.

## SR-25-16, CLASSIC PRO, 2 x 4.75 GALLON (18L), R290, GREY

### **Specifications**

- Easy-off bowl release system for faster and easier assembly and disassembly.
- User friendly design enables machine to dispense product till the very last drop.
- Suitable for cups up to 8 inch height (20 cm)
- Agitation function, with low foam impeller cover special for fresh juices, coffees, vitamin waters or tea.

#### Construction

- Refrigerant type: R134a.
- Pre-mix dispenser with stainless steel base and clear plastic bowls.
- The air intakes from the bottom and exhaust to back.
- Magnetic Submerged impeller



# SR-25-16, CLASSIC PRO, 2 x 4.75 GALLON (18L), R290, GREY

#### **Electric**

**Supply voltage:** 120 V / 1N ph / 60 Hz

Electrical power max.:0.4 kWCurrent consumption:3.5 AmpsPlug type:NEMA 5-15

#### **Key Information:**

Number of bowls: 2

Control board: Mechanical

Bowl's capacity:

Dimensions, Width:17 13/16"Dimensions, Depth:17 3/8"Dimensions, Height:26 3/8"Net weight:61 lb

#### **Refrigeration Data**

Refrigerant gas: R290

### **Certifications**





The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

Front [1.0in] 2.5cm [17.8in] Distances [17.4in] [12.8in] Side [14.4in] [16.9in]