

D35-3 CLASSIC TRIPLE 5-GALLON BUBBLER



RefCC0H6J
(D3533S3A)

Classic Bubbler Triple 5-Gallon D35-3 Base, Stainless Steel Side Panels and Drip Tray, Bowl Assembly, 3 bowls, 8.25" cup clearance - Refrigerant R134A

General Features

D35-3 Pre-mix dispenser with stainless steel side panels. Three (3) Large, 5 gallon (56.7 L) bowls with easy-to-read measuring marks. Dripless pouring valves are sanitary and easy to use and maintain. Better design and more stainless steel allow easier cleaning and less maintenance. Super-strong, virtually unbreakable polycarbonate bowls and covers for lasting durability. CRATHCO® Model D25-3 Unique evaporator and high-efficiency pump cools faster and more efficiently for quick start-up. Along with spray circulation, agitators are included with each unit for fresh juices, coffees or tea. Superior engineering allows full beverage cooling to the dispense point, and right down to the last drink. Cup height 8.25" (20.5 cm). Temperature range from 35 - 41°F (1.1 - 5° C). R134A Refrigerant

D3533S3A

CRATHCO

D35-3 CLASSIC TRIPLE 5-GALLON BUBBLER

Specifications

- Slushy machine with two (2) 3.2 gallon tanks, 6.4 gallon/24 L total capacity

Construction

- The unique evaporator and the high efficiency pump cool faster and more efficiently for a quick start-up
- Two-piece stainless steel dripless pouring valves are easy to use and clean
- Magnetic submerged impeller
- Refrigerant type: R134a.
- n. I-Tank insulated bowl containing (1) 1.3 gallons/5 L of finished product
- Compact size of 10.5 inches (25 cm) wide saves valuable counterspace
- Temperature ranges from 35 - 41° F (1.7 -5° C)
- Pre-mix dispenser with three (3) 5 gallon/18.9 L bowls with 8.25" (20.5 cm) cup clearance
- Perfect to dispense refreshing cold brew coffee, teas, fresh juices and more
- Stainless steel side panels and drip tray

D35-3 CLASSIC TRIPLE 5-GALLON BUBBLER

Electric

| | |
|------------------------|-----------------------|
| Supply voltage: | 120 V / 1N ph / 60 Hz |
| Electrical power max.: | |
| Current consumption: | 0 Amps |
| Plug type: | NEMA 5-15 |

Key Information:

| | |
|---------------------|-------------|
| Number of bowls: | 3 |
| Bowl's capacity: | 4.8 gal |
| Control board: | ;Mechanical |
| Dimensions, Width: | |
| Dimensions, Depth: | |
| Dimensions, Height: | |
| Net weight: | |
| Cooling system: | |

Refrigeration Data

| | |
|------------------|-------|
| Refrigerant gas: | R134a |
|------------------|-------|

Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2024.11.21

CRATHCO

www.crathco.drink-systems.com
infocrathco@electroluxprofessional.com