

D35-4 CLASSIC TRIPLE 5-GALLON BUBBLER, PLASTIC



RefCC0H6K (D3543S3A)

Classic Bubbler Triple 5-Gallon D35-3 Base, Plastic Side Panels and Drip Tray, Bowl Assembly, 3 bowls, 8.25" cup clearance - Refrigerant R134A

General Features

D35-4 Pre-mix dispenser with plastic side panels. Three (3) Large, 5 gallon (56.7 L) bowls with easy-to-read measuring marks. Dripless pouring valves are sanitary and easy to use and maintain. Easy cleaning and maintenance. Super-strong, virtually unbreakable polycarbonate bowls and covers for lasting durability. CRATHCO® Model D35-4 Unique evaporator and high-efficiency pump cools faster and more efficiently for quick start-up. Along with spray circulation, agitators are included with each unit for fresh juices, coffees or tea. Superior engineering allows full beverage cooling to the dispense point, and right down to the last drink. Cup height 8.25" (20.5 cm). Temperature range from 35 - 41°F (1.1 - 5° C). R134A Refrigerant.

D3543S3A

CRATHCO

D35-4 CLASSIC TRIPLE 5-GALLON BUBBLER, PLASTIC

Specifications

- Slushy machine with two (2) 3.2 gallon tanks, 6.4 gallon/24 L total capacity
- Plastic side panels and drip tray

Construction

- Refrigerant type: R134a.
- The unique evaporator and the high efficiency pump cool faster and more efficiently for a quick start-up
- Two-piece stainless steel dripless pouring valves are easy to use and clean
- Magnetic submerged impeller
- n. I-Tank insulated bowl containing (1) 1.3 gallons/5 L of finished product
- Temperature ranges from 35 - 41° F (1.7 -5° C)
- Pre-mix dispenser with three (3) 5 gallon/18.9 L bowls with 8.25" (20.5 cm) cup clearance
- Perfect to dispense refreshing cold brew coffee, teas, fresh juices and more

D35-4 CLASSIC TRIPLE 5-GALLON BUBBLER, PLASTIC

Electric

Supply voltage: 120 V / 1N ph / 60 Hz
Electrical power max.:
Current consumption: 0 Amps
Plug type: NEMA 5-15

Key Information:

Number of bowls: 3
Control board: ;Mechanical
Bowl's capacity: 4.8 gal
Dimensions, Width:
Dimensions, Depth:
Dimensions, Height:
Net weight:

Refrigeration Data

Refrigerant gas: R134a

Certifications



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2025.04.01

CRATHCO

www.crathco.drink-systems.com
infocrathco@electroluxprofessional.com