# SR-2E-16, CLASSIC PRO, 4, 2.4 gallon (9L), R134a, Grey



# RefCC0HMR (SR2E16290G)

Bubbler Beverage Dispenser STD CRATHCO CLASSIC PRO, 4, 2.4 gallon (9L), R134a, SR-2E-16, Grey

### **General Features**

CLASSIC PRO BUBBLER SR-2E is a cold drink premix dispenser, compact size, with 4x2.4 gallon (9 L) capacity tanks. The machine cools and dispenses ready-made drinks such as fresh juices, teas, cold brew coffee, cocktails, flavored water etc. The unique evaporator and the high efficiency system cool faster and more efficiently for a quick start-up. The superior engineering ensures a perfect temperature from the first to the last drop of dispensed product.

Two-piece dripless pouring valves are easy to use and clean.

Suitable for cups up to 9 inch height (22,9 cm).

New easy-off release bowl system, that makes dismantling easier and reduces cleaning time.

Drinks mix with a magnetic submerged impeller.

Agitators are provided with each unit.

Panels are in stainless steel.

### **OPTIONALS AVAILABLE:**

- VALVE CAP: improves sealing of valve when using pulpy product
- FOUNTAIN SPRAY KIT: ideal to create a spectacular effect
- EXCLUSIVE AUTOFILL LID: retrofittable postmix Autofill Lid System increases consistency and exclude SR2E22290NEMA manual filling operations.

# SR-2E-16, CLASSIC PRO, 4, 2.4 gallon (9L), R134a, Grey



# SR-2E-16, CLASSIC PRO, 4, 2.4 gallon (9L), R134a, Grey

# **Electric**

**Supply voltage:** 120 V / 1N ph / 60 Hz

Electrical power max.:0.2 kWCurrent consumption:2 AmpsPlug type:NEMA 5-15

# **Key Information:**

Number of bowls: 2

Control board: Mechanical

Bowl's capacity:

Dimensions, Width:10 5/8"Dimensions, Depth:16 15/16"Dimensions, Height:26 3/8"Net weight:53 lb

# **Refrigeration Data**

Refrigerant gas: R290

# **Certifications**





The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

Тор 9.9in วิ5cmี 10.6in 27cm Side [17.2in] 44cm Front 25.4in 65cm [9.1in] 23cm [12.8in] 1.9in 33cm 5cm 16.9in 43cm