

Cutter mixer 2.6 It with transparent copolyester bowl, variab

DITO SAMA

Food Processor Cutter mixer 2.6 It with transparent copolyester bowl, variable speed

| ITEM # | |
|--------|--|
| MODEL# | |
| NAME# | |
| SIS# | |
| AIA # | |



602214 (DK26PVSAU)

Cutter mixer 2.6 It with transparent copolyester bowl, variable speed 500-3600 rpm - Australia

Short Form Specification

<u>Item No.</u>

Table top cutter mixer. 2,6 litres, transparent copolyester bowl with scraper and central feed hole for adding products in mid-cycle. Transparent copolyester lid. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, softtouch buttons. Variable speed with 9 levels (500 to 3600 rpm) for extra smooth results and emulsifying.

Main Features

- Includes 2,6 liter, transparent bowl with micro-toothed blades rotor.
- Tabletop cutter mixer and emulsifier allowing fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Flat and waterproof control panel with on/ off button and pulse function.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity up to 50 settings per service.
- 9 speed levels for extra smooth results and high speed emulsifying.

Construction

- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.
- Variable speed: 500 3600 rpm.
- Motor power: 750 Watt.
- Microtoothed blades in 420 AISI stainless steel and ergonomic scraper in high resistant composite material to ensure consistent mixing.
- compact design, easy to move and store.
- IPX5 (IP55) flat panel touch-control, waterproof panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Bowl in BPA-free, transparent copolyester.

APPROVAL:



Included Accessories

- 1 of TRANSPARENT LID FOR 2,6LT PNC 650117 CUTTER MIXER BOWL
- 1 of MICROTOOTHED BLADE PNC 650226 ROTOR FOR 2.6LT CUTTER MIXER
- 1 of TRANSPARENT COPOLYESTER PNC 650229 BOWL FOR 2,6 LT CUTTER MIXER
- 1 of SCRAPER FOR 2.6LT CUTTER PNC 650230 MIXER BOWL


Optional Accessories


| TRANSPARENT LID FOR 2,6LT CUTTER MIXER BOWL | PNC 650117 | |
|--|------------|--|
| TRANSPARENT LID (WITHOUT SEALING) FOR 3,6LT CUTTER MIXER BOWL | PNC 650118 | |
| MICROTOOTHED BLADE ROTOR FOR 2.6LT CUTTER MIXER | PNC 650226 | |
| SMOOTH BLADE ROTOR FOR 2.6LT CUTTER MIXER | PNC 650227 | |
| • STAINLESS STEEL BOWL FOR 2,6 LT CUTTER MIXER | PNC 650228 | |
| • TRANSPARENT COPOLYESTER BOWL FOR 2,6 LT CUTTER MIXER | PNC 650229 | |
| SCRAPER FOR 2.6LT CUTTER MIXER BOWL | PNC 650230 | |
| STAINLESS STEEL BOWL FOR 2,6LT CUTTER MIXER, MICROTOOTHED ROTOR, LID WITH SCRAPER | PNC 650231 | |
| MICROTOOTHED BLADE ROTOR FOR 3.6LT CUTTER MIXER | PNC 650233 | |
| SMOOTH BLADE ROTOR FOR 3.6LT CUTTER MIXER | PNC 650234 | |
| STAINLESS STEEL BOWL FOR 3.6LT CUTTER MIXER | PNC 650235 | |
| SCRAPER FOR 3.6LT CUTTER BOWL | PNC 650236 | |
| TRANSPARENT BOWL FOR 2,6LT CUTTER MIXER, MICROTOOTHED ROTOR, LID WITH SCRAPER | PNC 650245 | |
| | | |






Food Processor Cutter mixer 2.6 It with transparent copolyester bowl, variable speed







Electric Supply voltage: 220-240 V/1N ph/50/60 Hz **Electrical power max.:** 0.75 kW **Total Watts:** 0.75 kW Capacity: Performance (up to): Capacity: 2.6 litres Key Information: External dimensions, Width: 247 mm External dimensions, Depth: 328 mm External dimensions, Height: 456 mm 18.2 kg **Shipping weight:**

13.6

Net weight (kg):

Egg whites:

Cold water paste:



EI = Electrical inlet (power)





