ITEM #

MODEL #

NAME #

SIS #

AIA #

Vegetable Slicer
Vegetable slicer 1500 rpm



602216 (DVGSAU) Vegetable Slicer with 1500 rpm - Australia

Short Form Specification

Item No.

Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1,25 liters transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 55mm or 25mm. Ideal for grating, slicing/wavy slice, julienne and dicing. A safety micro switch stops the blade when the feed hopper is opened. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Single speed 1500 rpm with on/pulse/off function for simple operations.

APPROVAL:

Main Features

- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Equipped with half moon hopper (1,25lt capacity) and 2 small round feed chutes: Ø 25mm and Ø 55mm, for precise slicing of long shaped vegetables.
- Uniform cuts and maximised load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 200mm high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs and grids available of various sizes for slicing, dicing, grating and shredding (diam. 175mm).
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- Productivity up to 100 settings per service.

Construction

- 1 speed: 1.500 rpm.
- Power: 500 Watts.
- compact design, easy to move and store.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.

Included Accessories

- 1 of EJECTOR FOR VEGETABLE SLICER PNC 650232

Optional Accessories


- CLEANING TOOL FOR 5/8/10MM DICING GRIDS PNC 650110 ❑
- 3 DISCS SET DIA. 175MM (2MM SLICER, 5MM SLICER, 3MM GRATER) PNC 650196 ❑
- 6 DISCS SET DIA. 175MM (2MM SLICING, 5MM SLICING, 3MM GRATING, 7MM GRATING, 10MM SLICER, 10X10MM GRID) PNC 650197 ❑
- STAINLESS STEEL GRATING DISC 2 MM (DIA. 175 MM) PNC 650198 ❑
- STAINLESS STEEL GRATING DISC 3 MM (DIA. 175 MM) PNC 650199 ❑
- STAINLESS STEEL GRATING DISC 4 MM (DIA. 175 MM) PNC 650205 ❑
- STAINLESS STEEL GRATING DISC 7 MM (DIA. 175 MM) PNC 650207 ❑
- PARMESAN DISC PNC 650208 ❑
- STAINLESS STEEL SHREDDING DISC 2X2 MM (DIA. 175 MM) PNC 650209 ❑
- STAINLESS STEEL SHREDDING DISC 4X4 MM (DIA. 175 MM) PNC 650210 ❑
- STAINLESS STEEL SHREDDING DISC 8X8 MM (DIA. 175 MM) - FRENCH FRIES PNC 650211 ❑
- STAINLESS STEEL SLICING DISC 1 MM (DIA. 175 MM) PNC 650213 ❑
- STAINLESS STEEL SLICING DISC 2 MM (DIA. 175 MM) PNC 650214 ❑
- STAINLESS STEEL SLICING DISC 3 MM (DIA. 175 MM) PNC 650215 ❑
- STAINLESS STEEL SLICING DISC 5 MM (DIA. 175 MM) PNC 650216 ❑
- STAINLESS STEEL SLICING DISC 6 MM (DIA. 175 MM) PNC 650217 ❑
- STAINLESS STEEL WAVY SLICING DISC 3 MM (DIA. 175 MM) PNC 650218 ❑
- STAINLESS STEEL WAVY SLICING DISC 5 MM (DIA. 175 MM) PNC 650219 ❑
- ALUMINUM SLICING DISC 8 MM (DIA. 175 MM) PNC 650220 ❑
- ALUMINUM SLICING DISC 10 MM (DIA. 175 MM) PNC 650221 ❑
- DICING GRID 8X8 (DIA 175 MM) PNC 650222 ❑
- DICING GRID 10X10 (DIA 175 MM) PNC 650223 ❑
- DICING KIT 8MM (ALUMINUM SLICER 8MM, GRID 8X8MM) - DIA. 175 MM PNC 650224 ❑
- DICING KIT 10MM (ALUMINUM SLICER 10MM, GRID 10X10 MM) - DIA. 175 MM PNC 650225 ❑
- EJECTOR FOR VEGETABLE SLICER PNC 650232 ❑
- STAINLESS STEEL SLICING DISC 4 MM (DIA. 175 MM) PNC 650237 ❑
- SUPPORT FOR 1 DISC-DIAM 175MM AND 205MM PNC 653632 ❑

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.


2026.10.30

Vegetable Slicer
Vegetable slicer 1500 rpm

Front




Side



EI = Electrical inlet (power)

Top



Electric	
Supply voltage:	220-240 V/1N ph/50 Hz
Electrical power max.:	0.5 kW
Total Watts:	0.5 kW
Capacity:	
Performance (up to):	0 kg/Cycle
Capacity:	0 litres
Key Information:	
External dimensions, Width:	348 mm
External dimensions, Depth:	315 mm
External dimensions, Height:	527 mm
Shipping weight:	18.7 kg
Net weight (kg):	14.1
Cold water paste:	
Egg whites:	

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.10.30