

#### Combined Cutter/Vegetable slicer Combined veget.slicer-cutter mixer, 2.6 It transp copolyester bow



ITEM #	
MODEL #	
NAME #	
<u>SIS #</u>	
AIA #	

# **Main Features**

- Combined appliance with two functions: vegetable slicer and cutter mixer.
- Equipped with vegetable slicer attachment for slicing, grating, shredding (julienne) as well as dicing and French fries cutting.
- Cutter mixer and emulsifier function included, for fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Equipped with half moon hopper (1,25lt capacity) and 2 small round feed chutes: Ø 25mm and Ø 55mm, for precise slicing of long shaped vegetables.
- Uniform cuts and maximised load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 200mm high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs and grids available of various sizes for slicing, dicing, grating and shredding (diam. 175mm).
- Includes 2,6 liter, transparent bowl with micro-toothed blades rotor.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Pulse function to coarse chopping.
- Flat and waterproof control panel with on/ off button and pulse function.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity: up to 100 settings per service for vegetable slicer, up to 50 settings per service for cutter mixer function.

### Construction

• Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.





#### Combined Cutter/Vegetable slicer Combined veget.slicer-cutter mixer, 2.6 It transp copolyester bow

- Product safety conform to European directives, UK legislation and international health and safety standards.
- 1 speed: 1.500 rpm.
- Power: 500 watts.
- Bowl in BPA-free, transparent copolyester.
- Microtoothed blades in 420 AISI stainless steel and ergonomic scraper in high resistant composite material to ensure consistent mixing.
- IPX5 (IP55) flat panel touch-control, waterproof panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.


### Included Accessories

- 1 of TRANSPARENT LID FOR 2,6LT PNC 650117 CUTTER MIXER BOWL
- 1 of MICROTOOTHED BLADE PNC 650226 ROTOR FOR 2.6LT CUTTER MIXER
- 1 of TRANSPARENT COPOLYESTER PNC 650229 BOWL FOR 2,6 LT CUTTER MIXER
- 1 of SCRAPER FOR 2.6LT CUTTER PNC 650230 MIXER BOWL
- 1 of EJECTOR FOR VEGETABLE PNC 650232 SLICER

#### Optional Accessories

CLEANING TOOL FOR TRS-TRK-PNC 650110 TRK210 5/8/10MM DICING GRIDS

- TRANSPARENT LID FOR 2,6LT PNC 650117 CUTTER MIXER BOWL
- TRANSPARENT LID (WITHOUT PNC 650118 SEALING) FOR 3,6LT CUTTER MIXER BÓWL
- 3 DISCS SET TRK1 (2MM SLICER, PNC 650196 5MM SLICER, 3MM GRATER)
- 6 DISCS SET (2MM SLICING, 5MM PNC 650197 SLICING, 3MM GRATING, 7MM GRATING, 10MM SLICER, 10X10MM GRID)
- STAINLESS STEEL GRATING DISC PNC 650198 2 MM (DIA. 175 MM)
- STAINLESS STEEL GRATING DISC PNC 650199 3 MM (DIA. 175 MM)
- STAINLESS STEEL GRATING DISC PNC 650205 4 MM (DIA. 175 MM)
- STAINLESS STEEL GRATING DISC PNC 650207 7 MM (DIA. 175 MM) PNC 650208
- PARMESAN DISC
- STAINLESS STEEL SHREDDING PNC 650209 DISC 2 MM (DIA. 175 MM)
- STAINLESS STEEL SHREDDING PNC 650210 DISC 4 MM (DIA. 175 MM)
- STAINLESS STEEL SHREDDING PNC 650211 DISC 8 MM (DIA. 175 MM) -FRENCH FRIES
- STAINLESS STEEL SLICING DISC 1 PNC 650213 MM (DIA. 175 MM)



- TRANSPARENT BOWL FOR 2,6LT PNC 650245 CUTTER MIXER, MICROTOOTHED ROTOR, LID WITH SCRAPER
- SUPPORT FOR 1 DISC-DIAM 175MM PNC 653632 **AND 205MM**




Combined Cutter/Vegetable slicer Combined veget.slicer-cutter mixer, 2.6 lt transp copolyester bow

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



## Combined Cutter/Vegetable slicer Combined veget.slicer-cutter mixer, 2.6 It transp copolyester bow



Electric	
Supply voltage: Electrical power max.: Total Watts:	220-240 V/1N ph/50 Hz 0.5 kW 0.5 kW
Capacity:	
Performance (up to): Capacity:	2.6 litres
Key Information:	
External dimensions, Width: External dimensions, Depth:	348 mm 328 mm
External dimensions, Height: Shipping weight: Net weight (kg): Cold water paste: Egg whites:	527 mm 20.3 kg 14.1

Combined Cutter/Vegetable slicer Combined veget.slicer-cutter mixer, 2.6 It transp copolyester bow

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.