

# Combined veget.slicer-cutter mixer, 2.6 It transp copolyester bow



## Combined Cutter/Vegetable slicer Combined veget.slicer-cutter mixer, 2.6 It transp copolyester bow

ITEM #	
MODEL#	
NAME#	
SIS #	
AIA #	
, (I) ( I)	_



### 602218 (DCOM26PAU)

Combined vegetable slicer and cutter mixer 2.6 lt, with transparent copolyester bowl, 1500 rpm - Australia

# **Short Form Specification**

<u>Item No.</u>

Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1,25 liters transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 55mm or 25mm. Ideal for grating, slicing/wavy slice, julienne and dicing. A safety micro switch stops the blade when the feed hopper is opened. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Single speed 1500 rpm with on/pulse/off function for simple operations.

### **Main Features**

- Combined appliance with two functions: vegetable slicer and cutter mixer.
- Equipped with vegetable slicer attachment for slicing, grating, shredding (julienne) as well as dicing and French fries cutting.
- Cutter mixer and emulsifier function included, for fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Equipped with half moon hopper (1,25lt capacity) and 2 small round feed chutes: Ø 25mm and Ø 55mm, for precise slicing of long shaped vegetables.
- Uniform cuts and maximised load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 200mm high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs and grids available of various sizes for slicing, dicing, grating and shredding (diam. 175mm).
- Includes 2,6 liter, transparent bowl with micro-toothed blades rotor.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Pulse function to coarse chopping.
- Flat and waterproof control panel with on/ off button and pulse function.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity: up to 100 settings per service for vegetable slicer, up to 50 settings per service for cutter mixer function.

### Construction

 Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.

APPROVAL:



# Combined Cutter/Vegetable slicer Combined veget.slicer-cutter mixer, 2.6 It transp copolyester bow

•	Product safety conform to Europ		C3,	STAINLESS STEEL SLICING DISC 2 PNC 650214 MM (DIA. 175 MM)	ם
	UK legislation and internation safety standards.	ai neaith ai	•	,	ב
	l speed: 1.500 rpm. Power: 500 watts.		•	,	ב
•	Bowl in BPA-free, transparent co	. •		STAINLESS STEEL SLICING DISC 6 PNC 650217	ב
<ul> <li>Microtoothed blades in 420 AISI stainless steel and ergonomic scraper in high resistant composite material to ensure consistent mixing.</li> </ul>				MM (DIA. 175 MM) STAINLESS STEEL WAVY SLICING PNC 650218 DISC 3 MM (DIA. 175 MM)	ב
				•	ם
	<ul> <li>IPX5 (IP55) flat panel touch-cont panel.</li> </ul>	roi, waterpro	•	,	ב
•	<ul> <li>Main switch ON/OFF on the appliance.</li> </ul>	back of t	he •	,	ב
•	• Asynchronous industrial motor v			· ·	ב
	for high reliability and quie	t functionin	חמ	,	ב
	stainless steel motor shaft.			· · · · · · · · · · · · · · · · · · ·	<b>_</b>
	ncluded Accessories		•	DICING KIT 10MM (ALUMINUM PNC 650225	ב
	OT TRANSPARENT LID FOR 2,6LT CUTTER MIXER BOWL			SLICER 10MM, GRID 10X10 MM) - DIA. 175 MM	
	ROTOR FOR 2.6LT CUTTER MIXER	PNC 650226		FOR 2.6LT CUTTER MIXER	]
	• 1 of TRANSPARENT COPOLYESTER BOWL FOR 2,6 LT CUTTER MIXER			CUTTER MIXER	_
•	1 of SCRAPER FOR 2.6LT CUTTER MIXER BOWL	PNC 650230	•	STAINLESS STEEL BOWL FOR 2,6 LT PNC 650228 CUTTER MIXER	)
•	1 of EJECTOR FOR VEGETABLE     SLICER	PNC 650232	•	TRANSPARENT COPOLYESTER PNC 650229 BOWL FOR 2,6 LT CUTTER MIXER	_
	Optional Accessories		•	SCRAPER FOR 2.6LT CUTTER MIXER PNC 650230 D	ם
	CLEANING TOOL FOR TRS-TRK- TRK210 5/8/10MM DICING GRIDS	PNC 650110	•		ם
•	TRANSPARENT LID FOR 2,6LT CUTTER MIXER BOWL	PNC 650117	<u> </u>	ROTOR, LID WITH SCRAPER	ב
•	• TRANSPARENT LID (WITHOUT SEALING) FOR 3,6LT CUTTER MIXER BOWL	PNC 650118			_
•	3 DISCS SET TRK1 (2MM SLICER, 5MM SLICER, 3MM GRATER)	PNC 650196	•	SMOOTH BLADE ROTOR FOR 3.6LT PNC 650234 CUTTER MIXER	)
•	• 6 DISCS SET (2MM SLICING, 5MM SLICING, 3MM GRATING, 7MM	PNC 650197	•	STAINLESS STEEL BOWL FOR 3.6LT PNC 650235 CUTTER MIXER	)
	GRATING, 10MM SLICER, 10X10MM		•	SCRAPER FOR 3.6LT CUTTER BOWL PNC 650236	
	GRID)	DNC (50100		STAINLESS STEEL SLICING DISC 4 PNC 650237 EMM (DIA. 175 MM)	_
	• STAINLESS STEEL GRATING DISC 2 MM (DIA. 175 MM)	PNC 650198		TRANSPARENT BOWL FOR 2,6LT PNC 650245	ב
	STAINLESS STEEL GRATING DISC 3 MM (DIA. 175 MM)	PNC 650199		CUTTER MIXER, MICROTOOTHED ROTOR, LID WITH SCRAPER	_
	• STAINLESS STEEL GRATING DISC 4 MM (DIA. 175 MM)	PNC 650205	•	SUPPORT FOR 1 DISC-DIAM 175MM PNC 653632 C AND 205MM	_
•	STAINLESS STEEL GRATING DISC 7 MM (DIA. 175 MM)	PNC 650207			
•	PARMESAN DISC	PNC 650208			
•	STAINLESS STEEL SHREDDING DISC 2 MM (DIA. 175 MM)	PNC 650209			
•	STAINLESS STEEL SHREDDING DISC 4 MM (DIA. 175 MM)	PNC 650210			
•	• STAINLESS STEEL SHREDDING DISC 8 MM (DIA. 175 MM) - FRENCH FRIES	PNC 650211			
	CTAINILECC CTEEL CLICINIC DICCI	DNIC CEONS			





• STAINLESS STEEL SLICING DISC 1 PNC 650213 🚨

MM (DIA. 175 MM)



# Combined Cutter/Vegetable slicer Combined veget.slicer-cutter mixer, 2.6 It transp copolyester bow







**Supply voltage:** 220-240 V/1N ph/50 Hz

**Electrical power max.:** 0.5 kW 0.5 kW **Total Watts:** 

Capacity:

Performance (up to):

Capacity: 2.6 litres

Key Information:

External dimensions, Width:

348 mm

External dimensions, Depth:

328 mm External dimensions,

Height: 527 mm 20.3 kg **Shipping weight:** Net weight (kg): 14.1

**Cold water paste:** Egg whites:









