

### **Combined Cutter/Vegetable slicer** Combined veg.slicer/cutter mixer 2.6lt s/s bowl, 3 discs

ITEM #		
MODEL#		
NAME#		
SIS#		
AIA #		
AIA #		



602273 (DCOM26VSDAU)

Combined vegetable slicer and cutter mixer 2.6 lt, with stainless steel bowl. variable speed 500-3600 rpm, 3 discs included (slicer 2mm, slicer 5mm, grater 3mm - Australia

## **Short Form Specification**

Item No.

Combined Vegetable Slicer and Cutter Mixer with 2,6 litres, stainless steel bowl. Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1,25 liters transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 55mm or 25mm. Ideal for grating, slicing/ wavy slice, julienne and dicing. 3 discs included: slicer 2mm and 5mm, grater 3mm. A safety micro switch stops the blade when the feed hopper is opened.

Cutter Mixer transparent copolyester lid with scraper and central feed hole for adding products in mid-cycle. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl.

No-volt release system prevents accidental start of the

Δ	Р	Р	R	O'	V	Ά	Ī

appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, softtouch buttons. Variable speed 500-3600 rpm. A smart speed control limits the speed when vegetable slicer attachment is installed.

# Combined veg.slicer/cutter mixer 2.6lt s/s bowl, 3



### Combined Cutter/Vegetable slicer Combined veg.slicer/cutter mixer 2.6lt s/s bowl, 3 discs

### **Main Features**

- Model includes 3 discs: slicer 2mm, slicer 5mm, grater 3mm.
- Combined appliance with two functions: vegetable slicer and cutter mixer.
- Equipped with vegetable slicer attachment for slicing, grating, shredding (julienne) as well as dicing and French fries cutting.
- Cutter mixer and emulsifier function included, for fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Equipped with half moon hopper (1,25lt capacity) and 2 small round feed chutes: Ø 25mm and Ø 55mm, for precise slicing of long shaped vegetables.
- Uniform cuts and maximised load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 200mm high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Flexibility for high quality cuts: 9-level variable speed can be adjusted according to consistency of ingredients.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs and grids available of various sizes for slicing, dicing, grating and shredding (diam. 175mm).
- Automatic speed limitation according to the selected function (slicer or cutter).
- Includes 2,6 liter stainless steel bowl with microtoothed blades rotor.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Pulse function for coarse chopping.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity: up to 100 settings per service for vegetable slicer, up to 50 settings per service for cutter mixer function.

### Construction

- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives,

- UK legislation and international health and safety standards.
- Variable speed: 500 3600 rpm.
- Motor power: 750 Watt.
- Bowl in AISI 304 stainless steel.
- Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.

### **Included Accessories**

- 1 of TRANSPARENT LID FOR 2,6LT PNC 650117 CUTTER MIXER BOWL
- 1 of 3 DISCS SET TRK1 (2MM SLICER, PNC 650196 5MM SLICER, 3MM GRATER)
- 1 of MICROTOOTHED BLADE ROTOR PNC 650226 FOR 2.6LT CUTTER MIXER
- 1 of STAINLESS STEEL BOWL FOR 2,6 PNC 650228 LT CUTTER MIXER
- 1 of SCRAPER FOR 2.6LT CUTTER PNC 650230 MIXER BOWL
- 1 of EJECTOR FOR VEGETABLE PNC 650232 SLICER

SLICER		
Optional Accessories		
<ul> <li>CLEANING TOOL FOR TRS-TRK- TRK210 5/8/10MM DICING GRIDS</li> </ul>	PNC 650110	
<ul> <li>TRANSPARENT LID FOR 2,6LT CUTTER MIXER BOWL</li> </ul>	PNC 650117	
TRANSPARENT LID (WITHOUT SEALING) FOR 3,6LT CUTTER MIXER BOWL	PNC 650118	
• 3 DISCS SET TRK1 (2MM SLICER, 5MM SLICER, 3MM GRATER)	PNC 650196	
6 DISCS SET (2MM SLICING, 5MM SLICING, 3MM GRATING, 7MM GRATING, 10MM SLICER, 10X10MM GRID)	PNC 650197	
<ul> <li>STAINLESS STEEL GRATING DISC 2 MM (DIA. 175 MM)</li> </ul>	PNC 650198	
<ul> <li>STAINLESS STEEL GRATING DISC 3 MM (DIA. 175 MM)</li> </ul>	PNC 650199	
STAINLESS STEEL GRATING DISC 4 MM (DIA. 175 MM)	PNC 650205	
STAINLESS STEEL GRATING DISC 7 MM (DIA. 175 MM)	PNC 650207	
PARMESAN DISC	PNC 650208	
• STAINLESS STEEL SHREDDING DISC 2 MM (DIA. 175 MM)	PNC 650209	
• STAINLESS STEEL SHREDDING DISC 4 MM (DIA. 175 MM)	PNC 650210	
• STAINLESS STEEL SHREDDING DISC 8 MM (DIA. 175 MM) - FRENCH FRIES	PNC 650211	
• STAINLESS STEEL SLICING DISC 1 MM (DIA. 175 MM)	PNC 650213	
STAINLESS STEEL SLICING DISC 2	PNC 650214	

Combined Cutter/Vegetable slicer Combined veg.slicer/cutter mixer 2.6lt s/s bowl, 3 discs



MM (DIA. 175 MM)






• STAINLESS STEEL SLICING DISC 3 MM (DIA. 175 MM)	PNC 650215	
• STAINLESS STEEL SLICING DISC 5 MM (DIA. 175 MM)	PNC 650216	
STAINLESS STEEL SLICING DISC 6     MM (DIA. 175 MM)	PNC 650217	
STAINLESS STEEL WAVY SLICING DISC 3 MM (DIA. 175 MM)	PNC 650218	
STAINLESS STEEL WAVY SLICING DISC 5 MM (DIA. 175 MM)	PNC 650219	
ALUMINUM SLICING DISC 8 MM (DIA. 175 MM)	PNC 650220	
ALUMINUM SLICING DISC 10 MM (DIA. 175 MM)	PNC 650221	
• DICING GRID 8X8 (DIA 175 MM)	PNC 650222	
• DICING GRID 10X10 (DIA 175 MM)	PNC 650223	
DICING KIT 8MM (ALUMINUM	PNC 650224	
SLICER 8MM, GRID 8X8MM) - DIA. 175 MM	PNC 650224	_
DICING KIT 10MM (ALUMINUM SLICER 10MM, GRID 10X10 MM) - DIA. 175 MM	PNC 650225	
MICROTOOTHED BLADE ROTOR FOR 2.6LT CUTTER MIXER	PNC 650226	
SMOOTH BLADE ROTOR FOR 2.6LT CUTTER MIXER	PNC 650227	
• STAINLESS STEEL BOWL FOR 2,6 LT CUTTER MIXER	PNC 650228	
• TRANSPARENT COPOLYESTER BOWL FOR 2,6 LT CUTTER MIXER	PNC 650229	
SCRAPER FOR 2.6LT CUTTER MIXER BOWL	PNC 650230	
STAINLESS STEEL BOWL FOR 2,6LT CUTTER MIXER, MICROTOOTHED ROTOR, LID WITH SCRAPER	PNC 650231	
EJECTOR FOR VEGETABLE SLICER	PNC 650232	
MICROTOOTHED BLADE ROTOR FOR 3.6LT CUTTER MIXER	PNC 650233	
SMOOTH BLADE ROTOR FOR 3.6LT CUTTER MIXER	PNC 650234	
• STAINLESS STEEL BOWL FOR 3.6LT CUTTER MIXER	PNC 650235	
SCRAPER FOR 3.6LT CUTTER BOWL	PNC 650236	
• STAINLESS STEEL SLICING DISC 4 MM (DIA. 175 MM)	PNC 650237	
TRANSPARENT BOWL FOR 2,6LT CUTTER MIXER, MICROTOOTHED ROTOR, LID WITH SCRAPER	PNC 650245	
SUPPORT FOR 1 DISC-DIAM 175MM AND 205MM	PNC 653632	





# Combined Cutter/Vegetable slicer Combined veg.slicer/cutter mixer 2.6lt s/s bowl, 3 discs



Electric Supply voltage: 220-240 V/1N ph/50/60 Hz **Electrical power max.:** 0.75 kW 0.75 kW **Total Watts:** Capacity: Performance (up to): 150 kg/Cycle Capacity: 2.6 litres Key Information: External dimensions, Width: 348 mm External dimensions, 315 mm Depth: External dimensions, Height: 527 mm

22.2 kg

15

**Shipping weight:** 

Net weight (kg):

**Cold water paste:** Egg whites:







