

Planetary Mixers Planetary Mixer for Bakery, 40 It. - Electronic + hub

ITEM #	
MODEL#	
NAME #	
SIS#	
AIA #	



600172 (DMBE40AB)

40 It planetary mixer, bowl detection device and SOLID BPA free safety screen, with 3 fixed speeds and variable speed. Equipped with spiral hook, paddle, whisk and attachment hub type H. Suitable for bakery preparations

Short Form Specification

Item No.

Suitable for bakery and pastry making, for kneading, blending and whipping operations. Reinforced body for heavy duty use with 18/8 (AISI 302) 40 litre capacity stainless steel bowl. Reinforced transmission and powerful asynchronous motor (2200W) with 3 fixed speeds (40,80,160 rpm) and electronic variable speed (from 30 to 175 rpm). Water proof (IP55) and flat touch button control panel with a timer from 0-59 min. Removable/transparent solid safety screen - made of a bisphenol-A free (BPA) copolyester. Removable and dismantled solid safety screen and stainless steel wire structure. Kneading: speed 1 or 2 with hook; Blending: speed 2 with paddle; Whipping: speed 3 with whisk. Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Equipped with accessory drive hub type H (accessories are not included). Supplied with 3 tools: spiral hook, paddle and reinforced whisk.

Main Features

- Delivered with: Spiral Hook, Paddle, Wire Whisk and Mixing Bowl for 40 lt. - Accessory drive hub (accessories are not included).
- Emulsifying speed: "3" with whisk.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Kneading speed: "1" with hook.
- Mixing speed: "2" with paddle.
- Waterproof touch button control panel with timer, speed setting and display.
- Professional beater mixer designed to withstand the strong demands of bakery and pastry making.
- Maximum capacity (flour, with 60% of hydration) 10 kg.
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.
- Removable chute to add ingredients while working available as standard.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.

Construction

- 3 fixed speeds: 40, 80 and 160 rpm.
- 302 AISI Stainless steel bowl 40 lt. capacity.
- Water protected planetary system (IP55 electrical controls, IP23 overall machine).
- Electronic speed variator (10 speeds available from 30 to 175 rpm)
- Reinforced body, feet and transmission for heavy duty operations.
- Power: 2200 watts.
- Alluminium accesory hub positioned on the left side of the head of the planetary mixer.
- The solid safety screen and the stainless steel wire structure are both removable and dismantled for cleaning and are dishwasher safe.
- · Adjustable feet to perfect stability.

Included Accessories

- 1 of BOWL FOR 40LT MIXER PNC 650128
- 1 of DOUGH HOOK FOR 40LT PNC 653092 MIXER
- 1 of PADDLE FOR 40LT MIXER PNC 653093
- 1 of REINFORCED WHISK FOR PNC 653127 MB/MBE40 MIXERS

Optional Accessories

 20L BOWL,HOOK,PADDLE, WHISK FOR 40L MIXER
 BOWL FOR 40LT MIXER
 PNC 650126 □
 PNC 650128 □

APPROVAL:






Bowl scraper 40 lt	PNC 650186	
DOUGH HOOK FOR 40LT MIXER	PNC 653092	
 PADDLE FOR 40LT MIXER 	PNC 653093	
 FINE WHISK(EMULSIONS)FOR MB/MBE40 MIXERS 	PNC 653094	
 REINFORCED WHISK FOR MB/ MBE40 MIXERS 	PNC 653127	
 PUREE STRAINER FOR H HUB WITH 3 GRIDS 	PNC 653187	
 VEGETAB.CUTTER H HUB+ EJECTOR-DISCONNECT. 	PNC 653225	
BOWL TROLLEY-40/60/80LT PLANETARY MIXERS	PNC 653585	
 EXT.SUPPORT(ALUM)-MEAT MINCER 70MM-H HUB 	PNC 653720	
• ALUM.MEATMINCER KIT 70MM-H HUB-ENTERPRIS	PNC 653721	
 S/S MEATMINCER KIT 70MM-H HUB-ENTERPRISE 	PNC 653722	
• S/S MEATMINCER KIT 70MM-H HUB-½ UNGER	PNC 653723	
 EXT.SUPPORT(ALUM)-MEAT MINCER 82MM-H HUB 	PNC 653724	
 S/S MEATMINCER KIT 82MM-H HUB-ENTERPRISE 	PNC 653725	
• ALUM.MEATMINCER KIT 82MM-H HUB-ENTERPRIS	PNC 653726	
• S/S MEATMINCER KIT 82MM-H HUB-½ UNGER	PNC 653727	





Planetary Mixers Planetary Mixer for Bakery, 40 It. - Electronic + hub



Electric Supply voltage: 200-240 V/1N ph/50/60 Hz **Electrical power max.:** 2.2 kW **Total Watts:** 2.2 kW Capacity: Performance (up to): 10 kg/Cycle **Capacity:** 40 litres Key Information: External dimensions, Width: 655 mm External dimensions, 850 mm Depth: External dimensions, Height: 1370 mm **Cold water paste:** 10 kg with Spiral hook 70 with Whisk Egg whites:





2025.04.20