



Planetary Mixers Planetary Mixer for Bakery, 40 lt. - Electronic + hub

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____



600172 (DMBE40AB)

40 lt planetary mixer, bowl detection device and SOLID BPA free safety screen, with 3 fixed speeds and variable speed. Equipped with spiral hook, paddle, whisk and attachment hub type H. Suitable for bakery preparations

Short Form Specification

Item No. _____

Suitable for bakery and pastry making, for kneading, blending and whipping operations. Reinforced body for heavy duty use with 18/8 (AISI 302) 40 litre capacity stainless steel bowl. Reinforced transmission and powerful asynchronous motor (2200W) with 3 fixed speeds (40,80,160 rpm) and electronic variable speed (from 30 to 175 rpm). Water proof (IP55) and flat touch button control panel with a timer from 0-59 min. Removable/transparent solid safety screen - made of a bisphenol-A free (BPA) copolyester. Removable and dismantled solid safety screen and stainless steel wire structure. Kneading: speed 1 or 2 with hook; Blending: speed 2 with paddle; Whipping: speed 3 with whisk. Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Equipped with accessory drive hub type H (accessories are not included). Supplied with 3 tools: spiral hook, paddle and reinforced whisk.

Main Features

- Delivered with: - Spiral Hook, Paddle, Wire Whisk and Mixing Bowl for 40 lt. - Accessory drive hub (accessories are not included).
- Emulsifying speed: "3" with whisk.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Kneading speed: "1" with hook.
- Mixing speed: "2" with paddle.
- Waterproof touch button control panel with timer, speed setting and display.
- Professional beater mixer designed to withstand the strong demands of bakery and pastry making.
- Maximum capacity (flour, with 60% of hydration) 10 kg.
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.
- Removable chute to add ingredients while working available as standard.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.

Construction

- 3 fixed speeds: 40, 80 and 160 rpm.
- 302 AISI Stainless steel bowl - 40 lt. capacity.
- Water protected planetary system (IP55 electrical controls, IP23 overall machine).
- Electronic speed variator (10 speeds available from 30 to 175 rpm)
- Reinforced body, feet and transmission for heavy duty operations.
- Power: 2200 watts.
- Alluminium accesory hub positioned on the left side of the head of the planetary mixer.
- The solid safety screen and the stainless steel wire structure are both removable and dismantled for cleaning and are dishwasher safe.
- Adjustable feet to perfect stability.

Included Accessories

- 1 of BOWL FOR 40LT MIXER PNC 650128
- 1 of DOUGH HOOK FOR 40LT MIXER PNC 653092
- 1 of PADDLE FOR 40LT MIXER PNC 653093
- 1 of REINFORCED WHISK FOR MB/MBE40 MIXERS PNC 653127

Optional Accessories

- 20L BOWL,HOOK,PADDLE, WHISK FOR 40L MIXER PNC 650126 ☐
- BOWL FOR 40LT MIXER PNC 650128 ☐

APPROVAL: _____



Planetary Mixers

Planetary Mixer for Bakery, 40 lt. - Electronic + hub

| | | |
|---|------------|--------------------------|
| • Bowl scraper 40 lt | PNC 650186 | <input type="checkbox"/> |
| • DOUGH HOOK FOR 40LT MIXER | PNC 653092 | <input type="checkbox"/> |
| • PADDLE FOR 40LT MIXER | PNC 653093 | <input type="checkbox"/> |
| • FINE WHISK(EMULSIONS)FOR MB/MBE40 MIXERS | PNC 653094 | <input type="checkbox"/> |
| • REINFORCED WHISK FOR MB/ MBE40 MIXERS | PNC 653127 | <input type="checkbox"/> |
| • PUREE STRAINER FOR H HUB WITH 3 GRIDS | PNC 653187 | <input type="checkbox"/> |
| • VEGETAB.CUTTER H HUB+ EJECTOR-DISCONNECT. | PNC 653225 | <input type="checkbox"/> |
| • BOWL TROLLEY-40/60/80LT PLANETARY MIXERS | PNC 653585 | <input type="checkbox"/> |
| • EXT.SUPPORT(ALUM)-MEAT MINCER 70MM-H HUB | PNC 653720 | <input type="checkbox"/> |
| • ALUM.MEATMINCER KIT 70MM-H HUB-ENTERPRIS | PNC 653721 | <input type="checkbox"/> |
| • S/S MEATMINCER KIT 70MM-H HUB-ENTERPRISE | PNC 653722 | <input type="checkbox"/> |
| • S/S MEATMINCER KIT 70MM-H HUB-½ UNGER | PNC 653723 | <input type="checkbox"/> |
| • EXT.SUPPORT(ALUM)-MEAT MINCER 82MM-H HUB | PNC 653724 | <input type="checkbox"/> |
| • S/S MEATMINCER KIT 82MM-H HUB-ENTERPRISE | PNC 653725 | <input type="checkbox"/> |
| • ALUM.MEATMINCER KIT 82MM-H HUB-ENTERPRIS | PNC 653726 | <input type="checkbox"/> |
| • S/S MEATMINCER KIT 82MM-H HUB-½ UNGER | PNC 653727 | <input type="checkbox"/> |



Planetary Mixers
Planetary Mixer for Bakery, 40 lt. - Electronic + hub
The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.


2025.07.31




Planetary Mixers

Planetary Mixer for Bakery, 40 lt. - Electronic + hub

Front




Side



EI = Electrical inlet
(power)

Top



Electric

| | |
|-------------------------------|--------------------------|
| Supply voltage: | 200-240 V/1N ph/50/60 Hz |
| Electrical power max.: | 2.2 kW |
| Total Watts: | 2.2 kW |

Capacity:

| | |
|-----------------------------|-------------|
| Performance (up to): | 10 kg/Cycle |
| Capacity: | 40 litres |

Key Information:

| | |
|-------------------------------------|------------------------|
| External dimensions, Width: | 655 mm |
| External dimensions, Depth: | 850 mm |
| External dimensions, Height: | 1370 mm |
| Cold water paste: | 10 kg with Spiral hook |
| Egg whites: | 70 with Whisk |



Planetary Mixers
Planetary Mixer for Bakery, 40 lt. - Electronic + hub
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2025.07.31