

# Planetary Mixers Planetary Mixer for Bakery, 40 It. - Electronic

ITEM #	
MODEL#	
NAME #	
SIS #	
AIA#	



600175 (DMBE40B)

40 It planetary mixer, bowl detection device and SOLID BPA free safety screen, with 3 fixed speeds and electronic variable speed. Equipped with spiral hook, paddle and whisk. Suitable for bakery preparation

600176 (DMBE40B3)

40 It planetary mixer, bowl detection device and SOLID BPA free safety screen, with 3 fixed speeds and electronic variable speed. Equipped with spiral hook, paddle and whisk. Suitable for bakery preparation

### **Short Form Specification**

Item No.

Suitable for bakery and pastry making, for kneading, blending and whipping operations. Reinforced body for heavy duty use with 18/8 (AISI 302) 40 litre capacity stainless steel bowl. Reinforced transmission and powerful asynchronous motor (2200W) with 3 fixed speeds (40,80,160 rpm) and electronic variable speed (from 30 to 175 rpm). Water proof (IP55) and flat touch button control panel with a timer from 0-59 min. Removable/transparent solid safety screen - made of a bisphenol-A free (BPA) copolyester. Removable and dismantled solid safety screen and stainless steel wire structure. Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Kneading: speed 1 or 2 with hook; Blending: speed 2 with paddle; Whipping: speed 3 with whisk. Supplied with 3 tools: spiral hook, paddle and reinforced whisk.

#### **Main Features**

- Maximum capacity (flour, with 60% of hydration) 10 kg.
- Professional beater mixer designed to withstand the strong demands of bakery and pastry making.
- Delivered with:
  - -Spiral Hook, Paddle, Reinforced Whisk and Mixing Bowl for 40 lt
- Kneading speed: "1" with hook.
- Mixing speed: "2" with paddle.
- Emulsifying speed: "3" with whisk.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Waterproof touch button control panel with timer, speed setting and display.
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.
- Removable chute to add ingredients while working available as standard.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.

#### Construction

- Reinforced body, feet and transmission for heavy duty operations.
- 302 AISI Stainless steel bowl 40 lt. capacity.
- Water protected planetary system (IP55 electrical controls, IP23 overall machine).
- 3 fixed speeds: 40, 80 and 160 rpm.
- Electronic speed variator (10 speeds available from 30 to 175 rpm)
- Power: 2200 watts.
- The solid safety screen and the stainless steel wire structure are both removable and dismantled for cleaning and are dishwasher safe.
- · Adjustable feet to perfect stability.

#### **Included Accessories**

- 1 of BOWL FOR 40LT PNC 650128 MIXER
- 1 of DOUGH HOOK PNC 653092 FOR 40LT MIXER
- 1 of PADDLE FOR 40LT PNC 653093 MIXER
- 1 of REINFORCED PNC 653127 WHISK FOR MB/ MBE40 MIXERS

#### **Optional Accessories**

APPROVAL:






PNC 600175	
PNC 650126	
PNC 650128	
PNC 650186	
PNC 653092	
PNC 653093	
PNC 653094	
PNC 653127	
PNC 653585	
	PNC 650126 PNC 650128 PNC 650186 PNC 653092 PNC 653093 PNC 653127





## Planetary Mixers Planetary Mixer for Bakery, 40 lt. - Electronic



Electric	
Supply voltage: 600175 (DMBE40B) 600176 (DMBE40B3)	200-240 V/1N ph/50/60 Hz 380-480 V/3 ph/50/60 Hz
Capacity:	
Performance (up to): Capacity:	10 kg/Cycle 40 litres
Key Information:	
External dimensions, Width: External dimensions, Depth: External dimensions, Height: Shipping weight: Cold water paste: Egg whites:	655 mm 850 mm 1370 mm 203 kg 10 kg with Spiral hook 70 with Whisk

