



Planetary Mixers

Stainless Steel Planetary Mixer, 60 Lt

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



600178 (DBMX60XB3)

60 Lt stainless steel planetary mixer, bowl detection device and SOLID BPA free safety screen, with mechanical speed variator, timer and bowl lighting. Manual bowl movement. Equipped with stainless steel spiral hook, paddle and whisk.

Short Form Specification

Item No. _____

Floor model, suitable for all kneading, blending and whipping operations. Stainless steel body with 18/8 (AISI 302) 60 litre stainless steel bowl. Powerful asynchronous motor (1500 W) with two level mechanical speed variator with speeds ranging from 1 to 10 (20 to 180 rpm). Plastic safety screen easily removable for cleaning. Control panel with timer and bowl lighting. Manual bowl lifting system. Removable/transparent solid safety screen - made of a bisphenol-A free (BPA) copolyester. Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Supplied with 3 tools: stainless steel spiral kneading hook, cast aluminium paddle and stainless steel wire whisk.

APPROVAL: _____

Main Features

- Professional beater mixer for kneading, mixing and whisking all types of food products.
- Delivered with:
 - Stainless steel spiral kneading hook, Cast aluminum paddle, 302 AISI stainless steel whisk and Mixing Bowl for 60 lt
- Two level mechanical speed variator.
- Maximum capacity (flour, with 60% of hydration) 20 kg, suitable for 400-800 meals per service.
- Waterproof control panel with timer setting knob, speed setting handle and speed display.
- Manual bowl lifting and lighting system.
- Safety device will automatically stop the machine if the screen is lifted.
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.
- Removable chute to add ingredients while working included as standard.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.

Construction

- Body entirely in stainless steel.
- 302 AISI Stainless steel bowl - 60 lt. capacity.
- Asynchronous motor with high start-up torque.
- 10 speeds from 20 to 180 rpm (planetary movement), to be set while machine is working, according to the tool and the mixture hardness.
- Water protected planetary system (IP55 electrical controls, IP23 overall machine).
- Planetary movement based on self lubricating gears, eliminating any risk of leaks.
- Power: 1500 watts.
- Overload protected planetary system and motor.
- Adjustable feet for perfect stability.
- Plastic safety screen easily removable for cleaning.

Included Accessories

- 1 of BOWL FOR 60LT MIXER PNC 650129
- 1 of PADDLE FOR 60LT MIXER PNC 653083
- 1 of DOUGH HOOK FOR 60LT MIXER PNC 653084
- 1 of WHISK FOR 60LT MIXER PNC 653086

Optional Accessories

- 40L BOWL,HOOK,PADDLE, WHISK FOR 60L MIXER PNC 650127
- BOWL FOR 60LT MIXER PNC 650129
- PADDLE FOR 60LT MIXER PNC 653083

Planetary Mixers
Stainless Steel Planetary Mixer, 60 Lt



Planetary Mixers Stainless Steel Planetary Mixer, 60 lt


- DOUGH HOOK FOR 60LT MIXER PNC 653084
- WHISK FOR 60LT MIXER PNC 653086
- REINFORCED WHISK FOR 60LT MIXER PNC 653097
- BOWL SCRAPER 60LT PNC 653442
- BOWL TROLLEY-40/60/80LT PLANETARY MIXERS PNC 653585



Planetary Mixers
Stainless Steel Planetary Mixer, 60 lt
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2026.04.21

Front



Electric

Supply voltage: 220-240/380-415 V/3 ph/50 Hz
Electrical power max.: 1.54 kW
Total Watts: 1.54 kW


Capacity:

Performance (up to): 20 kg/Cycle
Capacity: 60 litres

Key Information:

External dimensions, Width: 685 mm
External dimensions, Depth: 1087 mm
External dimensions, Height: 1445 mm
Shipping weight: 332 kg
Cold water paste: 20 kg with Spiral hook
Egg whites: 100 with Whisk

Side



EI = Electrical inlet (power)

Top

