



**Vegetable Slicer
TR210 Vegetable Slicer with
Automatic Hopper on trolley -
Variable Speed**

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



600414 (DTR210YVVT)

Vegetable slicer, automatic hopper on stainless steel trolley, variable speed between 140 to 750 rpm.

Short Form Specification

Item No. _____

For medium catering facilities, up to 1000 meals per service, specially designed for slicing, grating, julienne and dicing. Stainless steel automatic feed hopper allows large scale preparations (up to 2100 kg/h).

Freestanding configuration thanks to the smart design trolley, which can host both the machine and the 2/1 GN tray to collect the cut vegetables

Parts in contact with food - stainless steel hopper and cutting chamber - can be removed without tools and placed in a dishwasher for fast cleaning.

Asynchronous industrial motor for heavy duty and longer life.

Safety granted by magnetic micro switch which stops the machine if hopper is not correctly positioned.

Waterproof (IP55) control panel with "no volt release" safety device.

Variable speed model (from 140 to 750 rpm).

Manual lever-operated hopper, long vegetable hopper available as optional accessories.

Main Features

- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Delivered with:
 - automatic hopper
 - cutting chamber
 - ejector disc
 - smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation
- Continuous feed model, hopper capacity is 5/6 kg.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- High flexibility and ergonomcy thanks to the available optional accessories.
- Long vegetable hopper (4 round hoppers with different size) available as optional accessory to better fit different type of vegetables/fruits.
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).

Construction

- All discs (available on request) are made in stainless steel and dishwasher safe.
- Automatic hopper are made entirely in stainless steel for better durability.
- Long vegetable hopper, lever operated hopper and the smart trolley are made in stainless steel.
- Power: 500 watts.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Variable speed from 140 to 750 rpm.

Included Accessories

- 1 of SS TROLLEY FOR TR 210 AND 2/1GN TRAY PNC 650065
- 1 of Ejector disc PNC 653772

Optional Accessories

- Stainless steel shredding disc with S-blades 4x4 mm PNC 650077
- Stainless steel shredding disc with S-blades 6x6 mm (can also be used for chips) PNC 650078
- Stainless steel shredding disc with S-blades 8x8 mm (can also be used for chips) PNC 650079
- Stainless steel shredding disc with S-blades 10x10 mm (can also be used for chips) PNC 650080

APPROVAL: _____



Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley - Variable Speed

| | | | | | |
|--|------------|--------------------------|---|------------|--------------------------|
| • Stainless steel slicing disc with S-blades 0,6 mm | PNC 650081 | <input type="checkbox"/> | • Stainless steel pressing/slicing disc with S-blades (balanced) 13 mm (can be used for slicing or combined with grids) | PNC 650165 | <input type="checkbox"/> |
| • Stainless steel slicing disc with S-blades 1 mm | PNC 650082 | <input type="checkbox"/> | • Stainless steel shredding disc with S-blades 2x2 mm | PNC 650166 | <input type="checkbox"/> |
| • Stainless steel slicing disc with S-blades 2 mm | PNC 650083 | <input type="checkbox"/> | • Stainless steel shredding disc with S-blades 3x3 mm | PNC 650167 | <input type="checkbox"/> |
| • Stainless steel slicing disc with S-blades 3 mm | PNC 650084 | <input type="checkbox"/> | • Set of 4 stainless steel discs (C2S-2mm and C5S-5mm slicing disc, J2X-2mm and J7X-7mm grating disc) | PNC 650178 | <input type="checkbox"/> |
| • Stainless steel slicing disc with S-blades 4 mm | PNC 650085 | <input type="checkbox"/> | • Dicing grid 5x5 mm | PNC 653566 | <input type="checkbox"/> |
| • Stainless steel slicing disc with S-blades 5 mm | PNC 650086 | <input type="checkbox"/> | • Dicing grid 8x8 mm | PNC 653567 | <input type="checkbox"/> |
| • Stainless steel slicing disc with S-blades 6 mm | PNC 650087 | <input type="checkbox"/> | • Dicing grid 10x10 mm | PNC 653568 | <input type="checkbox"/> |
| • Stainless steel slicing disc with S-blades 8 mm | PNC 650088 | <input type="checkbox"/> | • Dicing grid 12x12 mm | PNC 653569 | <input type="checkbox"/> |
| • Stainless steel disc with corrugated S-blades 2 mm | PNC 650089 | <input type="checkbox"/> | • Dicing grid 20x20 mm | PNC 653570 | <input type="checkbox"/> |
| • Stainless steel disc with corrugated S-blades 3 mm | PNC 650090 | <input type="checkbox"/> | • Grid for chips 6x6 mm | PNC 653571 | <input type="checkbox"/> |
| • Stainless steel disc with corrugated S-blades 6 mm | PNC 650091 | <input type="checkbox"/> | • Grid for chips 8x8 mm | PNC 653572 | <input type="checkbox"/> |
| • Bistrot Pack-set stainless steel discs (C2S-2mm slicing disc, C5S-5mm slicing disc, J2X-2mm grating disc) | PNC 650092 | <input type="checkbox"/> | • Grid for chips 10x10 mm | PNC 653573 | <input type="checkbox"/> |
| • SS LEVER-OPER.HOPPER TR210 (NO CUTT.CHAMBER,NO EJECT.) WXD _X H 250X510X260MM 6KG 0.1M ³ | PNC 650094 | <input type="checkbox"/> | • SUPPORT FOR 1 DISC-DIAM 175MM AND 205MM | PNC 653632 | <input type="checkbox"/> |
| • DISC SET PIZZA (C2SX, C4SX, J7X) | PNC 650107 | <input type="checkbox"/> | • Ejector disc | PNC 653772 | <input type="checkbox"/> |
| • SS LONG VEGETABLE HOPPER WITH 4 TUBES+PUSHER AND SAFETY DEVICE FOR TR210 | PNC 650109 | <input type="checkbox"/> | • Stainless steel grating disc 2 mm | PNC 653773 | <input type="checkbox"/> |
| • CLEANING TOOL FOR TRS-TRK-TRK210 5/8/10MM DICING GRIDS | PNC 650110 | <input type="checkbox"/> | • Stainless steel grating disc 3 mm | PNC 653774 | <input type="checkbox"/> |
| • DICING KIT 10X10X10MM: SLICER, GRID | PNC 650112 | <input type="checkbox"/> | • Stainless steel grating disc 4 mm | PNC 653775 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 650113 | <input type="checkbox"/> | • Stainless steel grating disc 7 mm | PNC 653776 | <input type="checkbox"/> |
| • - NOT TRANSLATED - | PNC 650114 | <input type="checkbox"/> | • Stainless steel grating disc 9 mm | PNC 653777 | <input type="checkbox"/> |
| • PRESSER SLICING DISC STRAIGHT BLADE 10MM | PNC 650115 | <input type="checkbox"/> | • Stainless steel grating disc for knoedeln and bread | PNC 653778 | <input type="checkbox"/> |
| • PRESSER SLICING DISC STRAIGHT BLADE 8MM | PNC 650116 | <input type="checkbox"/> | • Stainless steel grating disc for parmesan and bread | PNC 653779 | <input type="checkbox"/> |
| • Stainless steel shredding disc with S-blades 2x8 mm | PNC 650158 | <input type="checkbox"/> | | | |
| • Stainless steel shredding disc with S-blades 2x10 mm | PNC 650159 | <input type="checkbox"/> | | | |
| • Stainless steel pressing/slicing disc with S-blades (balanced) 10 mm (can be used for slicing or combined with grids) | PNC 650160 | <input type="checkbox"/> | | | |
| • Stainless steel pressing/slicing disc with S-blades (balanced) 12 mm (can be used for slicing or combined with grids) | PNC 650161 | <input type="checkbox"/> | | | |
| • Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 8 mm (can be used for slicing or combined with grids) | PNC 650162 | <input type="checkbox"/> | | | |
| • Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 10 mm (can be used for slicing or combined with grids) | PNC 650164 | <input type="checkbox"/> | | | |




Vegetable Slicer
TR210 Vegetable Slicer with Automatic Hopper on trolley - Variable Speed
The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper on trolley - Variable Speed

Front



Electric

Supply voltage:

600414 (DTR210YVVT)

200-240 V/1N ph/50/60 Hz

Electrical power max.:

0.5 kW

Total Watts:

0.5 kW

Capacity:

Performance (up to):

2100 kg/hour

Key Information:

External dimensions, Width: 630 mm

External dimensions, Depth: 770 mm

External dimensions,


Height:

1250 mm

Shipping weight:


80 kg

Side



EI = Electrical inlet
(power)

Top



Vegetable Slicer
TR210 Vegetable Slicer with Automatic Hopper on trolley - Variable
Speed
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2024.12.25