

### Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

ITEM #
MODEL #
NAME #
SIS#
AIA#



602231 (TR210)

Motor block for vegetable slicer, 2 speeds 340-680 rpm (hopper not included)

## **Short Form Specification**

Item No.

For catering facilities, up to 1000 meals per service, specially designed for cuts of vegetables. 2 speeds vegetable slicer (340 and 680 rpm). "No volt release" safety device. Self-braking motor. On/off switch on the body of the machine. Table top version. Motor block only, hopper not included. Add standard lever operated hopper and/or long vegetable hopper and discs/grids to operate the appliance.

#### **Main Features**

- High flexibility and ergonomy thanks to the available optional accessories.
- Smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation (optional).
- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).
- [NOT TRANSLATED]
- [NOT TRANSLATED]

#### Construction

- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Discs (available on request) are made in stainless steel and dishwasher safe.

PNC 650065 🖵

#### **Optional Accessories**

SŞ TROLLEY FOR TR 210 AND

- 2/1GN TRAY Stainless steel shredding disc PNC 650077 🗅 with S-blades 4x4 mm Stainless steel shredding disc PNC 650078 □ with S-blades 6x6 mm (can also be used for chips) Stainless steel shredding disc PNC 650079 🗅 with S-blades 8x8 mm (can also be used for chips) Stainless steel shredding disc PNC 650080 □ with S-blades 10x10 mm (can also be used for chips)
- Stainless steel slicing disc with PNC 650081 
   S-blades 0,6 mm
- Stainless steel slicing disc with PNC 650082 

   S-blades 1 mm
- Stainless steel slicing disc with PNC 650083 

   S-blades 2 mm
- Stainless steel slicing disc with PNC 650084 
   S-blades 3 mm
- Stainless steel slicing disc with PNC 650085 ☐ S-blades 4 mm
- Stainless steel slicing disc with PNC 650086 
   S-blades 5 mm
- Stainless steel slicing disc with PNC 650087 

   S-blades 6 mm
- Stainless steel slicing disc with PNC 650088 

   S-blades 8 mm

APPROVAL:




# Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

Stainless steel disc with corrugated S-blades 2 mm	PNC 650089		<ul><li>Dicing grid 20x20 mm</li><li>Grid for chips 6x6 mm</li></ul>	PNC 653570 PNC 653571	
Stainless steel disc with corrugated S-blades 3 mm	PNC 650090		• Grid for chips 8x8 mm	PNC 653572	
Stainless steel disc with corrugated S-blades 6 mm	PNC 650091		<ul> <li>Grid for chips 10x10 mm</li> <li>SUPPORT FOR 1 DISC-DIAM 175MM AND 205MM</li> <li>Ejector disc</li> <li>Stainless steel grating disc 2 mm</li> <li>Stainless steel grating disc 3 mm</li> </ul>	PNC 653573 PNC 653632	
Bistrot Pack-set stainless steel discs (C2S-2mm slicing disc, C5S-5mm slicing disc, J2X-2mm grating disc)	PNC 650092			PNC 653772 PNC 653773 PNC 653774	<u> </u>
<ul> <li>SS LEVER-OPER.HOPPER TR210 (NO CUTT.CHAMBER,NO EJECT.) WXDXH 250X510X260MM 6KG 0.1M<sup>3</sup></li> </ul>	PNC 650094		<ul> <li>Stainless steel grating disc 4 mm</li> <li>Stainless steel grating disc 7 mm</li> <li>Stainless steel grating disc 9 mm</li> <li>Stainless steel grating disc for</li> </ul>	PNC 653775 PNC 653776 PNC 653777 PNC 653778	
<ul> <li>DISC SET PIZZA (C2SX, C4SX, J7X)</li> <li>SS LONG VEGETABLE HOPPER WITH 4 TUBES+PUSHER AND</li> </ul>	PNC 650107 PNC 650109		<ul> <li>Stainless steel grating disc for knoedeln and bread</li> <li>Stainless steel grating disc for parmesan and bread</li> </ul>	PNC 653778	
SAFETY DEVICE FOR TR210 • CLEANING TOOL FOR TRS-TRK-	PNC 650110		parmesan and bread		
TRK210 5/8/10MM DICING GRIDS • DICING KIT 10X10X10MM: SLICER,	PNC 650112				
GRID					
- NOT TRANSLATED -	PNC 650113				
<ul> <li>NOT TRANSLATED -</li> <li>PRESSER SLICING DISC STRAIGHT BLADE 10MM</li> </ul>	PNC 650114 PNC 650115				
PRESSER SLICING DISC STRAIGHT BLADE 8MM	PNC 650116				
• Stainless steel shredding disc with S-blades 2x8 mm	PNC 650158				
<ul> <li>Stainless steel shredding disc with S-blades 2x10 mm</li> </ul>	PNC 650159				
<ul> <li>Stainless steel pressing/slicing disc with S-blades (balanced) 10 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650160				
<ul> <li>Stainless steel pressing/slicing disc with S-blades (balanced) 12 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650161				
<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 8 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650162				
<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 10 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650164				
<ul> <li>Stainless steel pressing/slicing disc with S-blades (balanced) 13 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650165				
<ul> <li>Stainless steel shredding disc with S-blades 2x2 mm</li> </ul>	PNC 650166				
<ul> <li>Stainless steel shredding disc with S-blades 3x3 mm</li> </ul>	PNC 650167				
<ul> <li>Set of 4 stainless steel discs (C2S-2mm and C5S-5mm slicing disc, J2X-2mm and J7X-7mm grating disc)</li> </ul>	PNC 650178				
<ul> <li>Dicing grid 5x5 mm</li> </ul>	PNC 653566				
<ul> <li>Dicing grid 8x8 mm</li> </ul>	PNC 653567				
<ul> <li>Dicing grid 10x10 mm</li> </ul>	PNC 653568				
• Dicing grid 12x12 mm	PNC 653569				





## Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds



Electric 380-415/380-440 V/3 ph/50/60 Hz Supply voltage: **Electrical power max.:** 0.75 kW **Total Watts:** 0.75 kW Capacity: Performance (up to): 2100 kg/hour Key Information: External dimensions, Width: 400 mm External dimensions, 250 mm Depth: External dimensions, Height: 420 mm **Shipping weight:** 34.7 kg

