

## **Vegetable Slicer TR210 Vegetable Slicer Motor** block only - 2 Speeds

602231 (TR210)

Motor block for vegetable slicer, 2 speeds 340-680 rpm (hopper not included)

# Short Form Specification

Item No.

For catering facilities, up to 1000 meals per service, specially designed for cuts of vegetables. 2 speeds vegetable slicer (340 and 680 rpm). "No volt release" safety device. Self-braking motor. On/off switch on the body of the machine. Table top version. Motor block only, hopper not included. Add standard lever operated hopper and/or long vegetable hopper and discs/grids to operate the appliance.

#### APPROVAL:

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	

### Main Features

- High flexibility and ergonomy thanks to the available optional accessories.
- Smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation (optional).
- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).
- [NOT TRANSLATED]
- [NOT TRANSLATED]

### Construction

- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Discs (available on request) are made in stainless steel and dishwasher safe.

### **Optional Accessories**

- SS TROLLEY FOR TR 210 AND PNC 650065 🗅 2/1GN TRAY
- Stainless steel shredding disc PNC 650077 🗅 with S-blades 4x4 mm
- Stainless steel shredding disc PNC 650078 🛯 with S-blades 6x6 mm (can also be used for chips)
- Stainless steel shredding disc PNC 650079 🗅 with S-blades 8x8 mm (can also be used for chips)
- Stainless steel shredding disc PNC 650080 🛛 with S-blades 10x10 mm (can also be used for chips)
- Stainless steel slicing disc with PNC 650081 🛛 S-blades 0,6 mm
- Stainless steel slicing disc with PNC 650082 S-blades 1 mm
- Stainless steel slicing disc with PNC 650083 🗅 S-blades 2 mm
- Stainless steel slicing disc with PNC 650084 S-blades 3 mm
- Stainless steel slicing disc with PNC 650085 S-blades 4 mm
- Stainless steel slicing disc with PNC 650086  $\square$ S-blades 5 mm
- Stainless steel slicing disc with PNC 650087 🗅 S-blades 6 mm
- Stainless steel slicing disc with PNC 650088 🗅 S-blades 8 mm



# Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

<ul> <li>Stainless steel disc with corrugated S-blades 2 mm</li> </ul>	PNC 650089	
<ul> <li>Stainless steel disc with</li> </ul>	PNC 650090	
<ul><li>corrugated S-blades 3 mm</li><li>Stainless steel disc with</li></ul>	PNC 650091	
<ul> <li>corrugated S-blades 6 mm</li> <li>Bistrot Pack-set stainless steel discs (C2S-2mm slicing disc, C5S-5mm slicing disc, J2X-2mm grating disc)</li> </ul>	PNC 650092	
<ul> <li>SS LEVER-OPER.HOPPER TR210 (NO CUTT.CHAMBER,NO EJECT.) WXDXH 250X510X260MM 6KG 0.1M<sup>3</sup></li> </ul>	PNC 650094	
<ul> <li>DISC SET PIZZA (C2SX, C4SX, J7X)</li> <li>SS LONG VEGETABLE HOPPER WITH 4 TUBES+PUSHER AND SAFETY DEVICE FOR TR210</li> </ul>	PNC 650107 PNC 650109	
<ul> <li>CLEANING TOOL FOR TRS-TRK- TRK210 5/8/10MM DICING GRIDS</li> </ul>	PNC 650110	
DICING KIT 10X10X10MM: SLICER, GRID	PNC 650112	
<ul> <li>- NOT TRANSLATED -</li> <li>- NOT TRANSLATED -</li> <li>PRESSER SLICING DISC STRAIGHT BLADE 10MM</li> </ul>	PNC 650113 PNC 650114 PNC 650115	
PRESSER SLICING DISC STRAIGHT BLADE 8MM	PNC 650116	
<ul> <li>Stainless steel shredding disc with S-blades 2x8 mm</li> </ul>	PNC 650158	
<ul> <li>Stainless steel shredding disc with S-blades 2x10 mm</li> </ul>	PNC 650159	
<ul> <li>Stainless steel pressing/slicing disc with S-blades (balanced) 10 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650160	
<ul> <li>Stainless steel pressing/slicing disc with S-blades (balanced) 12 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650161	
<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 8 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650162	
<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 10 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650164	
<ul> <li>Stainless steel pressing/slicing disc with S-blades (balanced) 13 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650165	
<ul> <li>Stainless steel shredding disc with S-blades 2x2 mm</li> </ul>	PNC 650166	
<ul> <li>Stainless steel shredding disc with S-blades 3x3 mm</li> </ul>	PNC 650167	
<ul> <li>Set of 4 stainless steel discs (C2S-2mm and C5S-5mm slicing disc, J2X-2mm and J7X-7mm grating disc)</li> </ul>	PNC 650178	
<ul> <li>Dicing grid 5x5 mm</li> <li>Dicing grid 8x8 mm</li> <li>Dicing grid 10x10 mm</li> <li>Dicing grid 12x12 mm</li> </ul>	PNC 653566 PNC 653567 PNC 653568 PNC 653569	




<ul> <li>Dicing grid 20x20 mm</li> </ul>	PNC 653570	
<ul> <li>Grid for chips 6x6 mm</li> </ul>	PNC 653571	
<ul> <li>Grid for chips 8x8 mm</li> </ul>	PNC 653572	
<ul> <li>Grid for chips 10x10 mm</li> </ul>	PNC 653573	
<ul> <li>SUPPORT FOR 1 DISC-DIAM 175MM AND 205MM</li> </ul>	PNC 653632	
• Ejector disc	PNC 653772	
<ul> <li>Stainless steel grating disc 2 mm</li> </ul>	PNC 653773	
<ul> <li>Stainless steel grating disc 3 mm</li> </ul>	PNC 653774	
<ul> <li>Stainless steel grating disc 4 mm</li> </ul>	PNC 653775	
<ul> <li>Stainless steel grating disc 7 mm</li> </ul>	PNC 653776	
<ul> <li>Stainless steel grating disc 9 mm</li> </ul>	PNC 653777	
<ul> <li>Stainless steel grating disc for knoedeln and bread</li> </ul>	PNC 653778	
<ul> <li>Stainless steel grating disc for parmesan and bread</li> </ul>	PNC 653779	

Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



# Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds



Electric	
Supply voltage: Electrical power max.: Total Watts:	380-415/380-440 V/3 ph/50/60 Hz 0.75 kW 0.75 kW
Capacity:	
Performance (up to):	2100 kg/hour
Key Information:	
External dimensions, Width:	400 mm
External dimensions, Depth:	250 mm
External dimensions, Height:	420 mm
Shipping weight:	34.7 kg

Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.