



Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



602231 (TR210)

Motor block for vegetable
slicer, 2 speeds 340-680
rpm (hopper not included)

Short Form Specification

Item No. _____

For catering facilities, up to 1000 meals per service, specially designed for cuts of vegetables. 2 speeds vegetable slicer (340 and 680 rpm). "No volt release" safety device. Self-braking motor. On/off switch on the body of the machine. Table top version. Motor block only, hopper not included. Add standard lever operated hopper and/or long vegetable hopper and discs/grids to operate the appliance.

APPROVAL: _____

Main Features

- High flexibility and ergonomics thanks to the available optional accessories.
- Smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation (optional).
- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).
- [NOT TRANSLATED]
- [NOT TRANSLATED]

Construction

- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Discs (available on request) are made in stainless steel and dishwasher safe.

Optional Accessories

- SS TROLLEY FOR TR 210 AND 2/1GN TRAY PNC 650065 ☐
- Stainless steel shredding disc with S-blades 4x4 mm PNC 650077 ☐
- Stainless steel shredding disc with S-blades 6x6 mm (can also be used for chips) PNC 650078 ☐
- Stainless steel shredding disc with S-blades 8x8 mm (can also be used for chips) PNC 650079 ☐
- Stainless steel shredding disc with S-blades 10x10 mm (can also be used for chips) PNC 650080 ☐
- Stainless steel slicing disc with S-blades 0,6 mm PNC 650081 ☐
- Stainless steel slicing disc with S-blades 1 mm PNC 650082 ☐
- Stainless steel slicing disc with S-blades 2 mm PNC 650083 ☐
- Stainless steel slicing disc with S-blades 3 mm PNC 650084 ☐
- Stainless steel slicing disc with S-blades 4 mm PNC 650085 ☐
- Stainless steel slicing disc with S-blades 5 mm PNC 650086 ☐
- Stainless steel slicing disc with S-blades 6 mm PNC 650087 ☐
- Stainless steel slicing disc with S-blades 8 mm PNC 650088 ☐





Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

• Stainless steel disc with corrugated S-blades 2 mm	PNC 650089	☐	• Dicing grid 20x20 mm	PNC 653570	☐
• Stainless steel disc with corrugated S-blades 3 mm	PNC 650090	☐	• Grid for chips 6x6 mm	PNC 653571	☐
• Stainless steel disc with corrugated S-blades 6 mm	PNC 650091	☐	• Grid for chips 8x8 mm	PNC 653572	☐
• Bistrot Pack-set stainless steel discs (C2S-2mm slicing disc, C5S-5mm slicing disc, J2X-2mm grating disc)	PNC 650092	☐	• Grid for chips 10x10 mm	PNC 653573	☐
• SS LEVER-OPER.HOPPER TR210 (NO CUTT.CHAMBER,NO EJECT.) WXD _X H 250X510X260MM 6KG 0.1M ³	PNC 650094	☐	• SUPPORT FOR 1 DISC-DIAM 175MM AND 205MM	PNC 653632	☐
• DISC SET PIZZA (C2SX, C4SX, J7X)	PNC 650107	☐	• Ejector disc	PNC 653772	☐
• SS LONG VEGETABLE HOPPER WITH 4 TUBES+PUSHER AND SAFETY DEVICE FOR TR210	PNC 650109	☐	• Stainless steel grating disc 2 mm	PNC 653773	☐
• CLEANING TOOL FOR TRS-TRK-TRK210 5/8/10MM DICING GRIDS	PNC 650110	☐	• Stainless steel grating disc 3 mm	PNC 653774	☐
• DICING KIT 10X10X10MM: SLICER, GRID	PNC 650112	☐	• Stainless steel grating disc 4 mm	PNC 653775	☐
• - NOT TRANSLATED -	PNC 650113	☐	• Stainless steel grating disc 7 mm	PNC 653776	☐
• - NOT TRANSLATED -	PNC 650114	☐	• Stainless steel grating disc 9 mm	PNC 653777	☐
• PRESSER SLICING DISC STRAIGHT BLADE 10MM	PNC 650115	☐	• Stainless steel grating disc for knoedeln and bread	PNC 653778	☐
• PRESSER SLICING DISC STRAIGHT BLADE 8MM	PNC 650116	☐	• Stainless steel grating disc for parmesan and bread	PNC 653779	☐
• Stainless steel shredding disc with S-blades 2x8 mm	PNC 650158	☐			
• Stainless steel shredding disc with S-blades 2x10 mm	PNC 650159	☐			
• Stainless steel pressing/slicing disc with S-blades (balanced) 10 mm (can be used for slicing or combined with grids)	PNC 650160	☐			
• Stainless steel pressing/slicing disc with S-blades (balanced) 12 mm (can be used for slicing or combined with grids)	PNC 650161	☐			
• Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 8 mm (can be used for slicing or combined with grids)	PNC 650162	☐			
• Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 10 mm (can be used for slicing or combined with grids)	PNC 650164	☐			
• Stainless steel pressing/slicing disc with S-blades (balanced) 13 mm (can be used for slicing or combined with grids)	PNC 650165	☐			
• Stainless steel shredding disc with S-blades 2x2 mm	PNC 650166	☐			
• Stainless steel shredding disc with S-blades 3x3 mm	PNC 650167	☐			
• Set of 4 stainless steel discs (C2S-2mm and C5S-5mm slicing disc, J2X-2mm and J7X-7mm grating disc)	PNC 650178	☐			
• Dicing grid 5x5 mm	PNC 653566	☐			
• Dicing grid 8x8 mm	PNC 653567	☐			
• Dicing grid 10x10 mm	PNC 653568	☐			
• Dicing grid 12x12 mm	PNC 653569	☐			




Vegetable Slicer
TR210 Vegetable Slicer Motor block only - 2 Speeds
The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.




Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

Front




Side



EI = Electrical inlet
(power)

Top



Electric

Supply voltage:	380-415/380-440 V/3 ph/50/60 Hz
Electrical power max.:	0.75 kW
Total Watts:	0.75 kW

Capacity:

Performance (up to):	2100 kg/Cycle
-----------------------------	---------------

Key Information:

External dimensions, Width:	400 mm
External dimensions, Depth:	250 mm
External dimensions, Height:	420 mm
Shipping weight:	34.7 kg



Vegetable Slicer
TR210 Vegetable Slicer Motor block only - 2 Speeds
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2025.11.28