



Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



602231 (TR210)

Motor block for vegetable
slicer, 2 speeds 340-680
rpm (hopper not included)

Short Form Specification

Item No. _____

For catering facilities, up to 1000 meals per service, specially designed for cuts of vegetables. 2 speeds vegetable slicer (340 and 680 rpm). "No volt release" safety device. Self-braking motor. On/off switch on the body of the machine. Table top version. Motor block only, hopper not included. Add standard lever operated hopper and/or long vegetable hopper and discs/grids to operate the appliance.

Main Features

- High flexibility and ergonomics thanks to the available optional accessories.
- Smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation (optional).
- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).
- [NOT TRANSLATED]
- [NOT TRANSLATED]

Construction

- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Discs (available on request) are made in stainless steel and dishwasher safe.

Optional Accessories

- SS TROLLEY FOR TR 210 WITH 1/1 GN TRAY RAILS PNC 650065 ☐
- Stainless steel shredding disc with S-blades 4x4 mm PNC 650077 ☐
- Stainless steel shredding disc with S-blades 6x6 mm (can also be used for chips) PNC 650078 ☐
- Stainless steel shredding disc with S-blades 8x8 mm (can also be used for chips) PNC 650079 ☐
- Stainless steel shredding disc with S-blades 10x10 mm (can also be used for chips) PNC 650080 ☐
- Stainless steel disc with corrugated S-blades 2 mm PNC 650089 ☐
- Stainless steel disc with corrugated S-blades 3 mm PNC 650090 ☐
- Stainless steel disc with corrugated S-blades 6 mm PNC 650091 ☐
- SS LEVER-OPER.HOPPER TR210 (NO CUTT.CHAMBER,NO EJECT.)WDXH 250X510X260MM 6KG 0.1M³ PNC 650094 ☐
- SS LONG VEGETABLE HOPPER WITH 4 TUBES+ PUSHER AND SAFETY DEVICE FOR TR210 PNC 650109 ☐
- CLEANING TOOL FOR 5/8/10MM DICING GRIDS PNC 650110 ☐

APPROVAL: _____





Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

- DICING KIT 10X10X10MM 205MM (ALUM. SLICER, GRID, GRID CLEANING TOOL) PNC 650112 ☐
- PRESSER SLICING DISC STRAIGHT BLADE 10MM PNC 650115 ☐
- PRESSER SLICING DISC STRAIGHT BLADE 8MM PNC 650116 ☐
- Stainless steel shredding disc with S-blades 2x8 mm PNC 650158 ☐
- Stainless steel shredding disc with S-blades 2x10 mm PNC 650159 ☐
- Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 8 mm (can be used for slicing or combined with grids) PNC 650162 ☐
- Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 10 mm (can be used for slicing or combined with grids) PNC 650164 ☐
- Stainless steel shredding disc with S-blades 2x2 mm PNC 650166 ☐
- Stainless steel shredding disc with S-blades 3x3 mm PNC 650167 ☐
- Dicing grid 5x5 mm PNC 653566 ☐
- Dicing grid 8x8 mm PNC 653567 ☐
- Dicing grid 10x10 mm PNC 653568 ☐
- Dicing grid 12x12 mm PNC 653569 ☐
- Dicing grid 20x20 mm PNC 653570 ☐
- Grid for chips 6x6 mm PNC 653571 ☐
- Grid for chips 8x8 mm PNC 653572 ☐
- Grid for chips 10x10 mm PNC 653573 ☐
- SUPPORT FOR 1 DISC-DIAM 175MM AND 205MM PNC 653632 ☐
- Ejector disc PNC 653772 ☐
- Stainless steel grating disc 2 mm PNC 653773 ☐
- Stainless steel grating disc 3 mm PNC 653774 ☐
- Stainless steel grating disc 4 mm PNC 653775 ☐
- Stainless steel grating disc 7 mm PNC 653776 ☐
- Stainless steel grating disc 9 mm PNC 653777 ☐
- Stainless steel grating disc for knoedeln and bread PNC 653778 ☐
- Stainless steel grating disc for parmesan and bread PNC 653779 ☐




Vegetable Slicer
TR210 Vegetable Slicer Motor block only - 2 Speeds
The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.10.16




Vegetable Slicer TR210 Vegetable Slicer Motor block only - 2 Speeds

Front




Side



EI = Electrical inlet
(power)

Top



Electric

Supply voltage:	380-415/380-440 V/3 ph/50/60 Hz
Electrical power max.:	0.75 kW
Total Watts:	0.75 kW

Capacity:

Performance (up to):	2100 kg/Cycle
-----------------------------	---------------

Key Information:

External dimensions, Width:	400 mm
External dimensions, Depth:	250 mm
External dimensions, Height:	420 mm
Shipping weight:	34.7 kg



Vegetable Slicer
TR210 Vegetable Slicer Motor block only - 2 Speeds
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2026.10.16