

R210 Vegetable Slicer with Automatic Hopper - 2 Speeds

DITO SAMA

Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper - 2 Speeds

ITEM #	
MODEL#	
NAME #	
SIS#	
AIA#	



600412 (DTR210Y2V)

Vegetable slicer, automatic hopper, 2 speeds 340-680 rpm.

Short Form Specification

<u>Item No.</u>

For small and medium catering facilities, up to 1000 meals per service, specially designed for cuts of vegetables such as grated carrot, celery, sliced potatoes and carrots in sticks of 3 or 4 mm. Stainless steel automatic feed hopper with an aluminium base allows large scale preparation (up to 2100 kg/h). 2 speeds cutter (340 rpm). "No volt release" safety device. Selfbraking motor. On/off switch on the body of the machine. Table top version. Standard lever-operated hopper and long vegetable hopper available upon request.

Main Features

- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Delivered with:CHAR(13)CHAR(10)-automatic hopperCHAR(13)CHAR(10)-cutting chamberCHAR (13)CHAR(10)-ejector disc
- Continuous feed model, hopper capacity is 5/6 kg.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- High flexibility and ergonomy thanks to the available optional accessories.
- Smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation (optional).
- Long vegetable hopper (4 round hoppers with different size) available as optional accessory to better fit different type of vegetables/fruits.
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional). CHAR(13)CHAR(10)

Construction

- All discs (available on request) are made in stainless steel and dishwasher safe.
- Automatic hopper are made entirely in stainless steel for better durability.
- Long vegetable hopper, lever operated hopper and the smart trolley are made in stainless steel.
- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.

Included Accessories

• 1 of Ejector disc PNC 653772

Optional Accessories

- SS TROLLEY FOR TR 210 AND PNC 650065 Q 2/1GN TRAY
- Stainless steel shredding disc PNC 650077
 with S-blades 4x4 mm
- Stainless steel shredding disc with S-blades 6x6 mm (can also be used for chips)
- Stainless steel shredding disc with S-blades 8x8 mm (can also be used for chips)

APPROVAL:




Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper - 2 Speeds

•	Stainless steel shredding disc with S-blades 10x10 mm (can also be used for chips)	PNC 650080		 Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 10 mm (can be used for slicing or 	PNC 650164	
•	Stainless steel slicing disc with S-	PNC 650081		combined with grids)	DNG CEOICE	
•	blades 0,6 mm Stainless steel slicing disc with S-	PNC 650082		 Stainless steel pressing/slicing disc with S-blades (balanced) 13 mm (can be used for slicing or combined with 	PNC 650165	
•	blades 1 mm Stainless steel slicing disc with S-blades 2 mm	PNC 650083		grids) • Stainless steel shredding disc with S-	PNC 650166	
•	Stainless steel slicing disc with S- blades 3 mm	PNC 650084		 Stainless steel shredding disc with S- 	PNC 650167	
•	Stainless steel slicing disc with S- blades 4 mm	PNC 650085		 blades 3x3 mm Set of 4 stainless steel discs 	PNC 650178	
•	Stainless steel slicing disc with S- blades 5 mm	PNC 650086		(C2S-2mm and C5S-5mm slicing disc, J2X-2mm and J7X-7mm grating disc)	PNC 653566	
•	Stainless steel slicing disc with S-blades 6 mm	PNC 650087		 Dicing grid 5x5 mm Dicing grid 8x8 mm 	PNC 653567	
•	Stainless steel slicing disc with S-blades 8 mm	PNC 650088		Dicing grid 10x10 mmDicing grid 12x12 mm	PNC 653568 PNC 653569	
•	Stainless steel disc with	PNC 650089	_	Dicing grid 20x20 mm	PNC 653570	
	corrugated S-blades 2 mm			• Grid for chips 6x6 mm	PNC 653571	
•	Stainless steel disc with corrugated S-blades 3 mm	PNC 650090		• Grid for chips 8x8 mm	PNC 653572	
•	Stainless steel disc with corrugated S-blades 6 mm	PNC 650091		 Grid for chips 10x10 mm SUPPORT FOR 1 DISC-DIAM 175MM AND 205MM 	PNC 653573 PNC 653632	
•	Bistrot Pack-set stainless steel	PNC 650092		• Ejector disc	PNC 653772	
	discs (C2S-2mm slicing disc,			 Stainless steel grating disc 2 mm 	PNC 653773	_
	C5S-5mm slicing disc, J2X-2mm grating disc)			 Stainless steel grating disc 3 mm 	PNC 653774	
•	SS LEVER-OPER.HOPPER TR210	PNC 650094		Stainless steel grating disc 4 mm	PNC 653775	
	(NO CUTT.CHAMBER,NO EJECT.)			 Stainless steel grating disc 7 mm 	PNC 653776	
	WXDXH 250X510X260MM 6KG 0.1M ³			 Stainless steel grating disc 9 mm 	PNC 653777	
•	DISC SET PIZZA (C2SX, C4SX, J7X)	PNC 650107		 Stainless steel grating disc for 	PNC 653778	
	SS LONG VEGETABLE HOPPER WITH 4 TUBES+PUSHER AND	PNC 650109		 knoedeln and bread Stainless steel grating disc for parmesan and bread 	PNC 653779	
•	SAFETY DEVICE FOR TR210 CLEANING TOOL FOR TRS-TRK- TRK210 5/8/10MM DICING GRIDS	PNC 650110		parmoodin dina bi odd		
•	DICING KIT 10X10X10MM: SLICER, GRID	PNC 650112				
•	- NOT TRANSLATED -	PNC 650113				
•	- NOT TRANSLATED -	PNC 650114				
•	PRESSER SLICING DISC STRAIGHT BLADE 10MM	PNC 650115				
	PRESSER SLICING DISC STRAIGHT BLADE 8MM					
	Stainless steel shredding disc with S-blades 2x8 mm					
	Stainless steel shredding disc with S-blades 2x10 mm					
•	Stainless steel pressing/slicing disc with S-blades (balanced) 10 mm (can be used for slicing or combined with grids)	PNC 650160				
	Stainless steel pressing/slicing disc with S-blades (balanced) 12 mm (can be used for slicing or combined with grids)	PNC 650161				
•	Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 8 mm (can be used for slicing or combined with grids)	PNC 650162				





Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper - 2 Speeds



Electric	ectric				
Supply voltage: Electrical power max.: Total Watts:	380-415/380-440 V/3 ph/50/60 Hz 0.75 kW 0.75 kW				
Capacity:					
Performance (up to):	2100 kg/Cycle				
Key Information:					
External dimensions, Width:	416 mm				
External dimensions, Depth:	490 mm				
External dimensions, Height:	690 mm				

39 kg

Shipping weight:

