



Vegetable Slicer TR260 Vegetable Slicer - 1 Speed

ITEM # _____
MODEL # _____
NAME # _____
SIS # _____
AIA # _____



Paddle



603429 (DTR260FIV)

Universal vegetable slicer for catering use, motor unit, ejector included. 1 speed 330 rpm

Short Form Specification

Item No. _____

Universal vegetable slicer for caterers serving 400 to 600 meals/sitting. 1 speed (330 rpm). 1500W self-braking motor. Stainless steel motor housing and aluminium basement. "No volt release" safety device. Touch button control panel with on/off and pulse function. Cutting disc diam. 300mm. Automatic hopper, lever-operated hopper, long vegetable hopper and cabbage hopper available upon request. The touch button control panel has IP65 protection with low voltage level.

APPROVAL: _____

Main Features

- Suitable for up to 600 meals for table service and up to 2000 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Continuous feed model.
- Available upon request:
 - Automatic hopper (dia=280 mm), lever-operated hopper, long vegetable hopper (3 tubes) and cabbage hopper.
- Available as option a long vegetable accessory to fit in the lever operated hopper converting it into a long vegetable hopper (3 cylindrical hoppers: 50, 59,5, 70 mm diameter)
- Optional stainless steel mobile stand accessory.
- "No volt release" safety device.
- Complete selection of blades and dicing grids available (diameter 300 mm).
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Pulse function for precise cutting.

Construction

- Power: 1500 watts.
- 1 speed: 330 rpm
- Stainless steel motor housing with aluminum basement.
- Capacity depending on the hopper:
 - lever hopper: 700kg/h
 - automatic hopper: 2500kg/h

Optional Accessories

- | | | |
|---|------------|--------------------------|
| • LONG VEG.FEEDING TRAY- CABBAGE HOPPERS | PNC 650036 | ☐ |
| • Stainless steel grating disc for parmesan (dia. 300 mm) | PNC 650148 | ☐ |
| • Stainless steel grating disc for knoedeln (dia. 300 mm) | PNC 650149 | ☐ |
| • Stainless steel grating disc 2 mm (dia. 300 mm) | PNC 650150 | ☐ |
| • Stainless steel grating disc 3 mm (dia. 300 mm) | PNC 650151 | ☐ |
| • Stainless steel grating disc 4 mm (dia. 300 mm) | PNC 650152 | ☐ |
| • Stainless steel grating disc 7 mm (dia. 300 mm) | PNC 650153 | ☐ |



Vegetable Slicer TR260 Vegetable Slicer - 1 Speed

• Stainless steel grating disc 9 mm (dia. 300 mm)	PNC 650154	☐
• Stainless steel cabbage grating disc with central shaft for stem removal 7 mm (to be used with cabbage feed hopper)	PNC 650157	☐
• CABBAGE SLICING DISC 1 MM FOR HOPPER	PNC 653009	☐
• S/S MOBILE STAND WITH 4 WHEELS (2 FIXED + 2 PIVOTING WITH BRAKE)	PNC 653017	☐
• LEVER HOPPER	PNC 653036	☐
• AUTOMATIC HOPPER	PNC 653037	☐
• LARGE HOPPER FOR TR260 DIAM. 280 MM	PNC 653048	☐
• DICING GRID 10 MM	PNC 653051	☐
• DICING GRID 16 MM	PNC 653052	☐
• DICING GRID 20 MM	PNC 653053	☐
• DICING GRID 25 MM	PNC 653054	☐
• DICING GRID 32 MM	PNC 653055	☐
• SLICING DISC 2 MM	PNC 653172	☐
• SLICING DISC 3 MM	PNC 653173	☐
• SLICING DISC 1 MM	PNC 653188	☐
• SLICING DISC 5 MM	PNC 653189	☐
• SLICING DISC 6 MM	PNC 653190	☐
• SLICING DISC 8 MM	PNC 653191	☐
• SLICING DISC 10 MM	PNC 653192	☐
• SLICING DISC 16 MM	PNC 653193	☐
• SHREDDING DISC 2X2 MM	PNC 653195	☐
• SHREDDING DISC 3X3 MM	PNC 653196	☐
• SHREDDING DISC 4X4 MM	PNC 653197	☐
• SHREDDING DISC 6X6 MM	PNC 653198	☐
• SHREDDING DISC 8X8 MM	PNC 653199	☐
• SHREDDING DISC 10X10 MM	PNC 653200	☐
• STAINLESS STEEL DISC RACK	PNC 653212	☐
• DISC WITH CORRUGATED BLADES 2 MM	PNC 653217	☐
• DISC WITH CORRUGATED BLADES 3 MM	PNC 653218	☐
• DISC WITH CORRUGATED BLADES 6 MM	PNC 653219	☐
• LONG VEGET.ACC.FOR LEVER HOPPER-3TUBES	PNC 653223	☐
• S/S TROLLEY FOR GN2/1 TRAYS	PNC 653224	☐
• CABBAGE SLICING DISC 2 MM FOR HOPPER	PNC 653227	☐
• CABBAGE SLICING DISC 3 MM FOR HOPPER	PNC 653228	☐
• DICING GRID 12 MM	PNC 653301	☐
• LONG VEGETABLE HOPPER W/3TUBES D.50-70MM	PNC 653306	☐




Vegetable Slicer
TR260 Vegetable Slicer - 1 Speed
The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026.01.28




Vegetable Slicer TR260 Vegetable Slicer - 1 Speed

Front




Side



EI = Electrical inlet
(power)

Top



Electric

Supply voltage:	220-240 V/1N ph/50 Hz
Electrical power max.:	1.5 kW
Total Watts:	1.5 kW

Capacity:

Performance (up to):	2500 kg/Cycle
-----------------------------	---------------

Key Information:

External dimensions, Width:	750 mm
External dimensions, Depth:	400 mm
External dimensions, Height:	440 mm
Shipping weight:	60 kg



Vegetable Slicer
TR260 Vegetable Slicer - 1 Speed
The company reserves the right to make modifications to the products
without prior notice. All information correct at time of printing.

2026.01.28