

Vegetable Slicer TRS Vegetable Slicer - 1 Speed -500W (Australia)

ITEM #	
MODEL#	
NAME #	
SIS#	
AIA #	



600417 (DTRSY1V50A)

Vegetable slicer, 1 speed 340 rpm, 500 W. Lever operated hopper in stainless steel for intense use - Australia

Short Form Specification

Item No.

Universal vegetable slicer for more than 80 different types of cuts, thanks to several stainless steel dw safe discs.

Parts in contact with food - stainless steel lever, stainless steel hopper and cutting chamber - can be removed without tools and placed in a dishwasher for fast cleaning.

Compact and ergonomic design, user-friendly lever (better pressure control, with less effort for arms and shoulder), designed for right and left handed users.

Angled base (20°) facilitates loading and unloading operations. Long vegetable hopper (55,5mm diameter), integrated in the wide 3/4 moon round hopper (215cm²) in stainless steel. Asynchronous industrial motor for heavy duty and longer life. High discharge zone (up to 20cm) for GN containers. Pulse control for precise slicing. Automatic start/stop function will stop the machine when the lever hopper is lifted and will restart automatically when lowered. Waterproof (IP55) control panel and aluminium alloy motor base completely closed for complete protection against strong jets of water.

Main Features

- Suitable for 100-400 meals for table service and up to 800 meals for catering service.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Ergonomically designed for right and lefthanded users, frontal working and to reduce working space around the machine.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Hopper easily removed for cleaning.
- Base inclined at 20° to provide easy loading and unloading.
- High discharge zone permits the use of deep GN containers (up to 20cm).
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Pulse function for precise cutting.
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Continuous feed model.
- Delivered with:CHAR(13)CHAR(10)-All stainless steel vegetable prep attachment with a leverintegrated long vegetable hopper (55,5mm diameter) and a large round hopper (215cm²)

Construction

- All blades (available on request) are made in stainless steel and dishwasher safe.
- Power: 500 W single or three-phase.
- 1 speed 340 rpm for precise cutting, slicing and dicing.
- Compact and portable design.
- Asynchronous silent industrial motor for heavy duty and longer life.
- Feeding arm and hopper are made entirely in stainless steel. Aluminum motor housing.
- Improved ventilation system to manage smoothly heavy duty use.
- Reinforced basement and feet to withstand the continuous movements of the unit.
- Improved fixing of long vegetable hopper pusher.

Included Accessories

• 1 of Ejector disc PNC 653772

Optional Accessories

- Stainless steel shredding disc PNC 650077
 with S-blades 4x4 mm
- Stainless steel shredding disc with S-blades 6x6 mm (can also be used for chips)

APPROVAL:




Vegetable Slicer TRS Vegetable Slicer - 1 Speed -500W (Australia)

	Stainless steel shredding disc with	PNC 650079			
	S-blades 8x8 mm (can also be used for chips)			with S-blades (balanced) 13 mm (can be used for slicing or combined with grids)	
•	Stainless steel shredding disc with S-blades 10x10 mm (can also be used for chips)	PNC 650080		9 ,	
•	Stainless steel slicing disc with S-blades 0,6 mm	PNC 650081	_	blades 3x3 mm	
•	Stainless steel slicing disc with S-blades 1 mm	PNC 650082		 Set of 4 stainless steel discs (C2S-2mm and C5S-5mm slicing disc, J2X-2mm and J7X-7mm grating disc) 	
•	Stainless steel slicing disc with S-blades 2 mm	PNC 650083		• Stainless steel work table with PNC 653283	
•	Stainless steel slicing disc with S-blades 3 mm	PNC 650084		folding shelves and disk rack for TRS and TR200 table top models	_
•	Stainless steel slicing disc with S- blades 4 mm	PNC 650085	11		
•	Stainless steel slicing disc with S-blades 5 mm	PNC 650086		9 9 1	
•	Stainless steel slicing disc with S- blades 6 mm	PNC 650087		• Dicing grid 20x20 mm PNC 653570	
•	Stainless steel slicing disc with S-	PNC 650088			
	blades 8 mm			1	
•	Stainless steel disc with corrugated S-blades 2 mm	PNC 650089	I	,	
•	Stainless steel disc with corrugated S-blades 3 mm	PNC 650090		• Ejector disc PNC 653772	
•	Stainless steel disc with corrugated S-blades 6 mm	PNC 650091	_	3	
•	Bistrot Pack-set stainless steel discs (C2S-2mm slicing disc, C5S-5mm slicing disc, J2X-2mm grating disc)	PNC 650092		• Stainless steel grating disc 7 mm PNC 653776	
	DISC SET PIZZA (C2SX, C4SX, J7X)	PNC 650107			
	CLEANING TOOL FOR TRS-TRK- TRK210 5/8/10MM DICING GRIDS	PNC 650110			
•	DICING KIT 10X10X10MM: SLICER, GRID	PNC 650112		parmesan and bread	
•	- NOT TRANSLATED -	PNC 650113			
•	- NOT TRANSLATED -	PNC 650114			
•	PRESSER SLICING DISC STRAIGHT BLADE 10MM	PNC 650115			
•	PRESSER SLICING DISC STRAIGHT BLADE 8MM	PNC 650116			
•	Stainless steel shredding disc with S-blades 2x8 mm	PNC 650158			
•	Stainless steel shredding disc with S-blades 2x10 mm	PNC 650159			
•	Stainless steel pressing/slicing disc with S-blades (balanced) 10 mm (can be used for slicing or combined with grids)	PNC 650160			
•	Stainless steel pressing/slicing disc with S-blades (balanced) 12 mm (can be used for slicing or combined with grids)	PNC 650161			
•	Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 8 mm (can be used for slicing or combined with grids)	PNC 650162			
•	Stainless steel pressing/slicing disc with corrugated S-blades (balanced) 10 mm (can be used for slicing or combined with grids)	PNC 650164			





Vegetable Slicer TRS Vegetable Slicer - 1 Speed -500W (Australia)



Electric Supply voltage: 220-240 V/1N ph/50 Hz **Electrical power max.:** 0.5 kW **Total Watts:** 0.5 kW Capacity: Performance (up to): 550 kg/Cycle Key Information: External dimensions, Width: 252 mm External dimensions, 500 mm Depth: External dimensions, Height: 515 mm **Shipping weight:** 22 kg



Vegetable Slicer - 1 Speed - 500W (Australia)