



## Hand held Mixers

### Portable mixer+ss tube 553mm/22in, var.speed 650w, nema 5-15p

ITEM # \_\_\_\_\_  
MODEL # \_\_\_\_\_  
NAME # \_\_\_\_\_  
SIS # \_\_\_\_\_  
AIA # \_\_\_\_\_



**602235 (DBP6555U)**

Portable mixer, variable speed (up to 10000 RPM), handle grip, with 22" / 553MM tube, 1 HP/650 W, NEMA 5-15P plug

### Short Form Specification

Item No. \_\_\_\_\_

Portable mixer, hand held immersion blender, variable speed, handle grip, with 553MM/22IN stainless steel cutter tube, 1 HP, 650 Watt, 115V/60/1ph. Stainless steel tubes (various lengths) and whisk available upon request as an accessory, to mix, liquidize, whip or emulsify. IP55 water protected control panel. With NEMA 5-15P Plug

### Main Features

- Parts in contact with food - tube, blade, shaft - can be completely dismantled without tools for easy cleaning.
- Delivered with:-flat base motor-stainless steel tube-space saving storing wall support
- Designed to be used directly in stew pots up to 58 gal (220 lt).
- Light weight, ergonomic grip and adjustable speeds make preparation tasks fast and easy.
- Anti-splash bell knife design.
- Bayonet system makes fast and simple to exchange tools.
- Overheating warning red indicator.
- Tube, knife and whisks are dishwasher safe.
- Very easy to use, assemble and dismantle.
- Bayonet system to easily remove accessories without the use of tools.
- Red luminous indicator flashes when the device is overloaded.
- Its light weight ensures an optimum comfort for the user.
- Thanks to its electronic speed variator, a quick press with the thumb on the selector is all you need to change speeds.
- Productivity suitable for 50 to 300 meals per service.

### Construction

- Power: 650 watts.
- Maximum speed 10000 rpm.
- Motor has an air cooling system and is protected against overheating (in case of long intensive work).
- Smart speed control to ensure the right power according to the work load.
- Water protected motor unit (controls are IP55, IP34 throughout machine).

### Included Accessories

- 1 of BermixerPRO Stainless Steel cutter tube 22in (553mm) PNC 650134

### Optional Accessories

- BermixerPRO Stainless Steel cutter tube 14in (353mm) PNC 650132 ☐
- BermixerPRO Stainless Steel cutter tube 18in (453mm) PNC 650133 ☐
- BermixerPRO Stainless Steel cutter tube 22in (553mm) PNC 650134 ☐
- BermixerPRO Stainless steel tube 26in (653mm) PNC 650135 ☐
- BermixerPRO Adjustable Rail, for containers 15in - 26in, to be combined with bowl cradle PNC 653292 ☐
- BermixerPRO Bowl Cradle for containers PNC 653294 ☐

APPROVAL: \_\_\_\_\_



Portable mixer+ss tube 553mm/22in, var.speed 650w, nema 5-15p

Hand held Mixers



**Hand held Mixers**  
**Portable mixer+ss tube 553mm/22in,**  
**var.speed 650w, nema 5-15p**

- Reinforced whisk for portable BermixerPRO

PNC 653578 ☐







## Hand held Mixers

### Portable mixer+ss tube 553mm/22in, var.speed 650w, nema 5-15p

Front




Side



El = Electrical connection

Top



#### Electric

|                        |                         |
|------------------------|-------------------------|
| <b>Supply voltage:</b> | 110-120 V/1 ph/50/60 Hz |
| <b>Total Watts:</b>    | 0.65 kW                 |
| <b>Plug type:</b>      | USA NEMA 5-15P          |

#### Key Information:

|                                     |                   |
|-------------------------------------|-------------------|
| <b>External dimensions, Width:</b>  | 5 7/16" (138 mm)  |
| <b>External dimensions, Depth:</b>  | 4 3/4" (120 mm)   |
| <b>External dimensions, Height:</b> | 34 1/16" (865 mm) |
| <b>Shipping width:</b>              | 11 7/16" (290 mm) |
| <b>Shipping depth:</b>              | 27 3/16" (690 mm) |
| <b>Shipping height:</b>             | 7 1/16" (180 mm)  |
| <b>Shipping weight:</b>             | 12 lbs (5.42 kg)  |



Hand held Mixers  
Portable mixer+ss tube 553mm/22in, var.speed 650w, nema 5-15p  
The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2025.10.15