



**Combined Cutter/Vegetable slicer**  
**Combined vegetable slicer/cutter mixer**  
**4.5l/4.7qt ss bowl, var.speed, 1000w,**  
**nema 5-15p**

ITEM # \_\_\_\_\_  
MODEL # \_\_\_\_\_  
NAME # \_\_\_\_\_  
SIS # \_\_\_\_\_  
AIA # \_\_\_\_\_



**602241 (DTRK45)**

Combined Vegetable Slicer/Cutter Mixer, variable speed (300-3700 RPM). Supplied with 4.5 lt/4.7 qt stainless steel bowl, BPA-free lid, bowl scraper, fine serrated blade rotor and stainless steel hopper and lever, removable cutting chamber and ejector. 1000W/1-1/3 HP, NEMA 5-15P plug

### Short Form Specification

Item No. \_\_\_\_\_

Combined Vegetable Slicer/Cutter Mixer, variable speed (300-3700 RPM). Supplied with 4.5 lt/4.7 qt stainless steel bowl, BPA-free lid, bowl scraper, fine serrated blade rotor and stainless steel hopper and lever, removable cutting chamber and ejector. 1000W/1-1/3 HP, NEMA 5-15P plug

### Main Features

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incl system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Delivered with: 1 gallon (4,5 lt) stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor.
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit pre-cutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available, Diameter of blades and grids are 8" (205mm).

### Construction

- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).
- Vegetable cutting at 4 speeds up to 800 rpm. Food precessing at 10 variable speeds: 300-3700 rpm.
- Compact and portable design.
- Improved ventilation system to manage smoothly heavy duty use.
- Improved incl system for better stability.
- Improved fixing of long vegetable hopper pusher.

### Included Accessories

- 1 of Lid and bowl scraper PNC 650099 for 4.7 qts (4.5 L) cutter mixer
- 1 of Stainless steel bowl PNC 653589 for 4.7 qts (4.5 L) cutter mixer
- 1 of Ejector disc PNC 653772
- 1 of Microtoothed blade rotor for 4,5 lt cutter mixer PNC 653876

APPROVAL: \_\_\_\_\_



**Combined Cutter/Vegetable slicer**  
**Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.**  
**speed, 1000w, nema 5-15p**



## Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.speed, 1000w, nema 5-15p

### Optional Accessories

|                                                                                                                                                             |            |                          |                                                                                                                                                                                    |            |                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------------|
| • Stainless steel shredding disc with S-blades 5/32" x 5/32" (4x4 mm)                                                                                       | PNC 650077 | <input type="checkbox"/> | • Set of 3 stainless steel discs for Pizza 5/64", 5/32", 9/32" (2mm and 4mm pressing/slicing discs with S-blades, 7mm grating disc)                                                | PNC 650107 | <input type="checkbox"/> |
| • Stainless steel shredding disc with S-blades 1/4" x 1/4" (6x6 mm) (can also be used for French fries)                                                     | PNC 650078 | <input type="checkbox"/> | • Cleaning tool for TRS, TRK & TR210 3/16-5/16-3/8 in (5-8-10 mm) dicing grids                                                                                                     | PNC 650110 | <input type="checkbox"/> |
| • Stainless steel shredding disc with S-blades 5/16" x 5/16" (8x8 mm) (can also be used for French fries)                                                   | PNC 650079 | <input type="checkbox"/> | • Dicing set 10X10X10MM ( 10mm aluminum slicing pressing disc with 205mm diam. and 10mm grid)                                                                                      | PNC 650112 | <input type="checkbox"/> |
| • Stainless steel shredding disc with S-blades 3/8" x 3/8" (10x10 mm) (can also be used for French fries)                                                   | PNC 650080 | <input type="checkbox"/> | • Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool                         | PNC 650113 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with S-blades .6 mm (can be used for slicing or combined with grids)                                                | PNC 650081 | <input type="checkbox"/> | • Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool                           | PNC 650114 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with S-blades 1/32" (1 mm) (can be used for slicing or combined with grids)                                         | PNC 650082 | <input type="checkbox"/> | • Aluminum pressing/slicing disc with straight blades 10 mm - for dicing                                                                                                           | PNC 650115 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with S-blades 5/64" ( 2 mm) (can be used for slicing or combined with grids)                                        | PNC 650083 | <input type="checkbox"/> | • Aluminum pressing/slicing disc with straight blades 8 mm - for dicing                                                                                                            | PNC 650116 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with S-blades 1/8" (3 mm) (can be used for slicing or combined with grids)                                          | PNC 650084 | <input type="checkbox"/> | • Stainless steel shredding disc with S-blades 5/64" x 5/16" (2x8 mm)                                                                                                              | PNC 650158 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with S-blades 5/32" (4 mm) (can be used for slicing or combined with grids)                                         | PNC 650085 | <input type="checkbox"/> | • Stainless steel shredding disc with S-blades 5/64" x 3/8" (2x10 mm)                                                                                                              | PNC 650159 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with S-blades 3/16" (5 mm) (can be used for slicing or combined with grids)                                         | PNC 650086 | <input type="checkbox"/> | • Stainless steel pressing/slicing disc with S-blades 3/8" (10 mm) (can be used for slicing or combined with grids)                                                                | PNC 650160 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with S-blades 1/4" (6 mm) (can be used for slicing or combined with grids)                                          | PNC 650087 | <input type="checkbox"/> | • Stainless steel pressing/slicing disc with S-blades 15/32" (12 mm) (can be used for slicing or combined with grids)                                                              | PNC 650161 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with S-blades 5/16" (8 mm) (can be used for slicing or combined with grids)                                         | PNC 650088 | <input type="checkbox"/> | • Stainless steel pressing/slicing disc with corrugated S-blades 5/16" (8 mm) (can be used for slicing or combined with grids)                                                     | PNC 650162 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with corrugated S-blades 5/64" (2 mm) (can be used for slicing or combined with grids)                              | PNC 650089 | <input type="checkbox"/> | • Stainless steel pressing/slicing disc with corrugated S-blades 3/8" (10 mm) (can be used for slicing or combined with grids)                                                     | PNC 650164 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with corrugated S-blades 1/8" (3 mm) (can be used for slicing or combined with grids)                               | PNC 650090 | <input type="checkbox"/> | • Stainless steel pressing/slicing disc with S-blades 33/64" (13 mm) (can be used for slicing or combined with grids)                                                              | PNC 650165 | <input type="checkbox"/> |
| • Stainless steel pressing/slicing disc with corrugated S-blades 1/4" (6 mm) (can be used for slicing or combined with grids)                               | PNC 650091 | <input type="checkbox"/> | • Stainless steel shredding disc with S-blades 5/64"x 5/64" (2x2 mm)                                                                                                               | PNC 650166 | <input type="checkbox"/> |
| • Bistrot Pack, Stainless Steel Disc Set containing one each of: C2SX 5/64" (2mm) slicing disc, C5SX 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc | PNC 650092 | <input type="checkbox"/> | • Stainless steel shredding disc with S-blades 1x8" x 1/8" (3x3 mm)                                                                                                                | PNC 650167 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Set of 4 Stainless Steel Discs containing one each of: C2S 5/64" (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc and J7X 9/32" (7mm) grating disc | PNC 650178 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Stainless steel work table assembly.                                                                                                                                             | PNC 653283 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Dicing grid 3/16" x 3/16" (5x5 mm)                                                                                                                                               | PNC 653566 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Dicing grid 5/16" x 5/16" (8x8 mm)                                                                                                                                               | PNC 653567 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Dicing grid 3/8"x 3/18" (10x10 mm)                                                                                                                                               | PNC 653568 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Dicing grid 15/32"x 15/32" (12x12 mm)                                                                                                                                            | PNC 653569 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Dicing grid 25/32"x 25/32" (20x20 mm)                                                                                                                                            | PNC 653570 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Grid for chips 1/4" x 1/4" (6x6 mm)                                                                                                                                              | PNC 653571 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Grid for chips 5/16"x 5/16" (8x8 mm)                                                                                                                                             | PNC 653572 | <input type="checkbox"/> |
|                                                                                                                                                             |            |                          | • Grid for chips 3/8" x 3/8" (10x10 mm)                                                                                                                                            | PNC 653573 | <input type="checkbox"/> |





**Combined Cutter/Vegetable slicer  
Combined vegetable slicer/cutter mixer  
4.5l/4.7qt ss bowl, var.speed, 1000w, nema  
5-15p**


- Stainless steel bowl for 4.7 qts (4.5 L) PNC 653589 ☐
- cutter mixer
- Support for 1 disc, diam. 175mm and 205mm PNC 653632 ☐
- Ejector disc PNC 653772 ☐
- Stainless steel grating disc 5/64", fine (2mm) PNC 653773 ☐
- Stainless steel grating disc, 1/8", fine (3mm) PNC 653774 ☐
- Stainless steel grating disc 5/32" (4mm) PNC 653775 ☐
- Stainless steel grating disc 9/32" (7mm) PNC 653776 ☐
- Stainless steel grating disc 11/32" (9mm) PNC 653777 ☐
- Stainless steel grating disc, designed for nuts, chocolate & bread crumbs, stainless steel PNC 653778 ☐
- Stainless steel grating disc, especially fine grating for Parmesan cheese and chocolate, stainless steel PNC 653779 ☐
- Set of 3 discs, diam. 205 mm (5mm slicer, 4mm grater, 6mm julienne/shredder) PNC 653869 ☐
- Set of 5 discs, diam. 205 mm (4mm and 6mm slicer, 6mm julienne/shredder, 5mm and 10 mm slicer, 10x10mm grid) PNC 653870 ☐
- Smooth blade rotor for 4,5 lt cutter mixer PNC 653875 ☐
- Microtoothed blade rotor for 4,5 lt cutter mixer PNC 653876 ☐
- MICROTOOTHED BLADE ROTOR (EMULSIONS) - 4,5L CUTTER-MIXER PNC 653877 ☐






**Combined Cutter/Vegetable slicer**  
**Combined vegetable slicer/cutter mixer**  
**4.5l/4.7qt ss bowl, var.speed, 1000w, nema 5-15p**

Front




Side



**EI** = Electrical connection

Top



**Electric**

|                        |                       |
|------------------------|-----------------------|
| <b>Supply voltage:</b> | 110-120 V/1N ph/60 Hz |
| <b>Total Watts:</b>    | 1 kW                  |
| <b>Plug type:</b>      | USA NEMA 5-15P        |

**Key Information:**

|                                     |                   |
|-------------------------------------|-------------------|
| <b>External dimensions, Width:</b>  | 9 15/16" (252 mm) |
| <b>External dimensions, Depth:</b>  | 19 1/16" (485 mm) |
| <b>External dimensions, Height:</b> | 19 7/8" (505 mm)  |
| <b>Shipping width:</b>              | 13 " (330 mm)     |
| <b>Shipping depth:</b>              | 32 1/4" (820 mm)  |
| <b>Shipping height:</b>             | 23 5/8" (600 mm)  |
| <b>Shipping weight:</b>             | 73 lbs (33 kg)    |



Combined Cutter/Vegetable slicer  
Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.speed,  
1000w, nema 5-15p  
The company reserves the right to make modifications to the products  
without prior notice. All information correct at time of printing.

2025.08.06