

### Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.speed, 1000w, nema 5-15p

ITEM#			
MODEL :	#		
NAME #			
SIS#	·		



#### 602241 (DTRK45)

Combined Vegetable Slicer/Cutter Mixer, variable speed (300-3700 RPM). Supplied with 4.5 It/4.7 qt stainless steel bowl, BPA-free lid, bowl scraper, fine serrated blade rotor and stainless steel hopper and lever, removable cutting chamber and ejector. 1000W/1-1/3 HP, NEMA 5-15P plug

# **Short Form Specification**

Item No.

Combined Vegetable Slicer/Cutter Mixer, variable speed (300-3700 RPM). Supplied with 4.5 lt/4.7 qt stainless steel bowl, BPA-free lid, bowl scraper, fine serrated blade rotor and stainless steel hopper and lever, removable cutting chamber and ejector. 1000W/1-1/3 HP, NEMA 5-15P plug

#### **Main Features**

AIA#

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incly system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Delivered with: 1 gallon (4,5 lt) stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor.
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit precutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available, Diameter of blades and grids are 8" (205mm).

#### Construction

- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).
- Vegetable cutting at 4 speeds up to 800 rpm. Food precessing at 10 variable speeds: 300-3700 rpm.
- Compact and portable design.
- Improved ventilation system to manage smoothly heavy duty use.
- Improved incly system for better stability.
- Improved fixing of long vegetable hopper pusher.

#### **Included Accessories**

- 1 of Lid and bowl scraper PNC 650099 for 4.7 qts (4.5 L) cutter mixer
- 1 of Stainless steel bowl for 4.7 qts (4.5 L) cutter mixer
- 1 of Ejector disc
   1 of Microtoothed blade rotor for 4,5 lt cutter mixer
   PNC 653876
   PNC 653876

<u>A</u> I	P	<u>'R</u>	<u>)</u>	<u>/A</u>	L:



# Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.speed, 1000w, nema 5-15p

• Grid for chips 3/8" x 3/8" (10x10 mm) PNC 653573

Optional Accessories	D.10 277		• Set of 3 stainless steel discs for Pizza PNC 650107 5/64", 5/32", 9/32" (2mm and 4mm	
<ul> <li>Stainless steel shredding disc with S-blades 5/32" x 5/32" (4x4 mm)</li> </ul>	PNC 650077	_	pressing/slicing discs with S-blades, 7mm grating disc)	
<ul> <li>Stainless steel shredding disc with S-blades 1/4"x 1/4" (6x6 mm) (can also be used for French fries)</li> </ul>	PNC 650078		<ul> <li>Cleaning tool for TRS, TRK &amp; TR210 PNC 650110 3/16-5/16-3/8 in (5-8-10 mm) dicing grids</li> </ul>	
<ul> <li>Stainless steel shredding disc with S-blades 5/16" x 5/16" (8x8 mm) (can also be used for French fries)</li> </ul>	PNC 650079		<ul> <li>Dicing set 10X10X10MM (10mm PNC 650112 aluminum slicing pressing disc with 205mm diam. and 10mm grid)</li> </ul>	
<ul> <li>Stainless steel shredding disc with S-blades 3/8" x 3/8' (10x10 mm) (can also be used for French fries)</li> <li>Stainless steel pressing/slicing disc</li> </ul>	PNC 650080 PNC 650081		<ul> <li>Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing</li> </ul>	
with S-blades .6 mm (can be used for slicing or combined with grids)	PINC 030001		grid) and grid cleaning tool • Set of 7 discs (2mm, 5mm and PNC 650114	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 1/32" (1 mm) (can be used for slicing or combined with grids)</li> </ul>	PNC 650082		10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 5/64"(2 mm) (can be</li> </ul>	PNC 650083	_	<ul> <li>Aluminum pressing/slicing disc with PNC 650115 straight blades 10 mm - for dicing</li> </ul>	
used for slicing or combined with grids)	DNG GEOOG		<ul> <li>Aluminum pressing/slicing disc with PNC 650116 straight blades 8 mm - for dicing</li> </ul>	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 1/8" (3 mm) (can be used for slicing or combined with</li> </ul>	PNC 650084		<ul> <li>Stainless steel shredding disc with PNC 650158 S-blades 5/64" x 5/16" (2x8 mm)</li> <li>Stainless steel shredding disc with PNC 650159</li> </ul>	
grids) • Stainless steel pressing/slicing disc	PNC 650085		<ul> <li>Stainless steel shredding disc with S-blades 5/64" x 3/8" (2x10 mm)</li> <li>Stainless steel pressing/slicing disc</li> <li>PNC 650160</li> </ul>	
with S-blades 5/32" (4 mm) (can be used for slicing or combined with grids)			with S-blades 3/8" (10 mm) (can be used for slicing or combined with grids)	J
<ul> <li>Stainless steel pressing/slicing disc with S-blades 3/16" (5 mm) (can be used for slicing or combined with grids)</li> </ul>	PNC 650086		<ul> <li>Stainless steel pressing/slicing disc with S-blades 15/32" (12 mm) (can be used for slicing or combined with grids)</li> </ul>	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 1/4" (6 mm) (can be used for slicing or combined with grids)</li> </ul>	PNC 650087		<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades 5/16" (8 mm) (can be used for slicing or combined with grids)</li> </ul>	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 5/16" (8 mm) (can be used for slicing or combined with grids)</li> </ul>	PNC 650088		<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades 3/8" (10 mm) (can be used for slicing or combined with grids)</li> </ul>	
<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades 5/64" (2 mm) (can be used for slicing or combined with grids)</li> </ul>	PNC 650089		<ul> <li>Stainless steel pressing/slicing disc with S-blades 33/64" (13 mm) (can be used for slicing or combined with grids)</li> </ul>	
Stainless steel pressing/slicing disc with corrugated S-blades 1/8" (3     mm) (can be used for clining or	PNC 650090		• Stainless steel shredding disc with PNC 650166 S-blades 5/64"x 5/64" (2x2 mm)	
<ul><li>mm) (can be used for slicing or combined with grids)</li><li>Stainless steel pressing/slicing disc</li></ul>	PNC 650091		• Stainless steel shredding disc with PNC 650167 S-blades 1x8" x 1/8" (3x3 mm)	
with corrugated S-blades 1/4" (6 mm) (can be used for slicing or combined with grids)		,	<ul> <li>Set of 4 Stainless Steel Discs containing one each of: C2S 5/64</li> <li>" (2mm) slicing disc, C5S 3/16"</li> <li>(5mm) slicing disc, J2X 5/64" (2mm)</li> </ul>	
<ul> <li>Bistrot Pack, Stainless Steel Disc Set containing one each of: C2SX 5/64</li> <li>" (2mm) slicing disc, C5SX 3/16"</li> </ul>	PNC 650092		grating disc and J7X 9/32" (7mm) grating disc	
(5mm) slicing disc, J2X 5/64" (2mm)			• Stainless steel work table assembly. PNC 653283	
grating disc			• Dicing grid 3/16" x 3/16" (5x5 mm) PNC 653566	
			• Dicing grid 5/16" x 5/16" (8x8 mm) PNC 653567	
			• Dicing grid 3/8"x 3/18" (10x10 mm) PNC 653568	
			<ul> <li>Dicing grid 15/32"x 15/32" (12x12 mm) PNC 653569</li> <li>Dicing grid 25/32"x 25/32" (20x20 PNC 653570</li> </ul>	
(ZTI) (ZTI)			mm)	_
c <b>CIV</b> us			• Grid for chips 1/4" x 1/4" (6x6 mm) PNC 653571	
Intertek Intertek		'	• Grid for chips 5/16"x 5/16" (8x8 mm) PNC 653572	







Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.speed, 1000w, nema 5-15p


• Stainless steel bowl for 4.7 qts (4.5 L) cutter mixer	PNC 653589	
• Support for 1 disc, diam. 175mm and 205mm	PNC 653632	
• Ejector disc	PNC 653772	
<ul> <li>Stainless steel grating disc 5/64", fine (2mm)</li> </ul>	PNC 653773	
<ul> <li>Stainless steel grating disc, 1/8", fine (3mm)</li> </ul>	PNC 653774	
• Stainless steel grating disc 5/32 " (4mm)	PNC 653775	
• Stainless steel grating disc 9/32 " (7mm)	PNC 653776	
• Stainless steel grating disc 11/32 " (9mm)	PNC 653777	
Stainless steel grating disc, designed for nuts, chocolate & bread crumbs, stainless steel	PNC 653778	
Stainless steel grating disc, especially fine grating for Parmesan cheese and chocolate, stainless steel	PNC 653779	
<ul> <li>Set of 3 discs, diam. 205 mm (5mm slicer, 4mm grater, 6mm julienne/ shredder)</li> </ul>	PNC 653869	
<ul> <li>Set of 5 discs, diam. 205 mm (4mm and 6mm slicer, 6mm julienne/ shredder, 5mm and 10 mm slicer, 10x10mm grid)</li> </ul>	PNC 653870	
Smooth blade rotor for 4,5 lt cutter mixer	PNC 653875	
Microtoothed blade rotor for 4,5 lt cutter mixer	PNC 653876	
MICROTOOTHED BLADE ROTOR (EMULSIONS) - 4,5L CUTTER-MIXER	PNC 653877	













**Supply voltage:** 110-120 V/1N ph/60 Hz

Total Watts: 1 kW

Plug type: USA NEMA 5-15P

## Key Information:

External dimensions,

**Width:** 9 15/16" (252 mm)

External dimensions,

**Depth:** 19 1/16" (485 mm)

External dimensions,

 Height:
 19 7/8" (505 mm)

 Shipping width:
 13 " (330 mm)

 Shipping depth:
 32 1/4" (820 mm)

 Shipping height:
 23 5/8" (600 mm)

 Shipping weight:
 73 lbs (33 kg)



