

Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.speed, 1000w, nema 5-15p

ITEM#			
MODEL :	#		
NAME #			
SIS#	·		



602241 (DTRK45)

Combined Vegetable Slicer/Cutter Mixer, variable speed (300-3700 RPM). Supplied with 4.5 It/4.7 qt stainless steel bowl, BPA-free lid, bowl scraper, fine serrated blade rotor and stainless steel hopper and lever, removable cutting chamber and ejector. 1000W/1-1/3 HP, NEMA 5-15P plug

Short Form Specification

Item No.

Combined Vegetable Slicer/Cutter Mixer, variable speed (300-3700 RPM). Supplied with 4.5 lt/4.7 qt stainless steel bowl, BPA-free lid, bowl scraper, fine serrated blade rotor and stainless steel hopper and lever, removable cutting chamber and ejector. 1000W/1-1/3 HP, NEMA 5-15P plug

Main Features

AIA#

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incly system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Delivered with: 1 gallon (4,5 lt) stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor.
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit precutting operations.
- Emulsifier function (scraper) included as standard.
- Base fixed cover for a better handling.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Complete and wide selection of blades and grids available, Diameter of blades and grids are 8" (205mm).

Construction

- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).
- Vegetable cutting at 4 speeds up to 800 rpm. Food precessing at 10 variable speeds: 300-3700 rpm.
- Compact and portable design.
- Improved ventilation system to manage smoothly heavy duty use.
- Improved incly system for better stability.
- Improved fixing of long vegetable hopper pusher.

Included Accessories

- 1 of Lid and bowl scraper PNC 650099 for 4.7 qts (4.5 L) cutter mixer
- 1 of Stainless steel bowl for 4.7 qts (4.5 L) cutter mixer
- 1 of Ejector disc
 1 of Microtoothed blade rotor for 4,5 lt cutter mixer
 PNC 653876
 PNC 653876

<u>A</u> I	P	<u>'R</u>	<u>)</u>	<u>/A</u>	L:



Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.speed, 1000w, nema 5-15p

• Grid for chips 3/8" x 3/8" (10x10 mm) PNC 653573

Optional Accessories			Set of 3 stainless steel discs for Pizza 5/64", 5/32", 9/32" (2mm and 4mm	PNC 650107	
 Stainless steel shredding disc with S-blades 5/32" x 5/32" (4x4 mm) 	PNC 650077		pressing/slicing discs with S-blades, 7mm grating disc)		
 Stainless steel shredding disc with S-blades 1/4"x 1/4" (6x6 mm) (can also be used for French fries) 	PNC 650078	.	 Cleaning tool for TRS, TRK & TR210 3/16-5/16-3/8 in (5-8-10 mm) dicing grids 	PNC 650110	
 Stainless steel shredding disc with S-blades 5/16" x 5/16" (8x8 mm) (can also be used for French fries) 	PNC 650079		 Dicing set 10X10X10MM (10mm aluminum slicing pressing disc with 205mm diam. and 10mm grid) 	PNC 650112	
 Stainless steel shredding disc with S-blades 3/8" x 3/8' (10x10 mm) (can also be used for French fries) 	PNC 650080		 Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing 	PNC 650113	
 Stainless steel pressing/slicing disc with S-blades .6 mm (can be used for slicing or combined with grids) 	PNC 650081		grid) and grid cleaning tool • Set of 7 discs (2mm, 5mm and	PNC 650114	
 Stainless steel pressing/slicing disc with S-blades 1/32" (1 mm) (can be used for slicing or combined with grids) 	PNC 650082		10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool		
 Stainless steel pressing/slicing disc with S-blades 5/64"(2 mm) (can be 	PNC 650083	_	 Aluminum pressing/slicing disc with straight blades 10 mm - for dicing 		
used for slicing or combined with grids)	DNC CEOOC		 Aluminum pressing/slicing disc with straight blades 8 mm - for dicing 		
 Stainless steel pressing/slicing disc with S-blades 1/8" (3 mm) (can be used for slicing or combined with 	PNC 650084		• Stainless steel shredding disc with S-blades 5/64" x 5/16" (2x8 mm)	PNC 650158 PNC 650159	
grids) • Stainless steel pressing/slicing disc	PNC 650085		• Stainless steel shredding disc with S-blades 5/64" x 3/8" (2x10 mm)		
with S-blades 5/32" (4 mm) (can be used for slicing or combined with grids)			 Stainless steel pressing/slicing disc with S-blades 3/8" (10 mm) (can be used for slicing or combined with grids) 	PNC 650160	
 Stainless steel pressing/slicing disc with S-blades 3/16" (5 mm) (can be used for slicing or combined with grids) 	PNC 650086		 Stainless steel pressing/slicing disc with S-blades 15/32" (12 mm) (can be used for slicing or combined with grids) 	PNC 650161	
 Stainless steel pressing/slicing disc with S-blades 1/4" (6 mm) (can be used for slicing or combined with grids) 	PNC 650087		 Stainless steel pressing/slicing disc with corrugated S-blades 5/16" (8 mm) (can be used for slicing or combined with grids) 	PNC 650162	
 Stainless steel pressing/slicing disc with S-blades 5/16" (8 mm) (can be used for slicing or combined with grids) 	PNC 650088		 Stainless steel pressing/slicing disc with corrugated S-blades 3/8" (10 mm) (can be used for slicing or combined with grids) 	PNC 650164	
 Stainless steel pressing/slicing disc with corrugated S-blades 5/64" (2 mm) (can be used for slicing or combined with grids) 	PNC 650089		 Stainless steel pressing/slicing disc with S-blades 33/64" (13 mm) (can be used for slicing or combined with grids) 	PNC 650165	
Stainless steel pressing/slicing disc with corrugated S-blades 1/8" (3 mm) (can be used for clining or	PNC 650090		• Stainless steel shredding disc with S-blades 5/64"x 5/64" (2x2 mm)	PNC 650166	
mm) (can be used for slicing or combined with grids)	DNC CEOOOI		• Stainless steel shredding disc with S-blades 1x8" x 1/8" (3x3 mm)	PNC 650167	
 Stainless steel pressing/slicing disc with corrugated S-blades 1/4" (6 mm) (can be used for slicing or combined with grids) 	PNC 650091		 Set of 4 Stainless Steel Discs containing one each of: C2S 5/64 " (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) 	PNC 650178	
 Bistrot Pack, Stainless Steel Disc Set containing one each of: C2SX 5/64 " (2mm) slicing disc, C5SX 3/16" 	PNC 650092		grating disc and J7X 9/32" (7mm) grating disc		
(5mm) slicing disc, J2X 5/64" (2mm)			• Stainless steel work table assembly.	PNC 653283	
grating disc			• Dicing grid 3/16" x 3/16" (5x5 mm)	PNC 653566	
			• Dicing grid 5/16" x 5/16" (8x8 mm)	PNC 653567	
			• Dicing grid 3/8"x 3/18" (10x10 mm)	PNC 653568	
			 Dicing grid 15/32"x 15/32" (12x12 mm) Dicing grid 25/32"x 25/32" (20x20 	PNC 653569 PNC 653570	
(ZTI.) (ZTI.)			mm) • Crid for chins 1/4" × 1/4" (6×6 mm)	חאור פבזרייז	
c Us			 Grid for chips 1/4" x 1/4" (6x6 mm) Grid for chips 5/16"x 5/16" (8x8 mm) 	PNC 653571 PNC 653572	
Intertek Intertek			Grish for this 5/10 x 5/10 (8x8 mm)	FINC 00007/2	_







Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter mixer 4.5l/4.7qt ss bowl, var.speed, 1000w, nema 5-15p


• Stainless steel bowl for 4.7 qts (4.5 L) cutter mixer	PNC 653589	
• Support for 1 disc, diam. 175mm and 205mm	PNC 653632	
• Ejector disc	PNC 653772	
 Stainless steel grating disc 5/64", fine (2mm) 	PNC 653773	
 Stainless steel grating disc, 1/8", fine (3mm) 	PNC 653774	
• Stainless steel grating disc 5/32 " (4mm)	PNC 653775	
• Stainless steel grating disc 9/32 " (7mm)	PNC 653776	
• Stainless steel grating disc 11/32 " (9mm)	PNC 653777	
 Stainless steel grating disc, designed for nuts, chocolate & bread crumbs, stainless steel 	PNC 653778	
Stainless steel grating disc, especially fine grating for Parmesan cheese and chocolate, stainless steel	PNC 653779	
 Set of 3 discs, diam. 205 mm (5mm slicer, 4mm grater, 6mm julienne/ shredder) 	PNC 653869	
 Set of 5 discs, diam. 205 mm (4mm and 6mm slicer, 6mm julienne/ shredder, 5mm and 10 mm slicer, 10x10mm grid) 	PNC 653870	
Smooth blade rotor for 4,5 lt cutter mixer	PNC 653875	
Microtoothed blade rotor for 4,5 lt cutter mixer	PNC 653876	
MICROTOOTHED BLADE ROTOR (EMULSIONS) - 4,5L CUTTER-MIXER	PNC 653877	













Supply voltage: 110-120 V/1N ph/60 Hz

Total Watts: 1 kW

Plug type: USA NEMA 5-15P

Key Information:

External dimensions,

Width: 9 15/16" (252 mm)

External dimensions,

19 1/16" (485 mm) Depth:

External dimensions,

Shipping weight:

19 7/8" (505 mm) Height: **Shipping width:** 13 " (330 mm) **Shipping depth:** 32 1/4" (820 mm) **Shipping height:** 23 5/8" (600 mm)

73 lbs (33 kg)

