

Combined vegetable slicer/cutter 71/7.4qt, variab.s nema



Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter 71/7.4qt, variab.speed-1500w, nema 5-15p

ITEM #
MODEL#
NAME #
SIS#
312 #



602243 (DTRK70)

Combined Vegetable Slicer/Cutter Mixer angled front, continuous feed design, variable speed (300-3700 RPM), large single feed hopper, includes 7.4 qt stainless steel bowl.

Short Form Specification

Item No.

Vegetable Cutter/Mixer, angled front, continuous feed design, variable speed (300-3700 RPM), large single feed hopper, includes 7L/7.4QT stainless steel bowl, lid, bowl scraper, microtooth blade rotor, handle pusher, standard ejector, stainless steel feeding arm & hopper, aluminum motor housing, 1-1/3 HP, (discs NOT included)

Main Features

AIA#

- 3 in 1 machine: cutter, emulsifier and vegetable slicer to slice, grate, liquidise, mix and mince in a matter of seconds.
- Incly system to incline motor base at 20° to better fit the vegetable slicer attachment.
- Long vegetables round hopper integrated in the feed arm, 3/4 moon roundish hopper to limit precutting operations.
- Emulsifier function (scraper) included as standard.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Automatic restart of the machine with the 3/4 moon shaped pusher in position.
- Delivered with: 7.4qt (7lt) stainless steel cutter bowl, transparent lid, scraper and microtoothed blade rotor.
- Complete and wide selection of blades and grids available, Diameter of blades and grids are 8" (205mm).
- Vegetable slicer unit has slicing, grating, shredding (julienne) as well as dicing and french fries capabilities.
- Magnetic safety system and motor brake. Prevents machine from running when vegetable preparation lever and/or hopper are lifted or when cutter lid is not properly closed.
- Pulse function to coarse chopping.
- Automatic speed limitation according to the selected function (slicer or cutter).
- Base fixed cover for a better handling.

Construction

- Improved ventilation system to manage smoothly heavy duty use.
- Improved incly system for better stability.
- Improved fixing of long vegetable hopper pusher.
- Power: 1.3 HP.
- Vegetable cutting at 4 speeds up to 800 rpm. Food precessing at 10 variable speeds: 300-3700 rpm.
- TRK70 1.5 kW.
- Compact and portable design.
- Stainless steel bowl has a high chimney to ensure high productivity also when processing liquids (75% of the nominal capacity).

APP	PROVAL:	



Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter 7l/7.4qt, variab.speed-1500w, nema 5-15p

• Stainless steel work table assembly. PNC 653283 🚨

	ncluded Accessories I of Lid and bowl scraper for 7.4 qts (7 L) cutter mixer	PNC 650104	•	 Stainless steel pressing/slicing disc PNC 650091 with corrugated S-blades 1/4" (6 mm) (can be used for slicing or combined with grids) 	
•	1 of Stainless steel bowl for 7.4 qts (7 L) cutter mixer	PNC 653772	•	 Bistrot Pack, Stainless Steel Disc Set PNC 650092 containing one each of: C2SX 5/64 " (2mm) slicing disc, C5SX 3/16" (5mm) slicing disc, J2X 5/64" (2mm) 	
	cutter mixer	PNC 655674	•		
	Optional Accessories Stainless steel shredding disc with	PNC 650077	п,	 cutter mixer Set of 3 stainless steel discs for Pizza PNC 650107 	
	S-blades 5/32" x 5/32" (4x4 mm) Stainless steel shredding disc with	PNC 650077		5/64", 5/32", 9/32" (2mm and 4mm pressing/slicing discs with S-blades,	
	S-blades 1/4"x 1/4" (6x6 mm) (can also be used for French fries)			7mm grating disc) • Cleaning tool for TRS, TRK & TR210 PNC 650110 3/16-5/16-3/8 in (5-8-10 mm) dicing	
•	Stainless steel shredding disc with S-blades 5/16" x 5/16" (8x8 mm) (can also be used for French fries)	PNC 650079	<u> </u>	grids • Dicing set 10X10X10MM (10mm PNC 650112	
•	Stainless steel shredding disc with S-blades 3/8" x 3/8' (10x10 mm) (can	PNC 650080		aluminum slicing pressing disc with 205mm diam. and 10mm grid)	
	also be used for French fries) Stainless steel pressing/slicing disc with S-blades .6 mm (can be used for slicing or combined with grids)	PNC 650081	<u> </u>	 Gastronomy Pack-set discs (2mm, PNC 650113 5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool 	
•	Stainless steel pressing/slicing disc with S-blades 1/32" (1 mm) (can be used for slicing or combined with grids)	PNC 650082	□ ,		
•	Stainless steel pressing/slicing disc with S-blades 5/64" (2 mm) (can be used for slicing or combined with	PNC 650083		grid) and grid cleaning tool	
•	grids) Stainless steel pressing/slicing disc with S-blades 1/8" (3 mm) (can be	PNC 650084	ч	straight blades 8 mm - for dicing	
	used for slicing or combined with grids)			S-blades 5/64" x 5/16" (2x8 mm)	_
•	Stainless steel pressing/slicing disc with S-blades 5/32" (4 mm) (can be used for slicing or combined with	PNC 650085	_	S-blades 5/64" x 3/8" (2x10 mm)	
•	grids) Stainless steel pressing/slicing disc	PNC 650086		with S-blades 3/8" (10 mm) (can be used for slicing or combined with grids)	_
	with S-blades 3/16" (5 mm) (can be used for slicing or combined with grids)		•	Stainless steel pressing/slicing disc PNC 650161 with S-blades 15/32" (12 mm) (can be	
•	Stainless steel pressing/slicing disc with S-blades 1/4" (6 mm) (can be used for slicing or combined with	PNC 650087		used for slicing or combined with grids) Stainless steel pressing/slicing disc PNC 650162	
•	grids) Stainless steel pressing/slicing disc with S-blades 5/16" (8 mm) (can be	PNC 650088		with corrugated S-blades 5/16" (8 mm) (can be used for slicing or combined with grids)	
	used for slicing or combined with grids)		•	• Stainless steel pressing/slicing disc PNC 650164 with corrugated S-blades 3/8" (10	
•	Stainless steel pressing/slicing disc with corrugated S-blades 5/64" (2 mm) (can be used for slicing or	PNC 650089		mm) (can be used for slicing or combined with grids) Stainless steel pressing/slicing disc PNC 650165	
•	combined with grids) Stainless steel pressing/slicing disc	PNC 650090		with S-blades 33/64" (13 mm) (can be used for slicing or combined	_
	with corrugated S-blades 1/8" (3 mm) (can be used for slicing or combined with grids)		•	with grids) Stainless steel shredding disc with PNC 650166 S-blades 5/64"x 5/64" (2x2 mm)	
	<u> </u>		•		
	c Use On One		•	Set of 4 Stainless Steel Discs PNC 650178 containing one each of: C2S 5/64 " (2mm) slicing disc, C5S 3/16" (5mm) slicing disc, J2X 5/64" (2mm) grating disc and J7X 9/32" (7mm)	
	Intertek Intertek			grating disc Stainless steel work table assembly PNC 653283	П



Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter 7l/7.4qt, variab.speed-1500w, nema 5-15p


 Dicing grid 3/16" x 3/16" (5x5 mm) Dicing grid 5/16" x 5/16" (8x8 mm) Dicing grid 3/8"x 3/18" (10x10 mm) Dicing grid 15/32"x 15/32" (12x12 mm) 	PNC 653566 PNC 653567 PNC 653568 PNC 653569	
 Dicing grid 25/32"x 25/32" (20x20 mm) 	PNC 653570	
 Grid for chips 1/4" x 1/4" (6x6 mm) Grid for chips 5/16"x 5/16" (8x8 mm) Grid for chips 3/8" x 3/8" (10x10 mm) Stainless steel bowl for 7.4 qts (7 L) cutter mixer 	PNC 653571 PNC 653572 PNC 653573 PNC 653593	
Support for 1 disc, diam. 175mm and 205mm	PNC 653632	
 Ejector disc Stainless steel grating disc 5/64", fine (2mm) 	PNC 653772 PNC 653773	
• Stainless steel grating disc, 1/8", fine	PNC 653774	
(3mm) • Stainless steel grating disc 5/32 " (4mm)	PNC 653775	
• Stainless steel grating disc 9/32 " (7mm)	PNC 653776	
• Stainless steel grating disc 11/32 " (9mm)	PNC 653777	
Stainless steel grating disc, designed for nuts, chocolate & bread crumbs, stainless steel	PNC 653778	
Stainless steel grating disc, especially fine grating for Parmesan cheese and chocolate, stainless steel	PNC 653779	
 Set of 3 discs, diam. 205 mm (5mm slicer, 4mm grater, 6mm julienne/ shredder) 	PNC 653869	
 Set of 5 discs, diam. 205 mm (4mm and 6mm slicer, 6mm julienne/shredder, 5mm and 10 mm slicer, 10x10mm grid) 	PNC 653870	
SMOOTH BLADE ROTOR - 7L CUTTER-MIXER	PNC 653881	
MICROTOOTHED BLADE ROTOR (EMULSIONS) - 7L CUTTER-MIXER	PNC 653882	







Combined Cutter/Vegetable slicer Combined vegetable slicer/cutter 71/7.4qt, variab.speed-1500w, nema 5-15p



Electric

Supply voltage: 110-120 V/1N ph/60 Hz

Total Watts: 1.5 kW

Plug type: USA NEMA 5-15P

Key Information:

External dimensions,

Width: 9 15/16" (252 mm)

External dimensions,

Depth: 19 1/16" (485 mm)

External dimensions,

Height: 19 7/8" (505 mm)

Shipping width: 13 " (330 mm)

Shipping depth: 32 1/4" (820 mm)

 Shipping height:
 23 5/8" (600 mm)

 Shipping weight:
 71 lbs (32 kg)



