Food Processor
Prep4You cutter mixer 2.6l/2.7qt,1 speed, 750w, nema 5-15p

ITEM #

MODEL #

NAME #

SIS #

AIA #



602248 (DK26PUS) Cutter Mixer with 2,6lt/2.7 qt transparent copolyester bowl, with bowl/lid scraper, single speed (1800 rpm), 1HP, NEMA 5-15P plug

Short Form Specification

Item No.

Cutter Mixer 2,6lt/2.7 qt. transparent copolyester bowl with scraper and central feed hole for adding products in mid-cycle. Transparent copolyester lid. Fine serrated blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and dishwasher safe. Watertight, easy to clean, flat, soft-touch buttons. Single speed 1800 rpm with on/pulse/off function for simple operations. With Nema 5-15P plug.

APPROVAL:

Main Features

- Tabletop cutter mixer and emulsifier allowing fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Easy to clean and watertight control panel with on/off button and pulse function.
- Pulse function to coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- ErgoCert 4-star certification for ergonomic design and ease of use.
- Productivity up to 50 settings per service.
- Includes 2.7 quart transparent bowl with micro-toothed blades rotor.

Construction

- Microtoothed blades in 420 AISI stainless steel and ergonomic scraper in high resistant composite material to ensure consistent mixing.
- compact design, easy to move and store.
- IPX5 (IP55) flat panel touch-control, watertight panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Food safety assured thanks to BPA-free materials and compliance with NSF standards.
- Product safety in accordance with international and UL standards.
- 1 speed: 1800 rpm.
- Motor power: 1 HP/ 750 Watt.
- Bowl in BPA-free, transparent copolyester.

Food Processor
Prep4You cutter mixer 2.6l/2.7qt,1 speed, 750w, nema 5-15p

Food Processor
Prep4You cutter mixer 2.6l/2.7qt,1 speed, 750w, nema 5-15p

Included Accessories


- 1 of Transparent lid for 2,6lt Cutter Mixer bowl PNC 650117
- 1 of Fine serrated blade rotor for 2.6lt Cutter Mixer PNC 650226
- 1 of Transparent copolyester bowl for 2,6lt Cutter Mixer PNC 650229
- 1 of Scraper for 2.6lt Cutter Mixer bowl PNC 650230

Optional Accessories


- Transparent lid for 2,6lt Cutter Mixer bowl PNC 650117 ❑
- Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 speed models) PNC 650118 ❑
- Fine serrated blade rotor for 2.6lt Cutter Mixer PNC 650226 ❑
- SMOOTH BLADE ROTOR FOR 2.7QT CUTTER MIXER PNC 650227 ❑
- Stainless steel bowl for 2,6lt Cutter Mixer PNC 650228 ❑
- Transparent copolyester bowl for 2,6lt Cutter Mixer PNC 650229 ❑
- Scraper for 2.6lt Cutter Mixer bowl PNC 650230 ❑
- Stainless steel bowl for 2,6lt Cutter Mixer, fine serrated rotor, lid with scraper PNC 650231 ❑
- Fine serrated blade rotor for 3.6lt Cutter Mixer PNC 650233 ❑
- SMOOTH BLADE ROTOR FOR 3.8QT CUTTER MIXER PNC 650234 ❑
- Stainless steel bowl for 3.6lt Cutter Mixer PNC 650235 ❑
- Scraper for 3.6lt Cutter Mixer bowl PNC 650236 ❑
- Transparent bowl for 2,6lt cutter mixer, fine serrated rotor, lid with scraper PNC 650245 ❑

Food Processor
Prep4You cutter mixer 2.6l/2.7qt,1 speed, 750w, nema 5-15p

Front




Side



EI = Electrical connection

Top



Electric

Supply voltage:	115 V/1N ph/60 Hz
Electrical power, max:	0.75 kW
Total Watts:	0.75 kW

Capacity:

Performance (up to):	0 kg/Cycle
Capacity (quarters):	2.7
Capacity:	2.6 Litre

Key Information:

External dimensions, Width:	9 3/4" (247 mm)
External dimensions, Depth:	12 15/16" (328 mm)
External dimensions, Height:	17 15/16" (456 mm)
Shipping weight:	40 lbs (18 kg)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.