

Vegetable Slicer TRS Classic Vegetable Bench Cutter with Ejector



ITEM #	
MODEL #	
NAME #	
SIS #	
<u>AIA #</u>	

Main Features

- Base inclined at 20° to provide easy loading and
- Complete and wide selection of blades and grids available (diam. 205 mm).
- Automatic restart of the machine with the halfmoon lever in position.
- Continuous feed model.
- Hopper easily removed for cleaning.
- Magnetic safety system and motor brake. Prevents machine from running when lever swings away or is open.
- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Suitable for 100-300 meals for table service and up to 600 meals for catering service.
- Ergonomically design to work frontally and to reduce the working space around the machine.
- Plate speed at 360 RPM for precise cutting, slicing and dicing.

Construction

- Power: 370 watts.
- Compact and portable design.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- waterproof ON/OFF buttons. IP24 throughout the entire machine.

Optional Accessories

- Stainless steel shredding disc PNC 650077 🗅 with S-blades 4x4 mm
- Stainless steel shredding disc PNC 650078 🗅 with S-blades 6x6 mm (can also be used for French fries) Stainless steel shredding disc PNC 650079 🗅 with S-blades 8x8 mm (can also be used for French fries)
- Stainless steel shredding disc PNC 650080 🛛 with S-blades 10x10 mm (can also be used for French fries)
- Stainless steel pressing/slicing PNC 650081 🛛 disc with S-blades 0,6 mm (can be used for slicing or
- Stainless steel pressing/slicing PNC 650082 🗅 disc with S-blades 1 mm (can be used for slicing or combined with grids)
- Stainless steel pressing/slicing PNC 650083 🗅 disc with S-blades 2 mm (can be used for slicing or combined with grids)
- Stainless steel pressing/slicing PNC 650084 🛯 disc with S-blades 3 mm (can be used for slicing or combined with grids)

Ŋ

APPROVAL:



Vegetable Slicer TRS Classic Vegetable Bench Cutter with Ejector

 Stainless steel pressing/slicing disc with S-blades 4 mm (can be used for slicing or combined with 	PNC 650085	•	 Stainless steel pressing/slicing disc with S-blades 12 mm (can be used for slicing or combined with grids) 	PNC 650161	
grids) • Stainless steel pressing/slicing	PNC 650086		 Stainless steel pressing/slicing disc with corrugated S-blades 8 mm (can be used for slicing or combined with 	PNC 650162	
disc with S-blades 5 mm (can be used for slicing or combined with grids)			grids) • Stainless steel pressing/slicing disc	PNC 650164	
 Stainless steel pressing/slicing disc with S-blades 6 mm (can be used for slicing or combined with 	PNC 650087		with corrugated S-blades 10 mm (can be used for slicing or combined with grids)		
grids) • Stainless steel pressing/slicing disc with S-blades 8 mm (can be	PNC 650088		 Stainless steel pressing/slicing disc with S-blades 13 mm (can be used for slicing or combined with grids) 	PNC 650165	
used for slicing or combined with grids)		•	• Stainless steel shredding disc with S- blades 2x2 mm	PNC 650166	
 Stainless steel pressing/slicing disc with corrugated S-blades 2 	PNC 650089		• Stainless steel shredding disc with S- blades 3x3 mm	PNC 650167	
mm (can be used for slicing or combined with grids) • Stainless steel pressing/slicing	PNC 650090		 Set of 4 stainless steel discs (2mm and 5mm slicing pressing discs, 2mm and 7mm grating discs) 	PNC 650178	
disc with corrugated S-blades 3			• Table with shelf and 1/1 GN tray	PNC 653180	
mm (can be used for slicing or			•	PNC 653283	
 combined with grids) Stainless steel pressing/slicing disc with corrugated S-blades 6 	PNC 650091		 Stainless steel work table with folding shelves and disk rack for TRK, TRS and TR210 table top models 	PNC 653283	u
mm (can be used for slicing or		•	 Dicing grid 5x5 mm 	PNC 653566	
combined with grids)			 Dicing grid 8x8 mm 	PNC 653567	
 Bistrot Pack-set stainless steel 	PNC 650092		Dicing grid 10x10 mm	PNC 653568	
discs (2mm and 5mm slicing	1100 0500 52		 Dicing grid 12x12 mm 	PNC 653569	
pressing disc, 2mm grating disc)					
 Set of 3 stainless steel discs for 	PNC 650107		Dicing grid 20x20 mm	PNC 653570	
Pizza (2mm and 4mm pressing/			• Grid for chips 6x6 mm	PNC 653571	
slicing discs with S-blades, 7mm		•	 Grid for chips 8x8 mm 	PNC 653572	
grating disc)		•	 Grid for chips 10x10 mm 	PNC 653573	
 Cleaning tool for TRS, TRK & TR210 5-8-10 mm dicing grids 			Support for 1 disc, diam. 175mm and 205mm	PNC 653632	
• Dicing set 10x10x10mm (10mm	PNC 650112		 Stainless steel grating disc 2 mm 	PNC 653773	
aluminum slicing pressing disc with 205mm diam. and 10mm			 Stainless steel grating disc 3 mm 	PNC 653774	
arid)			Stainless steel grating disc 4 mm	PNC 653775	
5 /			 Stainless steel grating disc 7 mm 	PNC 653776	
 Gastronomy Pack-set discs (2mm, 5mm and 10mm slicing pressing 	PNC 650115	_	 Stainless steel grating disc 9 mm 	PNC 653777	
discs, 2mm grating disc, 4x4mm			• •		
shredding disc, 10x10mm dicing grid) and grid cleaning tool			 Stainless steel grating disc for knoedeln and bread Stainless steel grating disc for 	PNC 653778 PNC 653779	
 Set of 7 discs (2mm, 5mm and 10mm slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool 	PNC 650114		parmesan and bread	PINC 033773	
 Aluminum pressing/slicing disc with straight blades 10 mm - for dicing 	PNC 650115				
 Aluminum pressing/slicing disc with straight blades 8 mm - for dicing 	PNC 650116				
 Stainless steel shredding disc with S-blades 2x8 mm 	PNC 650158				
 Stainless steel shredding disc with S-blades 2x10 mm 					
 Stainless steel pressing/slicing disc with S-blades 10 mm (can be used for slicing or combined with 	PNC 650160				

Vegetable Slicer TRS Classic Vegetable Bench Cutter with Ejector

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



Vegetable Slicer TRS Classic Vegetable Bench Cutter with Ejector



Supply voltage: Electrical power, max: Total Watts:	220-240/380-415 V/3 ph/50/60 Hz 0.37 kW 0.37 kW
Capacity:	
Performance (up to):	400 kg/hour
Key Information:	
External dimensions, Width:	246 mm
External dimensions, Depth:	557 mm
External dimensions, Height: Shipping weight:	466 mm ISO 9001; ISO 14001 kg

Electric

Vegetable Slicer TRS Classic Vegetable Bench Cutter with Ejector

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.