

Planetary Mixers Planetary Mixer, 10 lt. Electronic with Hub

ITEM #	
MODEL#	
NAME #	
SIS#	
AIA#	



600143 (DXBE10BA)

10 It planetary mixer, bowl detection device, electronic speed variation. Equipped with spiral hook, paddle, whisk and H type accessory hub. Equipped with highly resistant safety screen - BPA free

Short Form Specification

Item No.

Suitable for all kneading, blending and whipping operations. Body, feet and 10 litre capacity bowl in stainless steel. One piece alloy head holding the planetary mechanism and the drive. Water proof (IP55) and flat touch button control panel with 60 min. timer. Removable/ transparent solid safety screen - made of a bisphenol-A free (BPA) copolyester. Powerful asynchronous motor (750 W) with electronic speed variation adjusted by a potentiometer (10 speed levels from 26 to 180 rpm). Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Adjustable feet for stability. Equipped with accessory drive hub type H (accessories are not included). Supplied with 3 tools: spiral hook, paddle and whisk.

Main Features

- Professional beater mixer that provides all the basic mixer functions: kneading of all sort of pastes, mixing of semi-liquid products, emulsions and various sauces.
- Delivered with:
 - -Spiral Hook, Paddle, Wire Whisk and Mixing Bowl for 10 lt
 - -Accessory drive hub (accessories are not included)
- Electronic speed variator.
- Removable safety screen activates the raising and lowering of the bowl.
- Maximum capacity (flour, with 60% of hydration) 3.5 kg, suitable for 10-50 meals per service.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.

Construction

- Compact design for table top installations.
- Body entirely in stainless steel.
- Sturdy construction with mechanically welded strong metal frame.
- AISI 302 stainless steel bowl 10 lt. capacity.
- Asynchronous motor with high start-up torque.
- Planetary movement based on self lubricating gears, eliminating any risk of leaks.
- 10 speeds from 26 to 180 rpm (planetary movement), to adjust to the selected tool and mixture hardness.
- Water protected planetary system (IP55 electrical controls, IP34 appliance overall).
- Power: 750 watts.
- · Adjustable feet for perfect stability.

Included Accessories

• 1 of Paddle 10 lt	PNC 653267
• 1 of Spiral Hook 10 lt	PNC 653268
• 1 of Whisk 10 lt	PNC 653269
• 1 of Bowl 10 lt	PNC 653276

Optional Accessories

- p	
 Puree strainer for H hub supplied with 1 screw and 3 grids of 1.5, 3 and 6 mm 	PNC 653187 🗆
 Vegetable cutter, attachment type H, disconnectable drive, for planetary mixers 	PNC 653225

Paddle 10 lt
 Spiral Hook 10 lt
 Whisk 10 lt
 PNC 653268 □
 PNC 653269 □
 Bowl 10 lt
 PNC 653276 □

APPROVAL:






 Aluminium external support for 70 mm meat mincer (includes tray and pusher) - H HUB - To be combined with a meat mincer kit 	PNC 653720	
 Aluminium meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm) 	PNC 653721	
Stainless steel meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm)	PNC 653722	
 Stainless steel meat mincer kit 70 mm - 1/2 Unger cut, includes blade (4 discs, diam. 0, 3 - 4.5 and 8 mm) 	PNC 653723	





Planetary Mixers Planetary Mixer, 10 lt. -Electronic with Hub



Electric Supply voltage: 200-240 V/1N ph/50/60 Hz **Electrical power max:** 0.75 kW 0.75 kW **Total Watts:** Capacity: Performance (up to): 3.5 kg/Cycle Capacity: 10 litres Key Information: External dimensions, Width: 454 mm External dimensions, 606 mm Depth: External dimensions, Height: 700 mm **Shipping weight:** 49.2 kg Net weight (kg): 38 **Cold water paste:** 3.5 kg with Spiral hook

18 with Whisk

Egg whites: