


## **Planetary Mixers** Planetary Mixer, 20 It - Floor model - Electronic with Hub



stainless steel 20 litre capacity bowl. Powerful asynchronous motor (900 W) with an electronic speed variator (10 speed levels from 30 to 180 rpm). Water protected planetary system. Removable/transparent solid safety screen - made of a bisphenol-A free (BPA) copolyester. Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Water proof (IP55) and flat touch button control panel with 60 min. timer, which switches off the machine at the end of the cycle. Start/stop button. Adjustable feet for stability. Equipped with accessory drive hub type H (accessories are not included). Supplied with 3 tools: spiral hook, paddle and whisk.

ITEM #	
MODEL #	
NAME #	
SIS #	
AIA #	

#### Main Features

- Professional beater mixer that provides all the basic mixer functions: kneading of all sort of pastes, mixing of semi-liquid products, emulsions and various sauces.
- Waterproof touch button control panel with timer, speed setting and display.
- Electronic speed variator.
- Maximum capacity (flour, with 60% of hydration) 6 kg, suitable for 50-150 meals per service.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Delivered with:
  - Spiral Hook, Paddle, Wire Whisk and Mixing Bowl for 20 lt
  - Accessory drive hub (accessories are not included)
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.
- Removable chute to add ingredients while working included as standard.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.

### Construction

- Sturdy construction with mechanically welded strong metal frame.
- 302 AISI Stainless steel bowl 20 lt. capacity.
- Asynchronous motor with high start-up torque.
- 10 speeds from 30 to 180 rpm (planetary movement), to adjust to the selected tool and mixture hardness.
- Planetary movement based on self lubricating gears, eliminating any risk of leaks.
- Water protected planetary system (electrical controls, IP34 appliance overall). (IP55
- Power: 900 watts.
- Body in non-corrosive material.
- The solid safety screen and the stainless steel wire structure are both removable and dismantled for cleaning and are dishwasher safe.
- Adjustable feet for perfect stability.

## Included Accessories

- 1 of Bowl 20 lt PNC 650121 • 1 of Whisk 20 lt PNC 653109 PNC 653114
- 1 of Spiral Hook 20 lt PNC 653116
- 1 of Paddle 20 lt

#### **Optional Accessories** • Bowl 20 lt

PNC 650121




APPROVAL:



<ul> <li>10 It reduction kit (bowl, spiral hook, paddle, whisk) for 20 It planetary mixers</li> </ul>	PNC 650122	
• Whisk 20 lt	PNC 653109	
<ul> <li>Spiral Hook 20 lt</li> </ul>	PNC 653114	
Paddle 20 lt	PNC 653116	
• Puree strainer for H hub supplied with 1 screw and 3 grids of 1.5, 3 and 6 mm	PNC 653187	
<ul> <li>Vegetable cutter, attachment type H, disconnectable drive, for planetary mixers</li> </ul>	PNC 653225	
<ul> <li>Reinforced whisk 20 lt (for heavy duty use)</li> </ul>	PNC 653254	
• Kit wheels for 20/30/40 litre planetary mixers (only XB models)	PNC 653552	
<ul> <li>Aluminium external support for 70 mm meat mincer (includes tray and pusher) - H HUB - To be combined with a meat mincer kit</li> </ul>	PNC 653720	
<ul> <li>Aluminium meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm)</li> </ul>	PNC 653721	
• Stainless steel meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm)	PNC 653722	
<ul> <li>Stainless steel meat mincer kit 70 mm - 1/2 Unger cut, includes blade (4 discs, diam. 0, 3 - 4.5 and 8 mm)</li> </ul>	PNC 653723	



# Planetary Mixers Planetary Mixer, 20 It - Floor model - Electronic with Hub



lectric

Supply voltage: Electrical power, max: Total Watts:	200-240 V/1N ph/50/60 Hz 1.01 kW 1.01 kW
Capacity:	
Performance (up to): Capacity:	6 kg/Cycle 20 litres
Key Information:	
External dimensions, Width: External dimensions,	532 mm
Depth: External dimensions, Height: Shipping weight: Net weight (kg): Cold water paste: Egg whites:	685 mm 1208 mm 107 kg 95 6 kg with Spiral hook 32 with Whisk

Planetary Mixers Planetary Mixer, 20 lt - Floor model - Electronic with Hub

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



# **Included Accessories**

Included Accessories	
• 1 of Bowl 20 lt	PNC 650121
• 1 of Whisk 20 lt	PNC 653109
<ul> <li>1 of Spiral Hook 20 lt</li> </ul>	PNC 653114
• 1 of Paddle 20 lt	PNC 653116
<b>Optional Accessories</b>	
• Bowl 20 lt	PNC 650121 🛛
• 10 lt reduction kit (bowl, spiral hook, paddle, whisk) for 20 lt planetary mixers	PNC 650122 🛛
• Whisk 20 lt	PNC 653109 🛛
<ul> <li>Spiral Hook 20 lt</li> </ul>	PNC 653114 🛛
• Paddle 20 lt	PNC 653116 🛛
<ul> <li>Puree strainer for H hub supplied with 1 screw and 3 grids of 1.5, 3 and 6 mm</li> </ul>	PNC 653187 🛛
• Vegetable cutter, attachment type H, disconnectable drive, for planetary mixers	PNC 653225 🗅
• Reinforced whisk 20 lt (for heavy duty use)	PNC 653254 🗅
<ul> <li>Kit wheels for 20/30/40 litre planetary mixers (only XB models)</li> </ul>	PNC 653552 🗅
<ul> <li>Aluminium external support for 70 mm meat mincer (includes tray and pusher) - H HUB - To be combined with a meat mincer kit</li> </ul>	PNC 653720 🗖
• Aluminium meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm)	PNC 653721 🛛
• Stainless steel meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm)	PNC 653722 🗖
<ul> <li>Stainless steel meat mincer kit 70 mm - 1/2 Unger cut, includes blade (4 discs, diam, 0)</li> </ul>	

includes blade (4 discs, diam. 0, 3 - 4.5 and 8 mm)



The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.