

PREP4YOU Vegetable Slicer - Variable Speed - No discs includ



Vegetable Slicer PREP4YOU Vegetable Slicer -Variable Speed - No discs included

ITEM #	
MODEL#	
NAME#	
SIS#	
AIA#	



600972 (DVSVS)

Vegetable slicer variable speed 500-1200rpm, Schuko plug

Short Form Specification

Item No.

Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1,25 liters transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 55mm or 25mm. Ideal for grating, slicing/wavy slice, julienne and dicing. A safety micro switch stops the blade when the feed hopper is opened. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Variable speed with 5 levels (500 to 1200 rpm) for high quality cuts. With Schuko plug.

Main Features

- Vegetable slicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Continuous feed model.
- Equipped with half moon hopper (1,25lt capacity) and 2 small round feed chutes: Ø 25mm and Ø 55mm, for precise slicing of long shaped vegetables.
- Uniform cuts and maximised load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 200mm high standard kitchen containers (like GN) under the output chute.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs and grids available of various sizes for slicing, dicing, grating and shredding (diam. 175mm).
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- Productivity up to 100 settings per service.
- Flexibility for high quality cuts: 5-level variable speed (500-1200 rpm) can be adjusted according to consistency of ingredients.

Construction

- compact design, easy to move and store.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Motor power: 750 Watt.
- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.

APPROVAL:



Included Accessories

• 1 of Ejector for Vegetable Slicer PNC 650232

Optional Accessories

•	Cleaning tool for TRS, TRK & TR210	PNC 650110	
	5-8-10 mm dicing grids		

- Set of 3 discs dia. 175mm (slicer 2mm, slicer 5mm, grater 3mm)
- Set of 6 discs dia. 175mm (slicer 2mm, slicer 5mm, grater 3mm, grater 7mm, slicer 10mm, grid 10x10mm)
- Stainless steel grating disc 2 mm PNC 650198 ☐ (dia. 175mm)
- Stainless steel grating disc 3 mm PNC 650199
 (dia. 175mm)
- Stainless steel grating disc 4 mm PNC 650205
- (dia. 175mm)

 Stainless steel grating disc 7 mm PNC 650207
- (dia. 175mm)

 Parmesan Disc PNC 650208 □
- Stainless steel shredding disc 2 PNC 650209 mm (dia. 175mm)
- Stainless steel shredding disc 4 PNC 650210 mm (dia. 175mm)
- Stainless steel shredding disc 8 mm for French fries (dia. 175mm)
- Stainless steel slicing disc 1 mm PNC 650213 Q (dia. 175mm)
- Stainless steel slicing disc 2 mm PNC 650214
 (dia. 175mm)
- Stainless steel slicing disc 3 mm PNC 650215 (dia. 175mm)
- Stainless steel slicing disc 5 mm PNC 650216 Q (dia. 175mm)
- Stainless steel slicing disc 6 mm PNC 650217 (dia. 175mm)
- Stainless steel wavy slicing disc 3 PNC 650218
- mm (dia. 175mm)


 Stainless steel wavy slicing disc 5 PNC 650219
 mm (dia. 175mm)
- Aluminum slicing disc 8 mm (dia. PNC 650220 175mm)
- Aluminum slicing disc 10 mm (dia. PNC 650221
- 175mm)
- Dicing grid 8x8 (dia 175mm)
 Dicing grid 10x10 (dia 175mm)
 PNC 650222
 PNC 650223
- Dicing grid 10x10 (dia 175mm)
 PNC 650223
 Dicing kit 8mm (aluminum slicer
 PNC 650224
- 8mm, grid 8x8mm) (dia. 175mm)


 Dicing kit 10mm (aluminum slicer PNC 650225 ☐
 10mm grid 10x10 mm) (dia.
- 10mm, grid 10x10 mm) (dia. 175mm)
- Ejector for Vegetable Slicer PNC 650232
- Stainless steel slicing disc 4 mm PNC 650237 Q (dia. 175mm)
- Support for 1 disc, diam. 175mm PNC 653632 and 205mm






Vegetable Slicer PREP4YOU Vegetable Slicer -Variable Speed - No discs included







Electric Supply voltage: 220-240 V/1N ph/50/60 Hz Electrical power, max: 0.75 kW **Total Watts:** 0.75 kW Capacity: Performance (up to): 150 kg/hour Key Information: External dimensions, Width: 348 mm External dimensions, 315 mm Depth: External dimensions, Height: 527 mm

17.5 kg

Shipping weight:



EI = Electrical inlet (power)







Top