

PREP4YOU Combined Vegetable Slicer/Cutter M



Vegetable Slicer PREP4YOU Combined Vegetable Slicer/Cutter Mixer 2,6 Lt - Single Speed - No discs included

ITEM#		
MODEL#		
NAME#		
SIS#		
AIA#		



600974 (DCOM26)

Combined vegetable slicer and cutter mixer 2.6 lt, with stainless steel bowl, 1500 rpm, Schuko plug

Short Form Specification

<u>Item No.</u>

Combined Vegetable Slicer and Cutter Mixer with 2,6 litres, stainless steel bowl. Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1,25 liters transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 55mm or 25mm. Ideal for grating, slicing/wavy slice, julienne and dicing. A safety micro switch stops the blade when the feed hopper is opened.

Cutter Mixer transparent copolyester lid with scraper and central feed hole for adding products in mid-cycle. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl.

No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, soft-touch buttons. Single speed 1500 rpm with on/pulse/off function for simple operations. With Schuko plug.

Main Features

- Combined appliance with two functions: vegetable slicer and cutter mixer.
- Equipped with vegetable slicer attachment for slicing, grating, shredding (julienne) as well as dicing and French fries cutting.
- Cutter mixer and emulsifier function included, for fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Equipped with half moon hopper (1,25lt capacity) and 2 small round feed chutes: Ø 25mm and Ø 55mm, for precise slicing of long shaped vegetables.
- Uniform cuts and maximised load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 200mm high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs and grids available of various sizes for slicing, dicing, grating and shredding (diam. 175mm).
- Includes 2,6 liter stainless steel bowl with micro-toothed blades rotor.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Pulse function for coarse chopping.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity: up to 100 settings per service for vegetable slicer, up to 50 settings per service for cutter mixer function.

APPROVAL:



Construction		Stainless steel shredding disc 4 PNo nm (dia. 175mm)	C 650210	
• 1 speed: 1.500 rpm.		,	IC 650211	
• Power: 500 Watts.		nm for French fries (dia. 175mm)		
Bowl in AISI 304 stainless steel.Micro-toothed blades in 420 AISI stainless steel		stainless steel slicing disc 1 mm PNG dia. 175mm)	IC 650213	
 and ergonomic scraper in resistant composite material to ensure consistent mixing. IPX5 (IP55) waterproof, flat, touch-control panel. Main switch ON/OFF on the back of the appliance. Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft. Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free. Product safety conform to European directives, UK legislation and international health and safety standards. 		stainless steel slicing disc 2 mm PN(dia. 175mm)	IC 650214 [
		stainless steel slicing disc 3 mm PN(dia. 175mm)	IC 650215	
		•	IC 650216	
		•	IC 650217	
		stainless steel wavy slicing disc 3 PN nm (dia. 175mm)	IC 650218	
		Stainless steel wavy slicing disc 5 PNG nm (dia. 175mm)	IC 650219	
		Aluminum slicing disc 8 mm (dia. PN) 75mm)	C 650220	
Included Accessories		Aluminum slicing disc 10 mm PN (dia. 175mm)	IC 650221	
1 of Transparent lid for 2,6lt cutter mixer bowl		3		
	DNIC EEO22E	, , , , , , , , , , , , , , , , , , ,		
for 2.6lt Cutter Mixer	•	Dicing kit 8mm (aluminum slicer PN) 8mm, grid 8x8mm) (dia. 175mm)	IC 650224 [
• 1 of Stainless steel bowl for 2,6lt Cutter Mixer	•	Dicing kit 10mm (aluminum slicer PN) 0mm, grid 10x10 mm) (dia.	C 650225	
 1 of Scraper for 2.6lt Cutter Mixer bowl 	PNC 650230	75mm)		_
• 1 of Ejector for Vegetable Slicer	PNC 650232	Aicrotoothed blade rotor for 2.6lt PNC Cutter Mixer		
Optional Accessories	•	Smooth blade rotor for 2.6lt	IC 650227	
 Cleaning tool for TRS, TRK & TR210 5-8-10 mm dicing grids 	PNC 650110 🚨	Stainless steel bowl for 2,6It Cutter PN Mixer	C 650228	
 Transparent lid for 2,6lt cutter mixer bowl 	PNC 650117 🚨		C 650229	
• Transparent lid without sealing	PNC 650118 🚨	Scraper for 2.6It Cutter Mixer bowl PN	C 650230	
for 3,6lt Cutter Mixer bowl (1 speed models)		Stainless steel bowl for 2,6It Cutter PN		
• Set of 3 discs dia. 175mm (slicer 2mm, slicer 5mm, grater	PNC 650196 □	Aixer, microtoothed rotor, lid with craper	IC 650232 [
3mm)		3		
 Set of 6 discs dia. 175mm (slicer 2mm, slicer 5mm, grater 3mm, grater 7mm, slicer 10mm, grid 	1110 000137	Cutter Mixer		
10x10mm)	•	Smooth blade rotor for 3.6lt PNG Cutter Mixer	IC 650234 [_
 Stainless steel grating disc 2 mm (dia. 175mm) 	PNC 650198 □ •	stainless steel bowl for 3.6It Cutter PN Mixer	C 650235	
 Stainless steel grating disc 3 mm (dia. 175mm) 		Scraper for 3.6lt Cutter Mixer bowl PNG		
 Stainless steel grating disc 4 	PNC 650205 🗖	Stainless steel slicing disc 4 mm PN(dia. 175mm)	IC 650237	U
mm (dia. 175mm) • Stainless steel grating disc 7 mm (dia. 175mm)	PNC 650207 🗖	ransparent bowl for 2,6lt cutter PNG nixer, microtoothed rotor, lid vith scraper	IC 650245 [
• Parmosan Disc	DNC 650208 D	vicii sciapei	C CE7C72	



ullet Stainless steel shredding disc 2 PNC 650209 llot

Parmesan Disc

mm (dia. 175mm)


PNC 650208 🗆

• Support for 1 disc, diam. 175mm

and 205mm

PNC 653632 □





Electric	
Supply voltage: Electrical power, max: Total Watts:	220-240 V/1N ph/50 Hz 0.5 kW 0.5 kW
Capacity:	
Performance (up to): Capacity:	150 kg/hour 2.6 litres
Key Information:	
External dimensions, Width:	348 mm
External dimensions, Depth:	328 mm
External dimensions, Height:	527 mm

18.4 kg

Shipping weight:

