

#### Vegetable Slicer PREP4YOU Combined Vegetable Slicer/Cutter Mixer 2,6 Lt copolyester bowl - Single Speed - No discs in



## **Short Form Specification**

#### Item No.

Combined Vegetable Slicer and Cutter Mixer with 2,6 litres, transparent copolyester. Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1,25 liters transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 55mm or 25mm. Ideal for grating, slicing/wavy slice, julienne and dicing. A safety micro switch stops the blade when the feed hopper is opened. Cutter Mixer transparent copolyester lid with scraper and central feed hole for adding products in mid-cycle. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl.

No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, soft-touch buttons. Single speed 1500 rpm with on/pulse/off function for simple operations. With Schuko plug.

ITEM #	
MODEL #	
NAME #	
<u>SIS #</u>	
AIA #	

## **Main Features**

- Combined appliance with two functions: vegetable slicer and cutter mixer.
- Equipped with vegetable slicer attachment for slicing, grating, shredding (julienne) as well as dicing and French fries cutting.
- Cutter mixer and emulsifier function included, for fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Equipped with half moon hopper (1,25lt capacity) and 2 small round feed chutes: Ø 25mm and Ø 55mm, for precise slicing of long shaped vegetables.
- Uniform cuts and maximised load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection. Fits up to 200mm high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs and grids available of various sizes for slicing, dicing, grating and shredding (diam. 175mm).
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Pulse function for coarse chopping.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity: up to 100 settings per service for vegetable slicer, up to 50 settings per service for cutter mixer function.
- Includes 2,6 liter, transparent bowl with micro-toothed blades rotor.



APPROVAL:



#### Vegetable Slicer **PREP4YOU Combined Vegetable Slicer/** Cutter Mixer 2,6 Lt copolyester bowl -Single Speed - No discs in

### Construction

- 1 speed: 1.500 rpm.
- Power: 500 Watts.
- Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.
- Bowl in BPA-free, transparent copolyester.
- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.

# Included Accessories

- 1 of Transparent lid for 2,6lt PNC 650117 cutter mixer bowl 1 of Microtoothed blade rotor PNC 650226
- for 2.6lt Cutter Mixer 1 of Transparent copolyester PNC 650229 bowl for 2,6lt Cutter Mixer
- 1 of Scraper for 2.6lt Cutter PNC 650230 Mixer bowl
- 1 of Ejector for Vegetable Slicer PNC 650232

# **Optional Accessories**

- Cleaning tool for TRS, TRK & PNC 650110 TR210 5-8-10 mm dicing grids
- Transparent lid for 2,6lt cutter PNC 650117 mixer bowl
- Transparent lid without sealing PNC 650118 for 3,6lt Cutter Mixer bowl (1 speed models)
- Set of 3 discs dia. 175mm PNC 650196 🗆 (slicer 2mm, slicer 5mm, grater 3mm)
- Set of 6 discs dia. 175mm (slicer PNC 650197 2mm, slicer 5mm, grater 3mm, grater 7mm, slicer 10mm, grid 10x10mm)
- Stainless steel grating disc 2 PNC 650198 mm (dia. 175mm)
- Stainless steel grating disc 3 PNC 650199 mm (dia. 175mm)
- Stainless steel grating disc 4 PNC 650205 🗆 mm (dia. 175mm)
- Stainless steel grating disc 7 PNC 650207 🛛 mm (dia. 175mm)
- Parmesan Disc PNC 650208 🗆
- Stainless steel shredding disc 2 PNC 650209 mm (dia. 175mm)



<ul> <li>Stainless steel shreem (dia. 175mm)</li> </ul>	edding disc 4	PNC 650210	
<ul> <li>Stainless steel shreem for French frie</li> </ul>	edding disc 8 es (dia 175mm)	PNC 650211	
<ul> <li>Stainless steel slicin (dia. 175mm)</li> </ul>	· · · · ·	PNC 650213	
<ul> <li>Stainless steel slicit (dia. 175mm)</li> </ul>	ng disc 2 mm	PNC 650214	
<ul> <li>Stainless steel slicit (dia. 175mm)</li> </ul>	ng disc 3 mm	PNC 650215	
<ul> <li>Stainless steel slicit (dia. 175mm)</li> </ul>	ng disc 5 mm	PNC 650216	
<ul> <li>Stainless steel slicit (dia. 175mm)</li> </ul>	ng disc 6 mm	PNC 650217	
<ul> <li>Stainless steel wav mm (dia. 175mm)</li> </ul>	y slicing disc 3	PNC 650218	
<ul> <li>Stainless steel wav mm (dia. 175mm)</li> </ul>	y slicing disc 5	PNC 650219	
Aluminum slicing ( 175mm)	disc 8 mm (dia.	PNC 650220	
<ul> <li>Aluminum slicing ( (dia. 175mm)</li> </ul>	disc 10 mm	PNC 650221	
<ul> <li>Dicing grid 8x8 (dia</li> <li>Dicing grid 10x10 (dia</li> </ul>	•	PNC 650222 PNC 650223	
<ul> <li>Dicing kit 8mm (al 8mm, grid 8x8mm)</li> </ul>	uminum slicer	PNC 650224	
<ul> <li>Dicing kit 10mm (a 10mm, grid 10x10 n 175mm)</li> </ul>	luminum slicer	PNC 650225	
Microtoothed blad     Cutter Mixer	e rotor for 2.6lt	PNC 650226	
<ul> <li>Smooth blade roto Cutter Mixer</li> </ul>	r for 2.6lt	PNC 650227	
<ul> <li>Stainless steel bow Mixer</li> </ul>	l for 2,6lt Cutter	PNC 650228	
• Transparent copoly 2,6lt Cutter Mixer	ester bowl for	PNC 650229	
• Scraper for 2.6lt Cu	tter Mixer bowl	PNC 650230	
<ul> <li>Stainless steel bow Mixer, microtoothe scraper</li> </ul>		PNC 650231	
• Ejector for Vegetak	ole Slicer	PNC 650232	
<ul> <li>Microtoothed blad Cutter Mixer</li> </ul>	e rotor for 3.6lt	PNC 650233	
<ul> <li>Smooth blade roto Cutter Mixer</li> </ul>	r for 3.6lt	PNC 650234	
<ul> <li>Stainless steel bow Mixer</li> </ul>	l for 3.6lt Cutter	PNC 650235	
• Scraper for 3.6lt Cu		PNC 650236	
<ul> <li>Stainless steel slicit (dia. 175mm)</li> </ul>	-	PNC 650237	
<ul> <li>Transparent bowl f mixer, microtoothe with scraper</li> </ul>		PNC 650245	
• Support for 1 disc, o	diam. 175mm	PNC 653632	

Vegetable Slicer PREP4YOU Combined Vegetable Slicer/Cutter Mixer 2,6 Lt copolyester bowl - Single Speed - No discs in The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

and 205mm



# Vegetable Slicer PREP4YOU Combined Vegetable Slicer/ Cutter Mixer 2,6 Lt copolyester bowl -Single Speed - No discs in



Electric	
Supply voltage: Electrical power, max: Total Watts:	220-240 V/1N ph/50 Hz 0.5 kW 0.5 kW
Capacity:	
Performance (up to): Capacity:	150 kg/hour 2.6 litres
Key Information:	
External dimensions, Width:	348 mm
External dimensions, Depth:	328 mm
External dimensions, Height:	527 mm

527 mm Shipping weight: 17.9 kg



Vegetable Slicer PREP4YOU Combined Vegetable Slicer/Cutter Mixer 2,6 Lt copolyester bowl - Single Speed - No discs The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.