

MAS TO THE TOTAL T

PREP4YOU Combined Vegetable Slicer/Cutter copolyester bowl - Single Speed



Vegetable Slicer PREP4YOU Combined Vegetable Slicer/Cutter Mixer 2,6 Lt copolyester bowl - Single Speed - No discs in

ITEM #	
MODEL#	
NAME #	
SIS#	
AIA#	



600976 (DCOM26P)

Combined vegetable slicer and cutter mixer 2.6 lt, with transparent copolyester bowl, 1500 rpm, Schuko plug

Short Form Specification

Item No.

transparent copolyester. Vegetable slicer ensures consistent cutting results thanks to the design patented lever-pusher. Constructed in a sturdy plastic material. 1,25 liters transparent half-moon hopper. Vegetables can be fed directly into the half moon hopper, a pusher presses the vegetables against the cutting discs ensuring an even cut in minimal time. 2 small hoppers for precise cuts on long vegetables dia. 55mm or 25mm. Ideal for grating, slicing/wavy slice, julienne and dicing. A safety micro switch stops the blade when the feed hopper is opened. Cutter Mixer transparent copolyester lid with scraper and central feed hole for adding products in mid-cycle. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, soft-touch buttons. Single speed 1500 rpm with on/pulse/off function for simple operations. With

Combined Vegetable Slicer and Cutter Mixer with 2,6 litres,

Main Features

- Combined appliance with two functions: vegetable slicer and cutter mixer.
- Equipped with vegetable slicer attachment for slicing, grating, shredding (julienne) as well as dicing and French fries cutting.
- Cutter mixer and emulsifier function included, for fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Equipped with half moon hopper (1,25lt capacity) and 2 small round feed chutes: Ø 25mm and Ø 55mm, for precise slicing of long shaped vegetables.
- Uniform cuts and maximised load capacity, thanks to the design patented lever-pusher.
- Large output chute for efficient ejection.
 Fits up to 200mm high standard kitchen containers (like GN) under the output chute.
- Continuous feed model.
- Pulse function for quick and precise slicing and grating.
- Ergonomical frontal lever, suitable for left handed and right handed operators.
- Vegetable slicer blade stops when lever pusher is lifted for operator safety.
- Optional discs and grids available of various sizes for slicing, dicing, grating and shredding (diam. 175mm).
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Pulse function for coarse chopping.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity: up to 100 settings per service for vegetable slicer, up to 50 settings per service for cutter mixer function.
- Includes 2,6 liter, transparent bowl with micro-toothed blades rotor.

APPROVAL:

Schuko plug.





Construction		 Stainless steel shredding disc 4 PNC 650210 mm (dia. 175mm) 	
 1 speed: 1.500 rpm. Power: 500 Watts. Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing. IPX5 (IP55) waterproof, flat, touch-control panel. Main switch ON/OFF on the back of the appliance. Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft. Bowl in BPA-free, transparent copolyester. Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free. Product safety conform to European directives, UK legislation and international health and safety standards. 			
		,	
		 Stainless steel wavy slicing disc 5 PNC 650219 mm (dia. 175mm) 	
		 Aluminum slicing disc 8 mm (dia. PNC 650220 175mm) 	
Included Accessories		 Aluminum slicing disc 10 mm PNC 650221 (dia. 175mm) 	
 1 of Transparent lid for 2,6lt cutter mixer bowl 		, , , , , , , , , , , , , , , , , , , ,	
	DNC 650226		
for 2.6lt Cutter Mixer		 Dicing kit 8mm (aluminum slicer PNC 650224 8mm, grid 8x8mm) (dia. 175mm) 	
bowl for 2,6lt Cutter Mixer		, ,	
 1 of Scraper for 2.6lt Cutter Mixer bowl 	PNC 650230	175mm)	
• 1 of Ejector for Vegetable Slicer	PNC 650232	 Microtoothed blade rotor for 2.6lt PNC 650226 Cutter Mixer 	
Optional Accessories		 Smooth blade rotor for 2.6lt PNC 650227 Cutter Mixer 	
 Cleaning tool for TRS, TRK & TR210 5-8-10 mm dicing grids 	PNC 650110 📮		
 Transparent lid for 2,6lt cutter mixer bowl 	PNC 650117 🚨		
 Transparent lid without sealing for 3,6lt Cutter Mixer bowl (1 	PNC 650118 🚨	• Scraper for 2.6lt Cutter Mixer bowl PNC 650230	
speed models)		Stainless steel bowl for 2,6lt Cutter PNC 650231 Minor princets at bod rather lid with	
• Set of 3 discs dia. 175mm (slicer 2mm, slicer 5mm, grater	PNC 650196 □	Mixer, microtoothed rotor, lid with scraper • Ejector for Vegetable Slicer PNC 650232	
3mm)Set of 6 discs dia. 175mm (slicer)		• Microtoothed blade rotor for 3.6lt PNC 650233	_
2mm, slicer 5mm, grater 3mm, grater 7mm, slicer 10mm, grid		Cutter Mixer • Smooth blade rotor for 3.6lt PNC 650234	
Ī0x10mm)	DNC (50100 D	Cutter Mixer	_
Stainless steel grating disc 2 mm (dia. 175mm)	D. 10 (50100)	 Stainless steel bowl for 3.6lt Cutter PNC 650235 Mixer 	
 Stainless steel grating disc 3 mm (dia. 175mm) 			
• Stainless steel grating disc 4 mm (dia. 175mm)	PNC 650205 L	(dia. 175mm)	_
• Stainless steel grating disc 7 mm (dia. 175mm)	PNC 650207 □	 Transparent bowl for 2,6lt cutter PNC 650245 mixer, microtoothed rotor, lid with scraper 	
- Darmasan Disa	DNC CEO200 D		_



• Stainless steel shredding disc 2 PNC 650209 🗆

Parmesan Disc

mm (dia. 175mm)


PNC 650208 🗆

• Support for 1 disc, diam. 175mm

and 205mm

PNC 653632 □





Electric	
Supply voltage: Electrical power, max: Total Watts:	220-240 V/1N ph/50 Hz 0.5 kW 0.5 kW
Capacity:	
Performance (up to): Capacity:	150 kg/Cycle 2.6 litres
Key Information:	
External dimensions, Width:	348 mm
External dimensions, Depth:	328 mm
External dimensions, Height:	527 mm

17.9 kg

Shipping weight:

