

## Food Processor PREP4YOU Cutter Mixer 3,6 Lt -Variable Speed

ITEM #	
MODEL#	
NAME #	
SIS#	
AIA #	



602225 (DK36SVSG)

Cutter Mixer 3.6 It with stainless steel bowl, sealed lid, variable speed 500-3600 rpm, UK plug

# **Short Form Specification**

<u>Item No.</u>

Table top Cutter Mixer. 3,6 litres, stainless steel bowl with sealed lid, scraper and central feed hole for adding products in mid-cycle. Transparent copolyester lid. Microtoothed blade rotor. Angled blades and conical base of the bowl ensure consistent mixing. All ingredients are processed evenly and quickly thanks to a special flow generated inside the bowl. No-volt release system prevents accidental start of the appliance. All parts in contact with food are removable and Dishwasher safe. Waterproof, easy to clean, flat, soft-touch buttons. Variable speed with 9 levels (500 to 3600 rpm) for extra smooth results and emulsifying. With UK plug.

#### **Main Features**

- Tabletop cutter mixer and emulsifier allowing fast chopping, mixing, mincing, griding, liquidizing and kneading.
- Includes 3,6 liter stainless steel bowl with micro-toothed blades rotor.
- Bowl/lid scraper included for uniform smooth results (emulsifying) and continuous working.
- Transparent lid, with funnel shaped hole, to add ingredients during use.
- All ingredients are processed evenly and quickly thanks to a special movement generated inside the bowl.
- Easy to clean and waterproof control panel with flat on/off button and pulse function.
- Pulse function for coarse chopping.
- All parts in contact with food are removable without the use of tools, completely dismountable and dishwasher safe.
- Productivity up to 50 settings per service.
- 9 speed levels for extra smooth results and high speed emulsifying.

#### Construction

- Food safety assured in accordance to European directives and UK legislation. In addition, materials in contact with food, are BPA-free.
- Product safety conform to European directives, UK legislation and international health and safety standards.
- Variable speed: 500 3600 rpm.
- Motor power: 750 Watt.
- Bowl in AISI 304 stainless steel.
- Micro-toothed blades in 420 AISI stainless steel and ergonomic scraper in resistant composite material to ensure consistent mixing.
- compact design, easy to move and store.
- IPX5 (IP55) waterproof, flat, touch-control panel.
- Main switch ON/OFF on the back of the appliance.
- Asynchronous industrial motor with no brushes for high reliability and quiet functioning, stainless steel motor shaft.

APPROVAL:



#### **Included Accessories**

• 1 of Microtoothed blade rotor	PNC 650233
for 3.6lt Cutter Mixer	

- 1 of Stainless steel bowl for 3.6lt PNC 650235 Cutter Mixer
- 1 of Scraper for 3.6lt Cutter PNC 650236 Mixer bowl
- 1 of Transparent lid for 3,6lt PNC 653862 Cutter Mixer bowl with sealing and scraper

### **Optional Accessories**

- Transparent lid for 2,6lt cutter PNC 650117 🚨 mixer bowl
- Transparent lid without sealing PNC 650118 🚨 for 3,6lt Cutter Mixer bowl (1 speed models)
- Microtoothed blade rotor for PNC 650226 🖵 2.6lt Cutter Mixer
- PNC 650227 🗅 Smooth blade rotor for 2.6lt **Cutter Mixer**
- Stainless steel bowl for 2,6lt PNC 650228 🗆 Cutter Mixer
- PNC 650229 🗆 Transparent copolyester bowl for 2,6lt Cutter Mixer
- Scraper for 2.6lt Cutter Mixer PNC 650230 🗆 bowl
- Stainless steel bowl for 2,6lt PNC 650231 🗆 Cutter Mixer, microtoothed rotor, lid with scraper
- Microtoothed blade rotor for PNC 650233 🖵 3.6lt Cutter Mixer
- Smooth blade rotor for 3.6lt PNC 650234 🗖 Cutter Mixer
- Stainless steel bowl for 3.6lt PNC 650235 🗅 Cutter Mixer
- Scraper for 3.6lt Cutter Mixer PNC 650236 🗆
- Transparent bowl for 2,6lt PNC 650245 🗆 cutter mixer, microtoothed rotor, lid with scraper
- Transparent lid for 3,6lt Cutter PNC 653862 🗆 Mixer bowl with sealing and scraper
- Stainless steel bowl for 3,6lt PNC 653864 🗆 Cutter Mixer, microtoothed



rotor, sealed lid with scraper












# **Food Processor** PREP4YOU Cutter Mixer 3,6 Lt -**Variable Speed**







Electric Supply voltage: 220-240 V/1N ph/50/60 Hz Electrical power, max: 0.75 kW 0.75 kW **Total Watts:** Capacity: Performance (up to): 0 kg/Cycle Capacity: 3.6 litres Key Information: External dimensions, Width: 252 mm External dimensions, 334 mm Depth: External dimensions, Height: 476 mm **Shipping weight:** 19 kg Meat mincing capacity: 0 kg Mayonnaise preparation 0 kg capacity: Pastry preparation capacity: 0 kg



(power)







Top