


## Hand held Mixers Bermixer PRO 350 W with Stainless Steel Tube (353-453mm)

ITEM #		
MODEL #		
NAME #		
SIS #		
AIA #		



Reinforced whisk for portable PNC 650108 [
Bermixer

- 353 mm stainless steel tube for PNC 650132 □ portable mixer bermixer
- 453 mm stainless steel tube PNC 650133 □ for portable mixer bermixer
- Adjustable rail for containers diam. 375 mm to 650 mm (to be used with 653294)

APPROVAL:

speed adjustment by pulse on + and - buttons.

Maximum speed: 9000 rpm. Safety feature requires

both hands to start the machine. Design for heavy duty

usage: double fan system to cool down the motor.

Visible and water proof (IP55) control panel to control

speed levels and overload warning light. Shaft locking

device avoids release during operation. Whisk

accessory available as an option.



• Holder to support portable mixer PNC 653294 in containers (can be used only with tube attachment)




Hand held Mixers Bermixer PRO 350 W with Stainless Steel Tube (353-453mm)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.



## Hand held Mixers Bermixer PRO 350 W with Stainless Steel Tube (353-453mm)



Electric		
Supply voltage: 600314 (DBP3535) 600320 (DBP3545) Electrical power max.: Total Watts:	220-240 V/1 ph/50/60 Hz 220-240 V/1 ph/50/60 Hz 0.35 kW 0.35 kW	
Capacity:		
Capacity (up to): 600314 (DBP3535) 600320 (DBP3545)	30 litres 50 litres	
Key Information:		
External dimensions, Width: External dimensions,	138 mm	
Depth: External dimensions, Height:	120 mm	
600314 (DBP3535)	665 mm	
600320 (DBP3545) Shipping weight:	765 mm	
600314 (DBP3535) 600320 (DBP3545)	5.45 kg 5.6 kg	

Hand held Mixers Bermixer PRO 350 W with Stainless Steel Tube (353-453mm)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.