

# R210 Vegetable Slicer with Automatic Hopper ss trolle



# Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper ss trolley - 2 Speeds

ITEM #	
MODEL#	
NAME #	
SIS#	
AIA#	
,	



CC0H67 (DTR2102VT)

Vegetable slicer, automatic hopper on stainless steel trolley, 2 speeds 340-680 rpm.

# **Short Form Specification**

<u>Item No.</u>

For medium catering facilities, up to 1000 meals per service, specially designed for slicing, grating, julienne and dicing. Stainless steel automatic feed hopper allows large scale preparations (up to 1500 kg/cycle).

Freestanding configuration thanks to the smart design trolley, which can host both the machine and the  $2/1\,GN$  tray to collect the cut vegetables

Parts in contact with food - stainless steel hopper and cutting chamber - can be removed without tools and placed in a dishwasher for fast cleaning.

Asynchronous industrial motor for heavy duty and longer

Safety granted by magnetic micro switch which stops the machine if hopper is not correctly positioned.

Waterproof (IP55) control panel with "no volt release" safety device.

Two-speed model 340 and 680 rpm.

Manual lever-operated hopper, long vegetable hopper available as optional accessories.

### **Main Features**

- Suitable for 100-800 meals for table service and up to 1000 meals for catering service.
- Vegetableslicer with slicing, grating, shredding (julienne) as well as dicing and French fries cutting capability.
- Delivered with:
  - -automatic hopper
  - -cutting chamber
  - -ejector disc
- -smart design trolley to place the unit and the 2/1 GN tray to collect cut veggies, to maximize productivity and grant effortless operation
- Continuous feed model, hopper capacity is 5/6 kg.
- All parts in contact with food are removable without the use of tools, stainless steel hopper, stainless steel lever and cutting chamber are dishwasher safe.
- Complete and wide selection of blades and grids available (diam. 205 mm).
- High flexibility and ergonomy thanks to the available optional accessories.
- Long vegetable hopper (4 round hoppers with different size) available as optional accessory to better fit different type of vegetables/fruits.
- Lever operated hopper (including long vegetable and half moon hoppers) to reach the maximum precision in the result (optional).

## Construction

- All discs (available on request) are made in stainless steel and dishwasher safe.
- Automatic hopper are made entirely in stainless steel for better durability.
- Long vegetable hopper, lever operated hopper and the smart trolley are made in stainless steel
- Power: 750 watts.
- 2 speeds: 340-680 rpm.
- Asynchronous silent industrial motor for heavy duty and longer life.

APPROVAL:



# Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper ss trolley - 2 Speeds

Components • 1 of 600412 (DTR210Y2V) Vegetable hopper, 2 speeds 340-680 rpm.	slicer, automa		Stainless steel pressing/slicing disc PNC 650091 with corrugated S-blades 6 mm (can be used for slicing or combined with grids)	
- <b>Shipping weight:</b> 39 kg • 1 of <b>650065</b> (TTXTR210) Stainless TR210 with 1/1 GN tray rails (GN tray		for		
- Shipping weight: 37 kg		•	Stainless steel lever-operated hopper PNC 650094 for TR210 (no cutting chamber, no	
Optional Accessories			ejector)	_
<ul> <li>Stainless steel trolley for TR210 with 1/1 GN tray rails (GN tray not included)</li> </ul>	PNC 650065		<ul> <li>Set of 3 stainless steel discs for Pizza PNC 650107 (2mm and 4mm pressing/slicing discs with S-blades, 7mm grating disc)</li> </ul>	
<ul> <li>Stainless steel shredding disc with S-blades 4x4 mm</li> </ul>	PNC 650077		Stainless steel long vegetable hopper PNC 650109	
<ul> <li>Stainless steel shredding disc with S-blades 6x6 mm (can also be used for French fries)</li> </ul>	PNC 650078		with 4 tubes different sizes with pusher (no cutting chamber, no ejector) for TR210	
• Stainless steel shredding disc with S-blades 8x8 mm (can also be	PNC 650079	_	5-8-10 mm dicing grids	
<ul><li>used for French fries)</li><li>Stainless steel shredding disc with</li></ul>	PNC 650080		Dicing set 10x10x10mm (10mm PNC 650112 aluminum slicing pressing disc with 205mm diam, and 10mm grid)	
S-blades 10x10 mm (can also be used for French fries)		•	Gastronomy Pack-set discs (2mm, PNC 650113	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 0,6 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650081		5mm and 10mm slicing pressing discs, 2mm grating disc, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool	
Stainless steel pressing/slicing disc with S-blades 1 mm (can be used for slicing or combined with grids)	PNC 650082	J	<ul> <li>Set of 7 discs (2mm, 5mm and 10mm PNC 650114 slicing pressing discs, 2mm and 7mm grating discs, 4x4mm shredding disc, 10x10mm dicing grid) and grid cleaning tool</li> </ul>	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 2 mm (can be used for slicing or combined with</li> </ul>	PNC 650083			
grids) • Stainless steel pressing/slicing	PNC 650084		<ul> <li>Aluminum pressing/slicing disc with PNC 650116 straight blades 8 mm - for dicing</li> </ul>	
disc with S-blades 3 mm (can be used for slicing or combined with	FNC 050004	•	blades 2x8 mm	
grids) • Stainless steel pressing/slicing	PNC 650085		<ul> <li>Stainless steel shredding disc with S- PNC 650159 blades 2x10 mm</li> </ul>	
disc with S-blades 4 mm (can be used for slicing or combined with grids)		•	<ul> <li>Stainless steel pressing/slicing disc PNC 650160 with S-blades 10 mm (can be used for slicing or combined with grids)</li> </ul>	
<ul> <li>Stainless steel pressing/slicing disc with S-blades 5 mm (can be used for slicing or combined with grids)</li> </ul>	PNC 650086		with S-blades 12 mm (can be used for slicing or combined with grids)	
Stainless steel pressing/slicing disc with S-blades 6 mm (can be used for slicing or combined with grids)	PNC 650087		with corrugated S-blades 8 mm (can be used for slicing or combined with grids)	
Stainless steel pressing/slicing disc with S-blades 8 mm (can be used for slicing or combined with	PNC 650088		<ul> <li>Stainless steel pressing/slicing disc PNC 650164 with corrugated S-blades 10 mm (can be used for slicing or combined with grids)</li> </ul>	
<ul><li>grids)</li><li>Stainless steel pressing/slicing disc with corrugated S-blades 2</li></ul>	PNC 650089		• Stainless steel pressing/slicing disc PNC 650165 with S-blades 13 mm (can be used for slicing or combined with grids)	
mm (can be used for slicing or combined with grids)			Stainless steel shredding disc with S- PNC 650166 blades 2x2 mm	
<ul> <li>Stainless steel pressing/slicing disc with corrugated S-blades 3</li> </ul>	PNC 650090		• Stainless steel shredding disc with S- PNC 650167 blades 3x3 mm	
mm (can be used for slicing or combined with grids)		•		








<ul> <li>Dicing grid 5x5 mm</li> <li>Dicing grid 8x8 mm</li> <li>Dicing grid 10x10 mm</li> <li>Dicing grid 12x12 mm</li> <li>Dicing grid 20x20 mm</li> <li>Grid for chips 6x6 mm</li> <li>Grid for chips 8x8 mm</li> <li>Grid for chips 10x10 mm</li> <li>Support for 1 disc, diam. 175mm</li> </ul>	PNC 653566 PNC 653567 PNC 653568 PNC 653570 PNC 653571 PNC 653572 PNC 653573 PNC 653632	
<ul> <li>and 205mm</li> <li>Ejector disc</li> <li>Stainless steel grating disc 2 mm</li> <li>Stainless steel grating disc 3 mm</li> <li>Stainless steel grating disc 4 mm</li> <li>Stainless steel grating disc 7 mm</li> <li>Stainless steel grating disc 9 mm</li> <li>Stainless steel grating disc for knoedeln and bread</li> </ul>	PNC 653772 PNC 653773 PNC 653774 PNC 653775 PNC 653776 PNC 653777 PNC 653778	
<ul> <li>Stainless steel grating disc for parmesan and bread</li> <li>Stainless steel automatic hopper tr210 (no cutting chamber, no ejector) dim (w)450 (d)416 (h) 450mm + agitator</li> </ul>	PNC 653779 PNC 653884	





# Vegetable Slicer TR210 Vegetable Slicer with Automatic Hopper ss trolley - 2 Speeds



Electric	
Supply voltage: Electrical power, max: Total Watts:	380-415/380-440 V/3 ph/50/60 Hz 0.75 kW 0.75 kW
Capacity:	
Performance (up to):	1500 kg/Cycle
Key Information:	
External dimensions, Width:	630 mm
External dimensions, Depth:	770 mm
External dimensions, Height:	1250 mm

**Shipping weight:** 

