

Planetary Mixers Planetary Mixer, 20 lt - Table model - Electronic with Hub

ITEM #
MODEL#
NAME #
SIS#
AIA#



600156 (DXBE20ATB)

20 It planetary mixer, bowl detection device and SOLID BPA free safety screen, with electronic speed variation. Table top model. Equipped with spiral hook, paddle, whisk and H type accessory hub

Short Form Specification

<u>Item No.</u>

Table top model, suitable for all kneading, blending and whipping operations. Body in non-corrosive material with stainless steel 20 litre capacity bowl. Powerful asynchronous motor (900 W) with an electronic speed variator (10 speed levels from 30 to 180 rpm). Water protected planetary system. Removable/transparent solid safety screen - made of a bisphenol-A free (BPA) copolyester. Bowl detection device allows the mixer to switch on only when the bowl and the safety screen are properly installed and positioned together. Water proof (IP55) and flat touch button control panel with 60 min. timer, which switches off the machine at the end of the cycle. Start/stop button. Adjustable feet for stability. Equipped with accessory drive hub type H (accessories are not included). Supplied with 3 tools: spiral hook, paddle and whisk.

Main Features

- Professional beater mixer that provides all the basic mixer functions: kneading of all sort of pastes, mixing of semi-liquid products, emulsions and various sauces.
- Waterproof touch button control panel with timer, speed setting and display.
- Electronic speed variator.
- Maximum capacity (flour, with 60% of hydration) 6 kg, suitable for 50-150 meals per service.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Delivered with:
 - -Spiral Hook, Paddle, Wire Whisk and Mixing Bowl for 20 lt
 - -Accessory drive hub (accessories are not included)
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.
- Removable chute to add ingredients while working included as standard.

Construction

- Body in non-corrosive material.
- Compact design for table top installations.
- Sturdy construction with mechanically welded strong metal frame.
- 302 AISI Stainless steel bowl 20 lt. capacity.
- Asynchronous motor with high start-up torque.
- 10 speeds from 30 to 180 rpm (planetary movement), to adjust to the selected tool and mixture hardness.
- Planetary movement based on self lubricating gears, eliminating any risk of leaks.
- Water protected planetary system (IP59 electrical controls, IP34 appliance overall).
- Power: 900 watts.
- The solid safety screen and the stainless steel wire structure are both removable and dismantled for cleaning and are dishwasher safe.
- · Adjustable feet for perfect stability.

Included Accessories

• 1 of Bowl 20 lt	PNC 650121
• 1 of Whisk 20 lt	PNC 653109
• 1 of Spiral Hook 20 lt	PNC 653114
• 1 of Paddle 20 lt	PNC 653116

Optional Accessories

Bowl 20 lt PNC 650121 □

APPROVAL:






• 10 lt reduction kit (bowl, spiral hook, paddle, whisk) for 20 lt planetary mixers	PNC 6	50122	
• Whisk 20 lt	PNC 6	53109	
• Spiral Hook 20 lt	PNC 6	53114	
• Paddle 20 lt	PNC 6	53116	
 Puree strainer for H hub supplied with 1 screw and 3 grids of 1.5, 3 and 6 mm 	PNC 6	53187	
 Vegetable cutter, attachment type H, disconnectable drive, for planetary mixers 	PNC 6	53225	
 Reinforced whisk 20 lt (for heavy duty use) 	PNC 6	53254	
 Stainless steel table for 20 lt planetary mixer 	PNC 6	53434	
 Aluminium external support for 70 mm meat mincer (includes tray and pusher) - H HUB - To be combined with a meat mincer kit 	PNC 6	53720	
 Aluminium meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm) 	PNC 6	53721	
 Stainless steel meat mincer kit 70 mm - Enterprise cut, includes blade (3 discs, diam. 4.5 - 6 and 8 mm) 	PNC 6	53722	
 Stainless steel meat mincer kit 70 mm - 1/2 Unger cut, includes blade (4 discs, diam. 0, 3 - 4.5 and 8 mm) 	PNC 6	53723	





Planetary Mixers Planetary Mixer, 20 lt - Table model - Electronic with Hub



Electric Supply voltage: 200-240 V/1N ph/50/60 Hz Electrical power, max: 1.01 kW **Total Watts:** 1.01 kW Capacity: Performance (up to): 6 kg/Cycle Capacity: 20 litres Key Information: External dimensions, Width: 521 mm External dimensions, 685 mm Depth: External dimensions, Height: 980 mm ISO 9001; ISO 14001; ISO **Shipping weight:** 45001; ISO 50001 kg Net weight (kg): **Cold water paste:** 6 kg with Spiral hook

32 with Whisk

Egg whites: