

Planetary Mixers Planetary Mixer for Bakery, 20 It. - Electronic

ITEM#		
MODEL#		
NAME#		
SIS#		
AIA#		



600161 (DXBB20B)

20 lt capacity planetary mixer, bowl detection device and SOLID BPA free safety screen, with 3 fixed speeds and electronic variable speed. Equipped with spiral hook, paddle, whisk and protection grid. Suitable for bakery preparation

Short Form Specification

Item No.

Suitable for bakery and pastry making, for kneading, blending and whipping operations. Reinforced body for heavy duty use with 18/8 (AISI 302) 20 litre capacity stainless steel bowl. Reinforced transmission and powerful asynchronous motor (1500W) with 3 fixed speeds (40, 80, 160 rpm) and electronic variable speed (from 30 to 175 rpm). Water proof (IP55) and flat touch button control panel with a timer from 0-59 min. Removable/transparent solid safety screen - made of a bisphenol-A free (BPA) copolyester. Height adjustable feet. Kneading: speed 1 or 2 with hook; Blending speed 2 with paddle; Whipping: speed 3 with whisk.

Supplied with 3 tools: spiral hook, paddle and reinforced whisk.

Main Features

- Professional beater mixer designed to withstand the strong demands of bakery and pastry making.
- Maximum capacity (flour, with 60% of hydration) 7 kg.
- Waterproof touch button control panel with timer, speed setting and display.
- Delivered with:
- -Spiral Hook, Paddle, Reinforced Wire Whisk and Mixing Bowl for 20 lt
- Kneading speed: "1" or "2" with hook.
- Mixing speed: "2" with paddle.
- Emulsifying speed: "3" with whisk.
- Raising and lowering of the bowl controlled by lever with an automatic locking of the bowl when in the raised position.
- Bowl detection device allows the mixer to switch on only when the bowl and the solid safety screen are properly installed and positioned together.
- Solid BPA-free safety screen, covering the stainless steel wire one, limits the flour and unsafe dust particles when used in bakery and pastry preparation.
- Removable chute to add ingredients while working included as standard.

Construction

- Reinforced body, feet and transmission for heavy duty operations.
- 302 AISI Stainless steel bowl 20 lt. capacity.
- Water protected planetary system (IP55 electrical controls, IP23 overall machine).
- 3 fixed speeds: 40, 80 and 160 rpm.
- Power: 1500 watts.
- The solid safety screen and the stainless steel wire structure are both removable and dismantled for cleaning and are dishwasher safe.
- Adjustable feet for perfect stability.
- Electronic speed variator (10 speeds available from 30 to 175 rpm)

Included Accessories

• 1 of Bowl 20 lt	PNC 650121
• 1 of Spiral Hook 20 lt	PNC 653114
• 1 of Paddle 20 It	PNC 653116
• 1 of Reinforced whisk 20 lt (for heavy duty use)	PNC 653254

Optional Accessories

•	
 Bowl 20 lt 	PNC 650121 🗖
 10 It reduction kit (bow hook, paddle, whisk) for planetary mixers 	vI, spiral PNC 650122 🗖 or 20 lt
 Whisk 20 lt 	PNC 653109 🗖
 Spiral Hook 20 It 	PNC 653114 🚨

APPROVAL:




Planetary Mixers Planetary Mixer for Bakery, 20 lt. - Electronic

Paddle 20 It
 Reinforced whisk 20 It (for heavy duty use)
 Kit wheels for 20/30/40 litre planetary mixers (only XB models)
 PNC 653254 □
 PNC 653552 □





Planetary Mixers Planetary Mixer for Bakery, 20 lt. - Electronic



Electric	
Supply voltage: Electrical power, max: Total Watts:	200-240 V/1N ph/50/60 Hz 1.5 kW 1.5 kW
Capacity:	
Performance (up to): Capacity:	7 kg/Cycle 20 litres
Key Information:	
External dimensions, Width: External dimensions, Depth: External dimensions, Height: Shipping weight: Cold water paste: Egg whites:	575 mm 675 mm 1220 mm 111 kg 7 kg with Spiral hook 32 with Whisk

